



农药注册批准-2025 年


Pesticide Registration Approvals in Brazil 2025

年农业部批准了 912 项农药注册

912 Pesticide Registrations

与 2024 年相比, 增长 37.5%

Increase of 37.5% compared to 2024





GOOD HARVEST



JIANGSU GOOD HARVEST-WEIEN AGROCHEMICAL CO.,LTD.

江苏好收成韦恩农化股份有限公司

Fungicides

Shenqinmycine 申嗪霉素

Fluoxastrobin 氟嘧菌酯

Pyraclostrobin 吡唑醚菌酯

Prothioconazole 丙硫菌唑

Hexaconazole 己唑醇

Thifluzamide 噻呋酰胺

Pyrimethanil 嘧霉胺

Myclobutanil 腈菌唑

Herbicides

Glyphosate(EU Standard)

草甘膦(欧盟标准)

Amicarbazone 氨唑草酮

Metamitron 苯嗪草酮

Tembotrione 环磺酮

Glufosinate-P 精草铵膦

Penoxsulam 五氟磺草胺

Florasulam 双氟磺草胺

Triclopyr 绿草定

Mesosulfuron 甲基二磺隆

Insecticides

Dinotefuran 呋虫胺

Indoxacarb 茚虫威

Methoxyfenozide 甲氧虫酰肼

Metaldehyde 四聚乙醛

Diafenthiuron 丁醚脲

Spirodiclofen 螺螨酯

Pymetrozine 吡蚜酮

Thiamethoxam 噻虫嗪

Fosthiazate 噻唑膦

GOOD HARVEST

目录 | Content


Act No. 6 _____ 24 技术产品及预混料的农药登记审批 Approval of technical products 第6 号法案 2025年2月18日 发布于2025年2月26日 From 2/18/25 - Published on 2/26/25 注册号 Registration TC00125 - TC04025	Act No. 28 _____ 63 制定产品注册批件 Approval of formulated products 第28 号法案 2025年6月27日 发布于2025年6月30日 From 6/27/25 - Published on 6/30/25 注册号 Registration 19625 - 25425	Act No. 54 _____ 99 技术产品及预混料的农药登记审批 Approval of technical products 第54 号法案 2025年11月11日 发布于2025年11月13日 From 11/11/25 - Published on 11/13/25 注册号 Registration TC23125 - TC26025
Act No. 9 _____ 26 制定产品注册批件 Approval of formulated products 第9 号法案 2025年2月27日 发布于2025年3月10日 From 2/27/25 - Published on 3/10/25 注册号 Registration 125 - 7425	Act No. 32 _____ 70 制定产品注册批件 Approval of formulated products 第32 号法案 2025年8月4日 发布于2025年8月6日 From 8/4/25 - Published on 8/6/25 注册号 Registration 25525 - 31325	Act No. 56 _____ 101 制定产品注册批件 Approval of formulated products 第56 号法案 2025年11月28日 发布于2025年12月2日 From 11/28/25 - Published on 12/2/25 注册号 Registration 41825 - 46825
Act No. 12 _____ 37 制定产品注册批件 Approval of formulated products 第12 号法案 2025年3月28日 发布于2025年4月19日 From 4/7/25 - Published on 4/9/25 注册号 Registration 7525 - 12125	Act No. 41 _____ 77 技术产品及预混料的农药登记审批 Approval of technical products 第41 号法案 2025年9月5日 发布于2025年9月8日 From 9/5/25 - Published on 9/8/25 注册号 Registration TC16225 - TC20325	Act No. 58 _____ 109 制定产品注册批件 Approval of technical products 第58 号法案 2025年12月3日 发布于2025年12月8日 From 12/3/25 - Published on 12/8/25 注册号 Registration TC26125 - TC28325
Act No. 13 _____ 45 技术产品及预混料的农药登记审批 Approval of technical products 第13 号法案 2025年4月9日 发布于2025年4月15日 From 4/9/25 - Published on 4/15/25 注册号 Registration TC04125 - TC08525	Act No. 43 _____ 80 制定产品注册批件 Approval of formulated products 第43 号法案 2025年9月5日 发布于2025年9月9日 From 9/5/25 - Published on 9/9/25 注册号 Registration 31425 - 35625	Act No. 63 _____ 111 技术产品及预混料的农药登记审批 Approval of formulated products 第63 号法案 2025年12月26日 发布于2025年12月29日 From 12/26/25 - Published on 12/29/25 注册号 Registration 46925 - 58925
Act No. 15 _____ 48 技术产品及预混料的农药登记审批 Approval of technical products 第15 号法案 2025年5月8日 发布于2025年5月12日 From 5/8/25 - Published on 5/12/25 注册号 Registration TC08625 - TC10525	Act No. 44 _____ 87 制定产品注册批件 Approval of formulated products 第44 号法案 2025年9月26日 发布于2025年9月30日 From 9/26/25 - Published on 9/30/25 注册号 Registration 35725 - 38425	Act No. 64 _____ 126 制定产品注册批件 Approval of technical products 第64 号法案 2025年12月26日 发布于2025年12月29日 From 12/26/25 - Published on 12/29/25 注册号 Registration TC28425 - TC32325
Act No. 17 _____ 50 制定产品注册批件 Approval of formulated products 第17 号法案 2025年5月16日 发布于2025年5月20日 From 5/16/25 - Published on 5/20/25 注册号 Registration 12225 - 18325	Act No. 46 _____ 91 技术产品及预混料的农药登记审批 Approval of technical products 第46 号法案 2025年9月29日 发布于2025年10月2日 From 9/29/25 - Published on 10/2/25 注册号 Registration TC20425 - TC23025	
Act No. 26 _____ 59 技术产品及预混料的农药登记审批 Approval of technical products 第26 号法案 2025年6月24日 发布于2025年6月30日 From 6/24/25 - Published on 6/30/25 注册号 Registration TC10625 - TC16125	Act No. 50 _____ 93 制定产品注册批件 Approval of formulated products 第50 号法案 2025年10月17日 发布于2025年10月20日 From 10/17/25 - Published on 10/20/25 注册号 Registration 38525 - 41725	



All GLP studies for technical and formulated product registration. In one place.

Plantec is Brazil's leading GLP-certified lab for agrochemical and biopesticide registration studies.

With our own experimental stations across multiple biomes, we generate robust data that meets international regulatory requirements — from China to Latin America, Europe, and beyond.



Strategic field stations across Brazil ensure seasonality, biodiversity and regulatory precision.

Our portfolio includes:

- ✓ Physical-chemical and five-batch studies
- ✓ Residue and efficacy trials in field conditions
- ✓ In vitro and in vivo toxicology
- ✓ Genotoxicity and ecotoxicology
- ✓ Semi-field studies with bees (OECD 75)
- ✓ Microbiological and stability testing



**Certified to Deliver.
Trusted Worldwide**

We follow globally recognized protocols: OECD, EPA, CIPAC, IBAMA, ANVISA, MAPA, SENASA, SENAVE — with full GLP compliance.

Beyond testing: a strategic partner for your global ambitions.



+55 11 97163 7381 | +55 19 98151 9338
+55 11 94495 5554

comercial.agro@planteclab.com

www.planteclab.com



Editorial

The 5th edition of **Pesticide Registration Approvals in Brazil** is a compendium with all approved pesticide registrations in 2025 – an exceptional year with 912 registered products.

For each approved registration we listed the most important information, such as product description, active ingredient, use and recommendation, registrant, manufacturer/formulator, address, which are the most demanded by our readers.

This material is the most complete source for pesticide registration information available in Portuguese, English and Mandarin, printed and online.

To ensure technical and regulatory accuracy, we invited AllierBrasil, a pesticide registration consulting firm, to elaborate this compendium.

AgriBrasilis is an international media focused in releasing independent news about Brazilian and Latin American agribusiness, directly from the source.

Londrina | Piracicaba | Porto Alegre | São Paulo, Brazil
Albuquerque, USA
Nanjing | Shijiazhuang, China

社论

《巴西农药登记批准》汇编 (**Pesticide Registration Approvals in Brazil**) 第五版涵盖巴西2025年所有已获准的农药登记信息——这是一个极不寻常的年份，共有912种产品获得了登记的批准。

对于每一项获准登记的产品，我们都列出了最重要的信息，如产品说明、有效成分、用途和使用建议、登记持有人、生产商/配方商以及地址等，都是读者最为关注和最常查询的内容。

本资料是目前以葡、英、中三语提供的最完整的农药登记信息来源，包括纸质和网路两版本。

为确保技术和法规方面的准确性，我们特邀阿利尔巴西 (AllierBrasil) 农药登记咨询公司进行本汇编的编撰。

AgriBrasilis (“巴西农业杂志”) 是一家国际媒体，专注于发布关于巴西和拉丁美洲农业综合产业的独立新闻报道，直接取自一手信息来源。

Editorial board
AgriBrasilis
Inside Agribusiness
Independent

@AgriBrasilis



contact@agribrasilis.com
www.agribrasilis.com

 **AgriBrasilis**
Inside Agribusiness



巴西2025年农药登记批准创新高

Brazil Approves Record Number of Pesticide Registrations in 2025

Flavio Hirata is a partner at AllierBrasil, founder of look2agro™, agronomist graduated from ESALQ/USP, MBA, specialist in pesticide registration.

AllierBrasil is a pesticide registration consulting firm, with more than 20 years, and it has been promoting Brazilian agribusiness through exhibitions, lectures and technical-commercial visits in India, China and Brazil.

In March, **AllierBrasil** is organizing AgriTour China, featuring technical-commercial visits and participation in CAC 2026.

Flavio Hirata 是 AllierBrasil 的合伙人、look2agro™ 创始人，毕业于 ESALQ/USP 农学专业，拥有 MBA 学位，并且是农药登记领域的专家。

AllierBrasil 是一家拥有 20 多年历史的农药登记咨询公司，通过在印度、中国和巴西举办展览、讲座以及技术与商务考察活动，持续推动巴西农业发展。

今年3月，**AllierBrasil**将组织“中国农业考察团”，开展工厂技术商务考察并参观CAC2026展会。



Flavio Hirata, AllierBrasil
flavio.hirata@uol.com.br

In 2025, Brazil reached a new record of approved pesticide registrations: 912 products, comprising 323 Technical Products (TP + NTP + ETP + pre-mix), 427 Chemical Formulated Products (FP + NFP + FP/ETP) and 162 Biological Products.

Compared to 2024, special highlights for registrations of equivalent technical products (+60%), biological products (+53%) and the total numbers to products (+38%).

Among the approved Chemical Formulated Products, the majority are products based on Equivalent Technical Products, also referred to as “generics” (371, or 86.9% of Chemical Formulated Products). This product category is the most important for companies seeking to access the Brazilian market, especially companies from China and India, which are the main suppliers of generic products.

The average time for approval is still very long, 63.4 months for Chemical Formulated Products, even considering the record number (96 products, compared to 68 in 2024) of approved registrations granted through court decisions. In the case of Equivalent Technical Products (generic), the average was 67.4 months, a


2025 年，巴西农药登记批准数量创下新纪录，共批准 912 个产品，包括323个技术产品 (TP + NTP + ETP + 预混剂)、427个化学制剂产品 (FP + NFP + FP/ETP) 以及162个生物制品。

与2024年相比，等效原药产品登记数量（增长60%）、生物制品登记数量（增长53%）以及产品总数（增长38%）的增长尤为显著。

在批准的化学制剂产品中，大多数是基于等同原药（通常称为“仿制药”）的产品，共371个，占化学制剂产品的86.9%。这类产品对于希望进入巴西市场的公司，特别是来自中国和印度的公司（它们是仿制药的主要供应商）来说最为重要。

尽管通过法院判决批准的登记数量创下纪录（2025年96个，2024年68个），但平均审批

2016-2025年批准的农药登记数量
Approved Pesticide Registrations (2016–2025)



数据来源：巴西农业部；AllierBrasil整理

Source: Ministry of Agriculture; adapted by AllierBrasil


登记类型 Type of Registration	2021	2022	2023	2024	2025
原药产品 Technical product	1	0	0	0	1
原药产品 (新活性成分) Technical product (new active ingredient)	7	8	11	3	6
原药等同产品 Equivalent technical product	182	271	179	195	312
预混合 Pre-mixture	1	0	0	1	4
制剂产品 Formulated product	60	34	40	19	37
制剂产品 (新活性成分) Formulated product (new active ingredient)	12	35	20	12	19
基于原药等同的制剂产品 Formulated product based on equivalent technical product	207	168	215	327	371
生物 (低风险) Biological (low risk)	41	57	55	52	87
用于有机农业的生物农药 Approved for organic agriculture	51	79	35	54	75
总数 Total	562	652	555	663	912

24% increase compared to the average of the last five years; and for Equivalent Formulated Products, the average was 64.7 months.

Although the time for registration remains too long for chemical products, it is the opposite for Biological Products, with an average time for approval is 14.5 months. This reflects government efforts related to sustainability, which has been consolidating itself as a strategic path for the sector. The Bioinputs Law reinforces this movement: under Article 37, bioinputs will no longer be classified under the Pesticides Law and will have their own rules, better suited to their characteristics.

The increase in the number of approved registrations is not directly related to an increase in product use in the farms. However, there is an increase in use driven by greater availability of brands and suppliers, more competition and lower prices, thereby enabling more farmers to benefit from this type of technology at more affordable prices.

2025 年获得最多等同制剂产品 (仿制) 批准的公司
Companies with the most approvals of Equivalent Formulated Products in 2025



数据来源: 巴西农业部; AllierBrasil整理


Source: Ministry of Agriculture; adapted by AllierBrasil

时间仍然很长。化学制剂产品的平均审批时间为63.4个月。对于等同原药 (仿制药), 平均时间为67.4个月, 比过去五年的平均时间增加了24%; 等效制剂产品的平均时间为64.7个月。

虽然化学产品的登记时间仍然过长, 但生物制品审批的情况恰恰相反, 其平均审批时间为14.5个月。这反映了政府在可持续发展方面所做的努力, 该方向正逐渐成为行业的战略路径。《生物投入品法》强化了这一趋势: 根据第37条, 生物投入品将不再被归类于《农药法》之下, 并将拥有更适合其特点的专门法规。

登记批准数量的增加并不直接导致农场中产品使用量的增加。然而, 由于品牌和供应商的增多、竞争加剧以及价格下降, 确实推动了使用量的增长, 从而使更多农民能够以更实惠的价格受益于此类技术。

2025年获批生物制品最多的公司
Companies with the most approvals of Biological Products in 2025



数据来源: 巴西农业部; AllierBrasil整理

Source: Ministry of Agriculture; adapted by AllierBrasil

2025年农药登记完整名单 Complete List of Pesticide Registrations (2025)

#	登记持有人 Company	注册号 Reg. No.	商品名 Brand Name	产品 Product	类型 Type
1	SYNCROM	TC00125	DIFENOCONAZOLE TÉCNICO UDRAGON	苯醚甲环唑 Difenoconazole	ETP
2	ALLIERBRASIL	TC00225	AZOSHY TÉCNICO	啞菌酯 Azoxystrobin	ETP
3	CRYSTAL	TC00325	CLOTIANIDINA TÉCNICO CRYSTAL	噻虫胺 Clothianidin	ETP
4	CROPCHEM	TC00425	CIPROCONAZOL TÉCNICO CROPCHEM III	环丙唑醇 Cyproconazole	ETP
5	SYNGENTA	TC00525	BENZOATO DE EMAMECTINA PRÉ-MISTURA	甲氨基阿维菌素 Emamectin benzoate	Pre-Mixture
6	ALLIERBRASIL	TC00625	CIPROCONAZOL TÉCNICO CHEMBRI	环丙唑醇 Cyproconazole	ETP
7	ALLIERBRASIL	TC00725	AMICARBAZONA TÉCNICO GOOD-HARVEST	氨唑草酮 Amicarbazone	ETP
8	NORTOX	TC00825	CLORANTRANILIPROLE TÉCNICO NORTOX	氯虫苯甲酰胺 Chlorantranilprole	ETP
9	CROPCHEM	TC00925	TRIFLURALINA TÉCNICO CROPCHEM	氟乐灵 Trifluralin	ETP
10	ROTAM	TC01025	DIFENOCONAZOLE TÉCNICO ROTAM	苯醚甲环唑 Difenoconazole	ETP
11	HELM	TC01125	DIFENOCONAZOLE ZB TÉCNICO HELM	苯醚甲环唑 Difenoconazole	ETP
12	CROPCHEM	TC01225	CLETODIM TÉCNICO CROPCHEM II	烯草酮 Clethodim	ETP
13	OURO FINO	TC01325	CIPROCONAZOL TÉCNICO OF II	环丙唑醇 Cyproconazole	ETP
14	TRADECORP	TC01425	DIFENOCONAZOL ASCENZA TÉCNICO	苯醚甲环唑 Difenoconazole	ETP
15	NORTOX	TC01525	CIPERMETRINA TÉCNICA NORTOX IV	氯氰菊酯 Cypermethrin	ETP
16	SYNCROM	TC01625	AMINOPYRALID TÉCNICO NGC	氯氨基吡啶酸 Aminopyralid	ETP
17	CRYSTAL	TC01725	CLOROTALONIL TÉCNICO CRYSTAL	百菌清 Chlorothalonil	ETP
18	BIORISK	TC01825	ALPHA-CYPERMETHRIN TÉCNICO BHARAT	顺式氯氰菊酯 Alpha-cypermethrin	ETP
19	SYNCROM	TC01925	AMINOPYRALID TÉCNICO AVILIVE	氯氨基吡啶酸 Aminopyralid	ETP
20	CROPCHEM	TC02025	CLOROTALONIL TÉCNICO CROPCHEM II	百菌清 Chlorothalonil	ETP
21	PERTERRA	TC02125	CLOROTALONIL TÉCNICO PERTERRA	百菌清 Chlorothalonil	ETP
22	IHARABRAS	TC02225	KINOPROL TÉCNICO	伊普氟诺喹 Ipfluenoquin	NTP
23	ADAMA	TC02325	CICLANILIDA TÉCNICO ADAMA BR	环苯胺 Cyclanilide	ETP
24	NORTOX	TC02425	CICLANILIDA TÉCNICA NORTOX	环苯胺 Cyclanilide	ETP
25	LEMMA	TC02525	CHLOROTALONIL TÉCNICO WYNCA	百菌清 Chlorothalonil	ETP
26	ALLIERBRASIL	TC02625	AMICARBAZONA TÉCNICO SOLUS	氨唑草酮 Amicarbazone	ETP
27	NORTOX	TC02725	AMICARBAZONA TÉCNICO NORTOX III	氨唑草酮 Amicarbazone	ETP
28	TECNOMYL	TC02825	AMICARBAZONA TÉCNICO TECNOMYL II	氨唑草酮 Amicarbazone	ETP
29	ALTA	TC02925	ACETAMIPRIDO TÉCNICO ALTA	啶虫脒 Acetamiprid	ETP
30	SOLAGRO	TC03025	ACETAMIPRIDO TÉCNICO BESTAR	啶虫脒 Acetamiprid	ETP
31	AGROBEATS	TC03125	ACETAMIPRIDO TÉCNICO ABT	啶虫脒 Acetamiprid	ETP
32	SUMITOMO	TC03225	DIFENOCONAZOLE TÉCNICO SUMITOMO	苯醚甲环唑 Difenoconazole	ETP
33	BIORISK	TC03325	PROTHIOCONAZOLE TÉCNICO UNITED	丙硫菌唑 Prothioconazole	ETP
34	BIORISK	TC03425	PROTHIOCONAZOLE TÉCNICO SAU	丙硫菌唑 Prothioconazole	ETP
35	BIORISK	TC03525	CLORIDRATO DE PROPAMOCARBE TÉCNICO SAL	霜霉威 Propamocarb hydrochloride	ETP
36	AGROBEATS	TC03625	CIPROCONAZOL TÉCNICO ABT	环丙唑醇 Cyproconazole	ETP
37	ADAMA	TC03725	AMINOPIRALIDE TÉCNICO ADAMA	氯氨基吡啶酸 Aminopyralid	ETP
38	STAPHYT	TC03825	CLOTHIANIDIN TÉCNICO HAILIR	噻虫胺 Clothianidin	ETP
39	STOCKTON	TC03925	DIFENOCONAZOLE TÉCNICO STK	苯醚甲环唑 Difenoconazole	ETP
40	ARYSTA	TC04025	FLUOXASTROBINA TÉCNICO	氟啞菌酯 Fluoxastrobin	NTP
41	NORTOX	125	TIOFANATO F NORTOX	氟啞胺 Fluazinam + 甲基硫菌灵 Thiophanate-methyl	FP/ETP
42	PROREGISTROS	225	GLUFOS BESTAR	草铵膦 Glufosinate ammonium	FP/ETP
43	PROREGISTROS	325	GLUFOS SG 880	草铵膦 Glufosinate ammonium	FP/ETP
44	PROREGISTROS	425	GLUFOSINATO WYNCA SG	草铵膦 Glufosinate ammonium	FP/ETP
45	PERTERRA	525	CLOMAZONE 360 CS PERTERRA	异噁草酮 Clomazone	FP/ETP
46	MCP	625	TETRASTICHUS MCP	<i>Tetrastichus howardi</i>	Bio/Org
47	CHDS	725	PRIMORDIM IV	肟菌酯 Trifloxystrobin + 环丙唑醇 Cyproconazole	FP/ETP
48	VALENTTO	825	TRICHO-MAX	<i>Trichogramma pretiosum</i>	Bio/Org
49	ARCONI	925	TRIONIL	<i>Trichoderma harzianum + Trichoderma viride</i>	Bio/Org
50	ARCONI	1025	BOVEC	<i>Beauveria bassiana</i>	Bio/Org
51	NOOA	1125	TRITTER 19/17	<i>Trichoderma harzianum</i>	Bio/Org
52	CROPCHEM	1225	LACANO 200 SL	敌草快 Diquat	FP/ETP
53	AGROIMPORT	1325	CLETODIM 240 EC AGROIMPORT	烯草酮 Clethodim	FP/ETP
54	GÊNICA	1425	RESYD	<i>Bacillus thuringiensis</i>	Bio/Org
55	PERTERRA	1525	AMICARBAZONE 700 WG PERTERRA	氨唑草酮 Amicarbazone	FP/ETP
56	AGROIMPORT	1625	GLUFOSINATO DE AMÔNIO 200 SL AGROIMPORT	草铵膦 Glufosinate ammonium	FP/ETP
57	BIOTA	1725	INVER	<i>Metarhizium anisopliae</i>	Bio/Org

58	BIOTA	1825	TRC	<i>Trichoderma harzianum</i>	Bio/Org
59	AGROIMPORT	1925	DIQUAT 200 SL AGROIMPORT	敌草快 Diquat	FP/ETP
60	PERTERRA	2025	2,4-D 806 SL PERTERRA	2,4-滴 2,4-D	FP/ETP
61	FMC	2125	PREMIO BR	氯虫苯甲酰胺 Chlorantraniliprole	FP
62	PROREGISTROS	2225	CLETODIM 360 EC YUNFAN	烯草酮 Clethodim	FP/ETP
63	ALLIERBRASIL	2325	OLASUL 750 WG	甲磺草胺 Sulfentrazone	FP/ETP
64	FMC	2425	RHYME	氯虫苯甲酰胺 Chlorantraniliprole + 联苯菊酯 Bifenthrin	FP
65	ALLIERBRASIL	2525	OLASUL WG	甲磺草胺 Sulfentrazone	FP/ETP
66	OXON	2625	CLICK PRO	特丁津 Terbutylazine + 美草酮 Mesotrione	FP/ETP
67	SYNCROM	2725	GLIFOSATO WG NGC	草甘膦 Glyphosate	FP/ETP
68	RAINBOW	2825	CEDIARCO	烯草酮 Clethodim	FP/ETP
69	PROREGISTROS	2925	GLIFOPARTNER PLUS	烯草酮 Clethodim	FP/ETP
70	UPL	3025	OLEA	毕克草 Picloram + 2,4-滴 2,4-D + 甲磺隆 Metsulfuron-methyl	FP/ETP
71	UPL	3125	UPL 1040 FP	虫螨腈 Chlorfenapyr + 氯虫苯甲酰胺 Chlorantraniliprole	FP/ETP
72	BIORISK	3225	MAXUTOL 750WG	异噁草松 Isoxaflutole	FP/ETP
73	BIORISK	3325	OLAZONA 360CS	异噁草酮 Clomazone	FP/ETP
74	COOPAVEL	3425	BOVECOOP SC	<i>Beauveria bassiana</i>	Bio/Org
75	COOPAVEL	3525	HIZOCOOP WP	<i>Beauveria bassiana</i> + <i>Metarhizium anisopliae</i>	Bio/Org
76	COOPAVEL	3625	TRICOBIO WP	<i>Trichoderma harzianum</i>	Bio/Org
77	COOPAVEL	3725	HIZOCOOP SC	<i>Beauveria bassiana</i> + <i>Metarhizium anisopliae</i>	Bio/Org
78	COOPAVEL	3825	METABIO WP	<i>Metarhizium anisopliae</i>	Bio/Org
79	PERTERRA	3925	TRIFLOXISTROBI500 WG PERTERRA	肟菌酯 Trifloxystrobin	FP/ETP
80	BIORISK	4025	SUPER SUPPRESS	氟磺胺草醚 Flumioxazin	FP/ETP
81	GAIA AGRO	4125	GAIA CONTROL RHIZIUM	<i>Metarhizium anisopliae</i>	Bio/Org
82	GAIA AGRO	4225	GAIA CONTROL BOV	<i>Beauveria bassiana</i>	Bio/Org
83	GÊNICA	4325	GNC006C	<i>Trichoderma asperellum</i>	Bio
84	PARTNER	4425	PHOS-GRAIN	磷化铝 Aluminum phosphide	FP
85	AGROIMPORT	4525	HALOXIFOP-P-METÍLICO 125 EC AGROIMPORT	高效氟吡甲禾灵 Haloxypop-P-methyl	FP/ETP
86	BASF	4625	VICADION	丁苯吗啉 Fenpropimorph + 氟氯醚菌唑 Mefentrifluconazole	NFP
87	BIOTA	4725	BEVA	<i>Beauveria bassiana</i>	Bio/Org
88	GÊNICA	4825	AGATHOS	<i>Bacillus amyloliquefaciens</i>	Bio
89	FC BIOINSUMOS	4925	COTÉSIA DUCAMPO	<i>Cotesia flavipes</i>	Bio/Org
90	SYNGENTA	5025	MIRAVIS OTPI SC	百菌清 Chlorothalonil + 派灭芬 Pydiflumetofen	FP
91	SERQUIBIO	5125	SERQUIBIOMETA	<i>Metarhizium anisopliae</i>	Bio/Org
92	SIMBIOSE	5225	TRICHPROTECTION	<i>Trichoderma harzianum</i>	Bio
93	SYNGENTA	5325	FANTOM	丙溴磷 Profenofos + 高效氯氟氰菊酯 Lambda-cyhalothrin	FP
94	SYNGENTA	5425	KONIK	甲氨基阿维菌素 Emamectin benzoate + 异环塞拉姆 Isocycloseram	FP
95	SIPCAM	5525	TORINO SNB	甲基硫菌灵 Thiophanate-methyl + 氟唑胺 Fluazinam	FP/ETP
96	CHDS	5625	PRIMORDIM V	肟菌酯 Trifloxystrobin + 环丙唑醇 Cyproconazole	FP/ETP
97	RAINBOW	5725	ESIFON FULL	乙烯利 Ethephon	FP/ETP
98	VITTIA	5825	BVF2423	<i>Trichoderma asperellum</i>	Bio
99	GAIA AGRO	5925	GAIA CONTROL TRICH	<i>Trichoderma harzianum</i> + <i>Trichoderma viride</i>	Bio/Org
100	SUMITOMO	6025	PALIO	芬普宁 Fenpropathrin + 吡丙醚 Pyriproxyfen	FP
101	ALLIERBRASIL	6125	HERMAX	2,4-滴 2,4-D	FP/ETP
102	SM AGRO CARE	6225	GRANULUM	赛洛宁 Lambda-cyhalothrin	FP/ETP
103	ALLIERBRASIL	6325	GLIXINAN WG	草甘膦铵盐 Glyphosate ammonium	FP/ETP
104	ALLIERBRASIL	6425	WINFOSATE WG II	草甘膦铵盐 Glyphosate ammonium	FP/ETP
105	ALLIERBRASIL	6525	WINFOSATE WG I	草甘膦铵盐 Glyphosate ammonium	FP/ETP
106	ALLIERBRASIL	6625	HERMOST	2,4-滴 2,4-D	FP/ETP
107	SERQUIBIO	6725	SERQUIBIODERMA	<i>Trichoderma harzianum</i>	Bio/Org
108	SOLUS	6825	SILVER I	草铵膦 Glufosinate ammonium	FP/ETP
109	ADAMA	6925	DT-CE-MPP-460-23T	代森锰锌 Mancozeb + 啶菌酯 Picoxystrobin + 丙硫菌唑 Prothioconazole	FP/ETP
110	TECNOMYL	7025	EDGE	啶虫脒 Acetamiprid + 吡丙醚 Pyriproxyfen	FP/ETP
111	TECNOMYL	7125	FAVORITO	吡虫啉 Imidacloprid	FP/ETP
112	ADAMA	7225	LINCE WG	莠去津 Atrazine + 甲磺草酮 Mesotrione	FP/ETP
113	BIORISK	7325	MAXIPIR	三氯吡氧乙酸丁氧乙酯 Triclopyr-butotyl	FP/ETP
114	FERBRU	7425	SAFFRA 700 WG	杀芬草 Saflufenacil	FP/ETP
115	CHDS	7525	NOCAUTE	吡丙醚 Pyriproxyfen	FP/ETP
116	ALBAUGH	7625	TRIFLOXISTROBINA WG ALBAUGH 01	肟菌酯 Trifloxystrobin	FP/ETP
117	CCAB AGRO	7725	BIFENTRINA CCAB 100 EC	联苯菊酯 Bifenthrin	FP/ETP
118	YONON	7825	AMINOPYRALID + 2,4-D 360 SL YONON	氯氨吡啶酸 Aminopyralid + 2,4-滴 2,4-D	FP/ETP
119	ALLIERBRASIL	7925	BONAFIDE 500 WG	啶酰菌胺 Boscalid	FP/ETP
120	ALLIERBRASIL	8025	HAST	2,4-滴 2,4-D	FP/ETP

121	SYNGENTA	8125	AXIAL EC	唑啉草酯 Pinoxaden	FP
122	CTVA	8225	ZETIGO	吡啶菌酰胺 Florylpicoxamid	NFP
123	SOLUBIO	8325	SOLU VELEZENSIS	<i>Bacillus velezensis</i>	Bio
124	SUMITOMO	8425	PROLIANT PLUS	赤霉酸 Gibberellic acid + 脱落酸 Abscisic acid	Bio
125	PERTERRA	8525	DIQUAT 200 SL PERTERRA	敌草快二溴盐 Diquat dibromide	FP/ETP
126	BIORISK	8625	ACEPHATE 90SP AGROGILL	乙酰甲胺磷 Acephate	FP/ETP
127	GÊNICA	8725	DULIA PRO	<i>Bacillus amyloliquefaciens</i> + <i>Bacillus licheniformis</i> + <i>Bacillus subtilis</i> + <i>Bacillus velezensis</i> + <i>Priestia megaterium</i>	Bio
128	SYNGENTA	8825	MIRAVIS AEON	啞菌酯 Azoxystrobin + 丙环唑 Propiconazol + 护汰派灭芬 Pydiflumetofem	FP
129	YONON	8925	TRIFLOXYSTROBI500 WG YNG	脲菌酯 Trifloxystrobin	FP/ETP
130	YONON	9025	TRIFLOXYSTROBIN YONON	脲菌酯 Trifloxystrobin	FP/ETP
131	NORTOX	9125	ISOXAFLUTOL FLORESTAL NORTOX	异噁唑草酮 Isoxaflutole	FP/ETP
132	NORTOX	9225	DIFENOCONAZOL C NORTOX	苯醚甲环唑 Difenoconazole + 环丙唑醇 Cyproconazole	FP/ETP
133	NORTOX	9325	CLOMAZONE NORTOX 360 CS	异噁唑酮 Clomazone	FP/ETP
134	NORTOX	9425	LAMBDA-CIALOTRINA NORTOX	赛洛宁 Lambda-cyhalothrin	FP/ETP
135	NORTOX	9525	CLETODIM OLEUM NORTOX	烯草酮 Clethodim	FP/ETP
136	ADAMA	9625	RIMON SUPRA BR	诺伐隆 Novaluron	FP/ETP
137	NORTOX	9725	TOTALONIL NORTOX	百菌清 Chlorothalonil + 甲基硫菌灵 Thiophanate-methyl	FP/ETP
138	NORTOX	9825	PROTHIOCONAZOL T NORTOX	丙硫菌唑 Prothioconazole + 脲菌酯 Trifloxystrobin	FP/ETP
139	NORTOX	9925	PROTHIOCONAZOL NORTOX	丙硫菌唑 Prothioconazole	FP/ETP
140	NORTOX	10025	OXICLORETO DE COBRE C NORTOX	氯化铜 Copper oxychloride + 百菌清 Chlorothalonil	FP
141	NORTOX	10125	MANCOZEB NORTOX SC	代森锰锌 Mancozeb	FP/ETP
142	NORTOX	10225	FLUMIOXAZIN I NORTOX	氟米噁嗪 Flumioxazin + 咪唑乙烟酸 Imazethapyr	FP/ETP
143	NORTOX	10325	BIFENTRINA NORTOX	联苯菊酯 Bifenthrin	FP/ETP
144	NORTOX	10425	ATRAZINA NORTOX SC	莠去津 Atrazine	FP/ETP
145	YONON	10525	DIQUAT 200 SL YONON	敌草快二溴盐 Diquat dibromide	FP/ETP
146	BALLAGRO	10625	BF0724	<i>Beauveria bassiana</i>	Bio/Org
147	BALLAGRO	10725	BF0824	<i>Trichoderma harzianum</i>	Bio/Org
148	ALLIERBRASIL	10825	RENOME WG	草甘膦铵盐 Glyphosate ammonium	FP/ETP
149	TRADECORP	10925	MESOTRIONA ASCENZA SC	甲磺草酮 Mesotrione	FP/ETP
150	FMC	11025	SOFERO FALL FEROMÔNIO	顺-9-十四烯基乙酸钠 Z-9-tetradecenyl acetate	Bio
151	INNOVAK	11125	SELECTO XL	激动素 Kinetin	Bio
152	FERBRU	11225	CARPIDORA	草甘膦铵盐 Glyphosate ammonium	FP/ETP
153	RAINBOW	11325	PEAKSTAR	吡唑醚菌酯 Pyraclostrobin + 环氧菌唑 Epoxiconazole	FP/ETP
154	BASF	11425	KILYMUS	三环唑 Tricyclazole + 氟唑菌酰胺 Mefentrifluconazole	FP
155	BRA	11525	XENON ME	氟唑吡啶氧乙酸异辛酯 Fluroxypyr-meptyl + 匹克洛姆 Picloram	FP/ETP
156	CHDS	11625	OCA	马拉硫磷 Malathion	FP/ETP
157	HELM	11725	HDB 259	磺草酮 Sulfentrazone + 氟米噁嗪 Flumioxazin	FP/ETP
158	ANDERMATT	11825	MADEX TWIN	<i>Cydia pomonella</i> granulovirus	Bio
159	TIDE	11925	NEPSO	烯草酮 Clethodim	FP/ETP
160	UPL	12025	UPL 1039 FP	氯虫苯甲酰胺 Chlorantraniliprole + 甲氧虫酰肼 Methoxyfenozide	FP/ETP
161	PILARQUIM	12125	PILAREG	虱螨脲 Lufenuron	FP/ETP
162	BIO SPRINGER	TC04125	CEREVISANE TÉCNICO	<i>Saccharomyces cerevisiae</i>	TP
163	OURO FINO	TC04225	HALOXIFOPE-P-METÍLICO TÉCNICO OURO FINO	高效氟吡甲禾灵 Haloxifop-P-methyl	ETP
164	GENBRA	TC04325	DICAMBA TÉCNICO GENBRA	麦草畏 Dicamba	ETP
165	TECNOMYL	TC04425	HALOXIFOP METÍLICO TÉCNICO TECNOMYL II	高效氟吡甲禾灵 Haloxifop-P-methyl	ETP
166	TECNOMYL	TC04525	DIFENOCONAZOL TÉCNICO TECNOMYL	苯醚甲环唑 Difenoconazole	ETP
167	TECNOMYL	TC04625	AMINOPYRALIDE TÉCNICO TECNOMYL	氯氨吡啶酸 Aminopyralid	ETP
168	TECNOMYL	TC04725	ETHIPROLE TÉCNICO TECNOMYL	乙虫腓 Ethiprole	ETP
169	OURO FINO	TC04825	DIFENOCONAZOL TÉCNICO OURO FINO	苯醚甲环唑 Difenoconazole	ETP
170	OURO FINO	TC04925	DIFENOCONAZOL TÉCNICO OF	苯醚甲环唑 Difenoconazole	ETP
171	PROREGISTROS	TC05025	CHLORANTRANILIPROLE TÉCNICO SCH	氯虫苯甲酰胺 Chlorantraniliprole	ETP
172	PROREGISTROS	TC05125	CHLORANTRANILIPROLE TÉCNICO LCI	氯虫苯甲酰胺 Chlorantraniliprole	ETP
173	SYNCROM	TC05225	AMINOPYRALID TÉCNICO SML	氯氨吡啶酸 Aminopyralid	ETP
174	CHDS	TC05325	AMINOPYRALIDE TÉCNICO CHDS	氯氨吡啶酸 Aminopyralid	ETP
175	CHDS	TC05425	FENPROPIMORFE TÉCNICO CHDS	丁苯吗啉 Fenpropimorph	ETP
176	CHDS	TC05525	MANCOZEB TÉCNICO CHDS II	代森锰锌 Mancozeb	ETP
177	ALTA	TC05625	FENPROPIMORFE TÉCNICO ALTA	丁苯吗啉 Fenpropimorph	ETP
178	ALTA	TC05725	HALOXIFOPE-P-METÍLICO ALTA II	高效氟吡甲禾灵 Haloxifop-P-methyl	ETP
179	CROPChem	TC05825	DICLOSULAM TÉCNICO CROPChem	双氯磺草胺 Diclosulam	ETP
180	CROPChem	TC05925	FENPROPIMORFE TÉCNICO CROPChem	丁苯吗啉 Fenpropimorph	ETP

181	CROPCHEM	TC06025	FLUROXIPIR TÉCNICO CROPCHEM II	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl	ETP
182	CROPCHEM	TC06125	HALOXIFOPE TÉCNICO CROPCHEM II	高效氟吡甲禾灵 Haloxypop-P-methyl	ETP
183	PROREGISTROS	TC06225	PROTHIOCONAZOLE TECHNICAL WYNCA	丙硫菌唑 Prothioconazole	ETP
184	MONSANTO	TC06325	DICAMBA TÉCNICO MONSANTO II	麦草畏 Dicamba	ETP
185	SYNGENTA	TC06425	NICOSULFUROM TÉCNICO SYN	烟嘧磺隆 Nicosulfuron	ETP
186	SYNCROM	TC06525	FENPROPIMORPH TÉCNICO EA	丁苯吗啉 Fenpropimorph	ETP
187	NELTY	TC06625	PYRIMETHANIL TECHNICAL SD	嘧霉胺 Pyrimethanil	ETP
188	RAINBOW	TC06725	SPIRODICLOFEN TÉCNICO RAINBOW	螺螨酯 Spirodiclofen	ETP
189	ALTA	TC06825	DICLOSULAM TÉCNICO ALTA	双氯磺草胺 Diclosulam	ETP
190	PILARQUIM	TC06925	DICAMBA TÉCNICO PILARQUIM	麦草畏 Dicamba	ETP
191	NORTOX	TC07025	DICAMBA TÉCNICO NORTOX III	麦草畏 Dicamba	ETP
192	ALTA	TC07125	AZOXISTROBINA TÉCNICO ALTA III	啉菌酯 Azoxystrobin	ETP
193	NORTOX	TC07225	AMINOPIRALIDE TÉCNICO TIDE	氯氨基吡啶酸 Aminopyralid	ETP
194	FERBRU	TC07325	DIFENOCONAZOLE TÉCNICO FB	苯醚甲环唑 Difenoconazole	ETP
195	ROTAM	TC07425	TEBUCONAZOLE TÉCNICO ROTAM II	戊唑醇 Tebuconazole	ETP
196	RAINBOW	TC07525	FLONICAMIDA TÉCNICO RAINBOW	氟啉虫酰胺 Flonicamid	ETP
197	NORTOX	TC07625	HALOXIFOP TÉCNICO NORTOX	高效氟吡甲禾灵 Haloxypop-P-methyl	ETP
198	NORTOX	TC07725	FIPRONIL TÉCNICO NORTOX III	氟虫腓 Fipronil	ETP
199	NORTOX	TC07825	FENPROPIMORFE TÉCNICO NORTOX	丁苯吗啉 Fenpropimorph	ETP
200	TECNOMYL	TC07925	DICLOSULAM TÉCNICO TECNOMYL	双氯磺草胺 Diclosulam	ETP
201	BIORISK	TC08025	V ACETAMIPRID TÉCNICO	啉虫脒 Acetamiprid	ETP
202	BIORISK	TC08125	MANCOZEB TÉCNICO LIMIN	代森锰锌 Mancozeb	ETP
203	HELM	TC08225	FENPROPIMORFE F TÉCNICO HELM	丁苯吗啉 Fenpropimorph	ETP
204	DU PONT	TC08325	REKLEMEL TÉCNICO	氟唑吡啶 Fluzaindolizine	NTP
205	SYNGENTA	TC08425	ISOPYRAZAM TÉCNICO	吡唑萘菌胺 Isopyrazam	NTP
206	MONSANTO	TC08525	ROUNDUP MEA PREMIX	草甘膦 Glyphosate	Pre-Mixture
207	YONON	TC08625	CHLORFENAPYR TÉCNICO CT	虫螨腈 Chlorfenapyr	ETP
208	ALBAUGH	TC08725	TRIFLOXISTROBINA TÉCNICO ALBAUGH 03	肟菌酯 Trifloxystrobin	ETP
209	SYNGENTA	TC08825	FENPROPIDIN TÉCNICO	苯锈啉 Fenpropidin	NTP
210	SYNCROM	TC08925	TRIFLOXYSTROBIN TÉCNICO UDRAGON	肟菌酯 Trifloxystrobin	ETP
211	PERTERRA	TC09025	MANCOZEB TÉCNICO PERTERRA	代森锰锌 Mancozeb	ETP
212	LEMMA	TC09125	DIFENOCONAZOLE TÉCNICO SC	苯醚甲环唑 Difenoconazole	ETP
213	ANASAC	TC09225	VAKERO TÉCNICO	双氯磺草胺 Diclosulam	ETP
214	LEMMA	TC09325	PROTHIOCONAZOLE TÉCNICO SY	丙硫菌唑 Prothioconazole	ETP
215	RAINBOW	TC09425	FLUBENDIAMIDA TÉCNICO RAINBOW	氟苯虫酰胺 Flubendiamide	ETP
216	PROVENTIS	TC09525	LACTOFEM TÉCNICO PROVENTIS	乳氟禾草灵 Lactofen	ETP
217	CCAB	TC09625	LACTOFEN TECNICO CCAB	乳氟禾草灵 Lactofen	ETP
218	ALTA	TC09725	PICOXISTROBINA TÉCNICO ALTA	啉氧菌酯 Picoxystrobin	ETP
219	IHARABRAS	TC09825	AMINOPYRALID TÉCNICO IHARA	氯氨基吡啶酸 Aminopyralid	ETP
220	IHARABRAS	TC09925	DIFENOCONAZOL TÉCNICO IHARA III	苯醚甲环唑 Difenoconazole	ETP
221	ALTA	TC10025	DIFENOCONAZOL TÉCNICO ALTA	苯醚甲环唑 Difenoconazole	ETP
222	ADAMA	TC10125	DIFENOCONAZOL TÉCNICO ADA BR	苯醚甲环唑 Difenoconazole	ETP
223	ADAMA	TC10225	CLORFENAPIR TÉCNICO ADAMA 4	虫螨腈 Chlorfenapyr	ETP
224	SUMITOMO	TC10325	FLUROXIPIR METPÍLICO TÉCNICO SUMITOMO BR	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl	ETP
225	ADAMA	TC10425	MANCOZEBE TÉCNICO ADAMA	代森锰锌 Mancozeb	ETP
226	BIORISK	TC10525	BOSCALID TÉCNICO AGROGIL	啉酰菌胺 Boscalid	ETP
227	RAINBOW	12225	LASTING CS	赛洛宁 Lambda-cyhalothrin	FP/ETP
228	CROPCHEM	12325	PERSEUS DUO	阿维菌素 Abamectin + 螺螨酯 Spirodiclofen	FP/ETP
229	BAYER	12425	CONVINTRO	敌草胺 Diflufenican + 灭草松 Metribuzin	FP
230	BAYER	12525	HUSSAR TECH	敌草胺 Diflufenican + 甲基磺隆钠盐 Iodosulfuron-methyl-sodium	FP
231	PROREGISTROS	12625	GLUFOSINATO 200 SL LIER	草铵膦 Glufosinate ammonium	FP/ETP
232	AGRO-LEAD	12725	ALKAZAR	匹克洛姆 Picloram + 2,4-滴 2,4-D	FP/ETP
233	TECNOMYL	12825	HAMTPON	唑草酯 Carfentrazone-ethyl	FP/ETP
234	BAYER	12925	BRODAL	敌草胺 Diflufenican	FP
235	IHARABRAS	13025	SEIV	Metominostrobin + 丙硫菌唑 Prothioconazole	FP
236	CROPCHEM	13125	AVNER 500 SC	噻虫嗪 Diafenthiuron	FP/ETP
237	BIORISK	13225	EIRU	草甘膦铵盐 Glyphosate ammonium	FP/ETP
238	BIORISK	13325	CHALTU	草甘膦铵盐 Glyphosate ammonium	FP/ETP
239	PERTERRA	13425	2,4-D C 806 SL PERTERRA	2,4-滴 2,4-D	FP/ETP
240	CAC	13525	2,4-D + PICLORAM CAC	匹克洛姆 Picloram + 2,4-滴 2,4-D	FP/ETP
241	BIOMA	13625	VIR PROTECTION 2	<i>Spodoptera frugiperda</i> multiple nucleopolyhedrovirus	Bio/Org

242	HELM	13725	KANOPUS	虫螨腈 Chlorfenapyr	FP/ETP
243	ISK	13825	SINNEMA	噻唑膦 Fosthiazate	FP
244	ISK	13925	MARFIK	环氧酰胺 Cyclanilprole + 氟啶脲 Chlorfluazuron	FP
245	INDIGO	14025	BIOTRINSIC N465 WP	<i>Pseudomonas glycinis</i>	Bio
246	APOENA	14125	BV-BIO SC	<i>Beauveria bassiana</i>	Bio/Org
247	AGRO-LEAD	14225	ALCHEMY	唑菌酯 Azoxystrobin + 环丙唑醇 Cyproconazole	FP/ETP
248	VITTIA	14325	CB6642524 WP	<i>Beauveria bassiana</i> + <i>Metarhizium anisopliae</i>	Bio/Org
249	TRADECORP	14425	PALISAD	鞣酸 Tannic acid	Bio
250	DILLON	14525	TRICHODEL	<i>Trichoderma harzianum</i>	Bio/Org
251	UPL	14625	UPL 2112 FP	代森锰锌 Mancozeb + 唑菌酯 Picoxystrobin + 戊唑醇 Tebuconazole	FP/ETP
252	SQLATUS	14725	SLT 05	<i>Bacillus thuringiensis</i>	Bio/Org
253	RIZOBACTER	14825	RIBRA FM 01/23	<i>Trichoderma afroharzianum</i>	Bio
254	TOTAL	14925	BTP 066-20 SC-AB	<i>Bacillus thuringiensis</i>	Bio
255	YONON	15025	PROTHIOCONAZOLE + TRIFLOXYSTROBIN 325 SC YONON	丙硫菌唑 Prothioconazole + 肟菌酯 Trifloxystrobin	FP/ETP
256	BIOCAZ	15125	BIOCAZ POWER	<i>Metarhizium anisopliae</i>	Bio/Org
257	BIOCAZ	15225	BIOCAZ CONTROL	<i>Beauveria bassiana</i>	Bio/Org
258	AGROFRESH	15325	ACTIMIST PYR	啉菌酯 Pyrimethanil	FP/ETP
259	PROPHYTO	15425	REDSHIELD 750 WG	氧化亚铜 Cuprous oxide	FP
260	AGRO-LEAD	15525	NATEPROSP	麦草畏 Dicamba	FP/ETP
261	CCAB AGRO	15625	TRINEXAPAC CCAB 250 EC	抗倒酯 Trinexapac-ethyl	FP/ETP
262	BRILLIANCE	15725	CLETODIM 360 EC BRILLIANCE	烯草酮 Clethodim	FP/ETP
263	BIORISK	15825	RUBY	噻虫嗪 Diafenthiuron	FP/ETP
264	BIORISK	15925	CHETTAK GOLD	乙酰甲胺磷 Acephate	FP/ETP
265	CHDS	16025	FORCEPS III	啉虫脒 Acetamiprid + 联苯菊酯 Bifenthrin	FP/ETP
266	SUMITOMO	16125	SELENE	阿维菌素 Abamectin + 螺螨酯 Spirodiclofen	FP
267	SUPERBAC	16225	SBAC4	<i>Bacillus subtilis</i> + <i>Bacillus amyloliquefaciens</i>	Bio
268	SUPERBAC	16325	SBAC8	<i>Bacillus subtilis</i> + <i>Bacillus amyloliquefaciens</i>	Bio
269	SUPERBAC	16425	SBAC10	<i>Bacillus subtilis</i> + <i>Bacillus velezensis</i> + <i>Bacillus amyloliquefaciens</i> + <i>Bacillus licheniformis</i>	Bio
270	FMC	16525	VANTACOR	氯虫苯甲酰胺 Chlorantranilprole	FP
271	RAINBOW	16625	ADICONSTAR	唑菌酯 Azoxystrobin + 苯醚甲环唑 Difenconazole	FP/ETP
272	MASSEN	16725	P&D009	<i>Bacillus thuringiensis</i>	Bio
273	BIORISK	16825	NOVA 100 EC	诺伐隆 Novaluron	FP/ETP
274	RAINBOW	16925	KINGPRIDO XTRA	吡虫啉 Imidacloprid	FP/ETP
275	NORTOX	17025	DIMETOMORFE NORTOX	烯酰吗啉 Dimethomorph	FP/ETP
276	AGROALLIANZ	17125	PREDECESSOR	咪唑乙烟酸 Imazethapyr + 氟米噁嗪 Flumioxazin + 双氯磺草胺 Diclosulam	FP/ETP
277	NORTOX	17225	PROTIOCONAZOL NORTOX 480 SC	丙硫菌唑 Prothioconazole	FP/ETP
278	SUMITOMO	17325	SCLA 330401	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl + 匹克洛姆 Picloram + 三氯吡氧乙酸丁氧基乙酯 Triclopyr-butotyl	FP/ETP
279	CROPCHEM	17425	TRIGGER MAX	虫螨腈 Chlorfenapyr	FP/ETP
280	NORTOX	17525	PROFENOFÓS NORTOX	丙溴磷 Profenofos	FP/ETP
281	VSF	17625	EXTERNUS	<i>Chrysoperla externa</i>	Bio/Org
282	YONON	17725	NOCAUTE 100 EC	吡丙醚 Pyriproxyfen	FP/ETP
283	GÊNICA	17825	GNC004C	<i>Bacillus amyloliquefaciens</i> + <i>Bacillus licheniformis</i> + <i>Bacillus subtilis</i> + <i>Bacillus velezensis</i> + <i>Bacillus pumilus</i>	Bio
284	TZ BIOTEC	17925	ISARYD FR 25	<i>Cordyceps javanica</i>	Bio
285	NITRO QUÍMICA	18025	NT 5-24	<i>Bacillus amyloliquefaciens</i> + <i>Bacillus subtilis</i> + <i>Bacillus subtilis</i> + <i>Bacillus licheniformis</i> + <i>Bacillus megaterium</i>	Bio
286	BINOVA	18125	AGNEXMMON PRO	<i>Beauveria bassiana</i>	Bio/Org
287	BIOTA	18225	BEAU	<i>Beauveria bassiana</i>	Bio/Org
288	SM AGROCARE	18325	PYRIGRAN	毒死蜱 Chlorpyrifos	FP/ETP
289	SERQUIBIO	18425	BIOPROCTEGEH	<i>Bacillus subtilis</i> + <i>Bacillus pumilus</i> + <i>Bacillus velezensis</i> + <i>Trichoderma harzianum</i>	Bio
290	SERQUIBIO	18525	BIOSOLLUS	<i>Bacillus subtilis</i> + <i>Bacillus pumilus</i> + <i>Bacillus velezensis</i> + <i>Trichoderma harzianum</i>	Bio
291	CROPCHEM	18625	SALANDER 250 EC	丙硫菌唑 Prothioconazole	FP/ETP
292	AGRIVALLE	18725	TURIN	<i>Bacillus thuringiensis</i>	Bio
293	TECNOMYL	18825	PROSOY DUO	丙硫菌唑 Prothioconazole + 唑菌酯 Picoxystrobin	FP/ETP
294	IHARABRAS	18925	MIGIWA	伊普氟诺喹 Ipflufenquin	NFP
295	SUMITOMO	19025	OETPRASPECTRA	氯虫苯甲酰胺 Chlorantranilprole + 噻虫嗪 Diafenthiuron	FP/ETP
296	TECNOMYL	19125	PROSOY TRIO	代森锰锌 Mancozeb + 丙硫菌唑 Prothioconazole + 唑菌酯 Picoxystrobin	FP/ETP
297	SUPERBAC	19225	SBAC3	<i>Bacillus thuringiensis</i>	Bio
298	BIOMA	19325	TRICH PROTECTION WP	<i>Trichoderma harzianum</i>	Bio
299	ALAMOS	19425	FLUMIOXAZIN 480 SC ALAMOS	氟米噁嗪 Flumioxazin	FP/ETP
300	BIOMA	19525	LOOPER PROTECTION 2	<i>Chrysodeixis includens</i> multiple nucleopolyhedrovirus	Bio
301	IHARABRAS	TC10625	FLUROXIPIR TÉCNICO IHARA I	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl	ETP

302	IHARABRAS	TC10725	FLUROXIPIR TÉCNICO IHARA II	氯氟吡氧乙酸辛酯 Fluroxypyr-meptyl	ETP
303	NORTOX	TC10825	DICLOSULAM TÉCNICO NORTOX	双氯磺草胺 Diclosulam	ETP
304	INDOFIL	TC10925	MESOTRIONE TÉCNICO INDOFIL	硝磺草酮 Mesotrione	ETP
305	CCAB	TC11025	FENPROPIMORFE TÉCNICO CCAB	丁苯吗啉 Fenpropimorph	ETP
306	ALLIERBRASIL	TC11125	AGROTHIAZOX TÉCNICO	噻螨酮 Hexythiazox	ETP
307	OURO FINO	TC11225	PICOXISTROBINA TÉCNICO OF I	啉氧菌酯 Picoxystrobin	ETP
308	PROREGISTROS	TC11325	FOWARD PYRACLOSTROBIN TÉCNICO	吡唑醚菌酯 Pyraclostrobin	ETP
309	PROREGISTROS	TC11425	FOWARD GLUFOSINATE TÉCNICO	草铵膦 Glufosinate ammonium	ETP
310	BIORISK	TC11525	DIAFENTIURON TÉCNICO HAILIR	丁醚脲 Diafenthiuron	ETP
311	PROREGISTROS	TC11625	S-METOLACHLOR TECHNICAL ZS	精异丙甲草胺 S-metolachlor	ETP
312	NUTRIEN	TC11725	S-METOLACLORO TÉCNICO LOVELAND	精异丙甲草胺 S-metolachlor	ETP
313	PROREGISTROS	TC11825	FORWARD GLYPHOSATE TÉCNICO	草甘膦 Glyphosate	ETP
314	STOCKTON	TC11925	FLUDIOXONIL TÉCNICO STOCKTON	咯菌腈 Fludioxonil	ETP
315	SYNCROM	TC12025	FLUDIOXONIL TÉCNICO UDRAGON	咯菌腈 Fludioxonil	ETP
316	PROREGISTROS	TC12125	DICAMBA TÉCNICO WYNCA	麦草畏 Dicamba	ETP
317	OXON BRASIL	TC12225	CLOROTALONIL TECNICO OXON II	百菌清 Chlorothalonil	ETP
318	TECNOMYL	TC12325	DIAFENTIURON TÉCNICO TECNOMYL III	丁醚脲 Diafenthiuron	ETP
319	TECNOMYL	TC12425	ISOXAFLUTOLE TÉCNICO TECNOMYL II	异噁唑草酮 Isoxaflutole	ETP
320	GLOBACHEM	TC12525	FLUAZINAM TÉCNICO STOCKTON	氟唑胺 Fluazinam	ETP
321	RAINBOW	TC12625	PACLOBUTRAZOL TÉCNICO RAINBOW	多效唑 Paclobutrazol	ETP
322	PROREGISTROS	TC12725	FORWARD AZOXYSTROBIN TÉCNICO II	啉氧菌酯 Azoxystrobin	ETP
323	HEMANI AGRO	TC12825	V BIFENTRINA TÉCNICO	联苯菊酯 Bifenthrin	ETP
324	PROREGISTROS	TC12925	PICOXYSTROBIN TÉCNICO GREENCHEM	啉氧菌酯 Picoxystrobin	ETP
325	PROREGISTROS	TC13025	CHLOROTHALONIL TÉCNICO SULONIL	百菌清 Chlorothalonil	ETP
326	PROREGISTROS	TC13125	PYRACLOSTROBIN TÉCNICO WYNCA	吡唑醚菌酯 Pyraclostrobin	ETP
327	RAINBOW	TC13225	LUFENUROM TÉCNICO RAINBOW	虱螨脲 Lufenuron	ETP
328	COROMANDEL	TC13325	PIMETROZINA TÉCNICO COROMANDEL	吡蚜酮 Pymetrozine	ETP
329	RAINBOW	TC13425	METRIBUZIM TÉCNICO RAINBOW	嗪草酮 Metribuzin	ETP
330	ZHONGSHAN	TC13525	DIQUAT TÉCNICO ZS	敌草快 Diquat dibromide	ETP
331	BIORISK	TC13625	OXYFLUORFEN TÉCNICO XINLONG	乙氧氟草醚 Oxyfluorfen	ETP
332	SYNGENTA	TC13725	TYMIURIUM TÉCNICO	环丁氟仑 Cyclobutrifluram	NTP
333	ZHONGSHAN	TC13825	2,4-D TÉCNICO ZS II	2,4-滴 2,4-D	ETP
334	BASF	TC13925	ISOXAFLUTOLE TÉCNICO BASF	异噁唑草酮 Isoxaflutole	ETP
335	BIORISK	TC14025	PARIJAT MESOTRIONA TÉCNICO	硝磺草酮 Mesotrione	ETP
336	BIORISK	TC14125	DIFENOCONAZOLE TÉCNICO HAILIR	苯醚甲环唑 Difenoconazole	ETP
337	OXIQUÍMICA	TC14225	DIFENOCONAZOL TÉCNICO OXIQUÍMICA	苯醚甲环唑 Difenoconazole	ETP
338	IHARABRAS	TC14325	DIFENOCONAZOL TÉCNICO IHARA II	苯醚甲环唑 Difenoconazole	ETP
339	AGROBEATS	TC14425	ISOXAFLUTOLE TÉCNICO ABT	异噁唑草酮 Isoxaflutole	ETP
340	CROPCHAM	TC14525	ISOXAFLUTOLE TÉCNICO CROPCHAM IV	异噁唑草酮 Isoxaflutole	ETP
341	AGRO-LEAD	TC14625	FLUAZINAM TÉCNICO AGROLEAD	氟唑胺 Fluazinam	ETP
342	SOLAGRO	TC14725	FLUAZINAM TÉCNICO SAU	氟唑胺 Fluazinam	ETP
343	NORTOX	TC14825	S-METOLACLORO TÉCNICO NORTOX III	精异丙甲草胺 S-metolachlor	ETP
344	CROPCHAM	TC14925	METRIBUZIM TÉCNICO CROPCHAM III	嗪草酮 Metribuzin	ETP
345	BIORISK	TC15025	HALOXYFOP-P-METHYL TÉCNICO BINNONG	高效氟吡甲禾灵 Haloxyfop-P-methyl	ETP
346	BIORISK	TC15125	TEBUCONAZOLE TÉCNICO GSP	戊唑醇 Tebuconazole	ETP
347	CROPCHAM	TC15225	S-METOLACLORO TÉCNICO CROPCHAM III	精异丙甲草胺 S-metolachlor	ETP
348	TAGROS	TC15325	MIMICOR TÉCNICO	吡丙醚 Piriproxifem	ETP
349	COROMANDEL	TC15425	PICOXISTROBINA TÉCNICO COROMANDEL	啉氧菌酯 Picoxystrobin	ETP
350	SINON	TC15525	GLUFOSINATO DE AMÔNIO TÉCNICO SINON II	草铵膦 Glufosinate ammonium	ETP
351	NORTOX	TC15625	DIAFENTIURON TÉCNICO NORTOX IV	丁醚脲 Diafenthiuron	ETP
352	NORTOX	TC15725	DIFLUFENICAM TÉCNICO NORTOX	吡氟酰草胺 Diflufenican	ETP
353	CROPCHAM	TC15825	DIFLUFENICAN TÉCNICO CROPCHAM II	吡氟酰草胺 Diflufenican	ETP
354	RAINBOW	TC15925	PENOXSULAM TÉCNICO RAINBOW	五氟磺草胺 Penoxsulam	ETP
355	CROPCHAM	TC16025	TEBUCONAZOLE TÉCNICO CROPCHAM III	戊唑醇 Tebuconazole	ETP
356	BIORISK	TC16125	TEBUCONAZOLE TÉCNICO BHARAT	戊唑醇 Tebuconazole	ETP
357	SYNCROM	19625	SAMANCO	百菌清 Chlorothalonil	FP/ETP
358	LEMMA	19725	ATRAZINA 900 WG BINNONG	莠去津 Atrazine	FP/ETP
359	GÊNICA	19825	GNC008	<i>Bacillus licheniformis</i> + <i>Bacillus subtilis</i> + <i>Trichoderma asperellum</i> + <i>Purpureocillium lilacinum</i>	Bio
360	RAINBOW	19925	ARRANTOOL	氯氨吡啶酸 Aminopyralid + 2,4-滴 2,4-D	FP/ETP
361	ALLIERBRASIL	20025	PLAYPLUS WG	草甘膦铵盐 Glyphosate ammonium	FP/ETP
362	ALLIERBRASIL	20125	WYNSATEWG	草甘膦铵盐 Glyphosate ammonium	FP/ETP

363	LEMMA	20225	SPIRODICLOFEN 240 G/L SC	螺螨酯 Spirodiclofen	FP/ETP
364	LEMMA	20325	ATRAZINE 500 G/L SC	莠去津 Atrazine	FP/ETP
365	LEMMA	20425	AZOXYSTROBIN 250 G/L SC	啞菌酯 Azoxystrobin	FP/ETP
366	BIOPAR	20525	MB CONTROL	<i>Beauveria bassiana</i> + <i>Metarhizium anisopliae</i>	Bio/Org
367	LEMMA	20625	AZOXYSTROBIN SINO-AGRI 250 G/L SC	啞菌酯 Azoxystrobin	FP/ETP
368	YONON	20725	PROTHIOCONAZOLE 250 EC YONON	丙硫菌唑 Prothioconazole	FP/ETP
369	LEMMA	20825	EASY SPIR	<i>Beauveria bassiana</i> + <i>Metarhizium anisopliae</i>	Bio/Org
370	LEMMA	20925	CITROPYR 40 SC	啞霉胺 Pyrimethanil	FP/ETP
371	TECNOMYL	21025	PROSOY T	肱菌酯 Trifloxystrobin + 丙硫菌唑 Prothioconazole	FP/ETP
372	CROPChem	21125	BIFENTRINA 100 EC CROPChem	联苯菊酯 Bifenthrin	FP/ETP
373	CHDS	21225	MOOD	联苯菊酯 Bifenthrin	FP/ETP
374	PROREGISTROS	21325	HEX-DIRON 600 WG	莠灭净 Hexazinone + 敌草隆 Diuron	FP/ETP
375	LEVEN	21425	METARHIZIUM LEVEN 03 WP	<i>Metarhizium anisopliae</i>	Bio/Org
376	LEVEN	21525	METARHIZIUM LEVEN 01 WP	<i>Metarhizium anisopliae</i>	Bio/Org
377	LEVEN	21625	BEAUVERIA LEVEN 03 WP	<i>Beauveria bassiana</i>	Bio/Org
378	LEVEN	21725	BEAUVERIA LEVEN L01 WP	<i>Beauveria bassiana</i>	Bio/Org
379	INDÚSTRIA QUÍMICA GUERRA	21825	G BIO TRIX	<i>Trichoderma harzianum</i>	Bio/Org
380	INDÚSTRIA QUÍMICA GUERRA	21925	G BIO STERMINARE	<i>Beauveria bassiana</i>	Bio/Org
381	TOTAL	22025	BTP 068-20SC-AB	<i>Bacillus thuringiensis</i>	Bio
382	TOTAL	22125	BTP 169-21 EW	<i>Ocimum basilicum</i>	Bio
383	RAINBOW	22225	KILLIGAN	虫螨腈 Chlorfenapyr	FP/ETP
384	RAINBOW	22325	GRASIDIM PLUS	烯草酮 Clethodim + 高效氟吡甲禾灵 Haloxypop-P-methyl	FP/ETP
385	SIMBIOSE	22425	EFICAZ	<i>Bacillus velezensis</i> + <i>Paenibacillus ottowii</i>	Bio
386	ALLIERBRASIL	22525	ALPES 970 SG	乙酰甲胺磷 Acephate	FP/ETP
387	SIMBIOSE	22625	SIMBI 28	<i>Trichoderma asperellum</i>	Bio
388	mitsui & co	22725	SFMNPV 003 LC	<i>Spodoptera frugiperda</i> multiple nucleopolyhedrovirus	Bio
389	BIO CONTROLE	22825	ISONET-T	E, Z, Z-3,8,11-十四碳三烯基乙酸酯 E, Z, Z-3,8,11-Tetradecatrienyl acetate + E, Z-3,8-十四碳二烯基乙酸酯 E, Z-3,8-Tetradecadienyl acetate	Bio
390	BIORISK	22925	S-METOLACHLOR AGROGILL 960EC	精异丙甲草胺 S-Metolachlor	FP/ETP
391	SYNGENTA	23025	VULTER	甲氨基阿维菌素 Emamectin benzoate + 异噁唑虫酰胺 Isocycloseram	FP
392	PROREGISTROS	23125	MESOSURE	甲磺草酮 Mesotrione	FP/ETP
393	PROREGISTROS	23225	MESO UP	甲磺草酮 Mesotrione	FP/ETP
394	TOTAL	23325	BTP 170-21	<i>Melaleuca alternifolia</i>	FP
395	STOLLER	23425	RRE-03	<i>Pochonia chlamydosporia</i>	Bio
396	FIRST AGBIOTECH	23525	QUESTBEAUVE DRY	<i>Beauveria bassiana</i>	Bio/Org
397	BIÓSSÍNTESE	23625	BIOMB	<i>Beauveria bassiana</i> + <i>Metarhizium anisopliae</i>	Bio/Org
398	ANASAC	23725	CIGARAL 600 FS	吡虫啉 Imidacloprid	FP/ETP
399	ALLIERBRASIL	23825	DIU-GAR 800	敌草隆 Diuron	FP/ETP
400	ALLIERBRASIL	23925	DIURON 800 NX	敌草隆 Diuron	FP/ETP
401	BIOTA	24025	HARZIT	<i>Trichoderma harzianum</i>	Bio/Org
402	LEMMA	24125	FIPRONIL WOOD 800 WG	氟虫腈 Fipronil	FP/ETP
403	LEMMA	24225	FLUMIOXAZIN 480 SC BINNONG	氟米噁嗪 Flumioxazin	FP/ETP
404	ANASAC	24325	BUDBREAK 52SL	氰胺 Cyanamide	FP/ETP
405	SYNGENTA	24425	MIRAVIS TRIO WG	护汰派灭芬 Pidiflumetofem + 苯并烯氟菌唑 Benzovindiflupir + 环丙唑醇 Cyproconazole	FP
406	KOPPERT	24525	MACAN	<i>Bacillus velezensis</i>	Bio
407	HELM	24625	MODAN	抗倒酯 Trinexapac-ethyl	FP/ETP
408	HELM	24725	HDB 259A	磺草酮 Sulfentrazone + 氟米噁嗪 Flumioxazin	FP/ETP
409	CROPChem	24825	PROTHIOCONAZOL + TRIFLOXISTROBINA CROPChem	丙硫菌唑 Prothioconazole + 肱菌酯 Trifloxystrobin	FP/ETP
410	GLOBACHEM	24925	ATOL TRIO	精异丙甲草胺 S-Metolachlor + 莠去津 Atrazine + 甲磺草酮 Mesotrione	FP/ETP
411	AGRO-LEAD	25025	LEONE	草甘膦 Glyphosate	FP/ETP
412	FIRST AGBIOTECH	25125	QUESTMETA DRY	<i>Metarhizium anisopliae</i>	Bio/Org
413	RAINBOW	25225	POLESTAR	肱菌酯 Trifloxystrobin + 环丙唑醇 Cyproconazole	FP/ETP
414	ANASAC	25325	CIGARAL WG	吡虫啉 Imidacloprid	FP/ETP
415	TIDE	25425	CIATIDE	氰胺 Cyanamide	FP/ETP
416	TECNOMYL	25525	GUNTER PRO	异噁唑酮 Clomazone	FP/ETP
417	AGRO-LEAD	25625	ARCADE	噻草酮 Thiodicarb	FP/ETP
418	AGROBIOLÓGICA	25725	CROMOBAC	<i>Chromobacterium subtsugae</i>	Bio
419	FERBRU	25825	PARTNER 840 WG	双氯磺草胺 Diclosulam	FP/ETP
420	ALLIERBRASIL	25925	FOSFETO ALUMI	磷化铝 Aluminum phosphide	FP/ETP
421	BRA	26025	FERRETI EC	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl + 三氯吡氧乙酸丁氧基乙酯 Triclopyr butoyl	FP/ETP

422	OMEX	26125	KILLGGA	<i>Argemone mexicana</i>	Bio
423	TOYOBO	26225	ECODUO	<i>Beauveria bassiana + Metarhizium anisopliae</i>	Bio/Org
424	LEMMA	26325	PYL 400 SC	啞霉胺 Pyrimethanil	FP/ETP
425	RAWELL	26425	NATUK	<i>Tephrosia candida</i>	Bio/Org
426	CROPChem	26525	MESON DUO	甲磺草酮 Mesotrione + 莠去津 Atrazine	FP/ETP
427	CROPChem	26625	PROEZA DUO	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl + 三氯吡氧乙酸丁氧基乙酯 Triclopyr butotyl	FP/ETP
428	NORTOX	26725	CIPERMETRINA NORTOX	氯氟菊酯 Cypermethrin	FP/ETP
429	NORTOX	26825	GLUFOSINATO NORTOX 880 SG	草铵膦铵盐 Glufosinate ammonium	FP/ETP
430	NORTOX	26925	TERBUTILAZINA 500 SC CROPChem II	特丁津 Terbutylazine	FP/ETP
431	PARTNER	27025	PYROX	咪唑乙烟酸 Imazethapyr + 氟米噁嗪 Flumioxazin	FP/ETP
432	FIRST AGBIOTECH	27125	QUESTTRICHO DRY	<i>Trichoderma harzianum</i>	Bio/Org
433	TZ BIOTEC	27225	MEGATERYD FR 25	<i>Priestia megaterium</i>	Bio
434	GÊNICA	27325	GNC017	<i>Beauveria bassiana + Cordyceps javanica</i>	Bio
435	AGBIOTECH	27425	HEARNPV ABT 02	<i>Helicoverpa armigera</i> nucleopolihedrovirus	Bio
436	BIORISK	27525	LOGFRESH	甲基环丙烯 Methylcyclopropene	Bio
437	BIORISK	27625	TINK 725WG	啞虫脒 Acetamiprid	FP/ETP
438	AGBIOTECH	27725	GNC013	<i>Bacillus licheniformis + Bacillus velezensis + Priestia megaterium</i>	Bio
439	LEMMA	27825	GLUFOSINATE-AMMONIUM WOOD 200 SL	草铵膦铵盐 Glufosinate ammonium	FP/ETP
440	LEMMA	27925	ISOXAFLUTOLE 750 G/KG WG	异噁唑草酮 Isoxaflutole	FP/ETP
441	KOPPERT	28025	TRICHODERMIL FS	<i>Trichoderma asperelloides</i>	Bio
442	NORTOX	28125	ESPIRODICLOFEN NORTOX	螺螨酯 Spirodiclofen	FP/ETP
443	PILARQUIM	28225	PILARGOLD	精异丙甲草胺 S-Metolachlor	FP/ETP
444	NORTOX	28325	CLORANTRANILIPROLE M NORTOX	氯虫苯甲酰胺 Chlorantraniliprole + 灭多威 Methomyl	FP/ETP
445	SUPERBAC	28425	SUPERGUARD PRO	<i>Bacillus pumilus + Bacillus subtilis</i>	Bio
446	SUPERBAC	28525	ZENSIS	<i>Bacillus licheniformis + Bacillus subtilis</i>	Bio
447	COROMANDEL	28625	EMZEB FLOW	代森锰锌 Mancozeb	FP/ETP
448	PROPHYTO	28725	HARVESTHOLD FRESH	甲基环丙烯 Methylcyclopropene	FP
449	WYNCA	28825	WYNPHOSATE	草甘膦铵盐 Glyphosate ammonium	FP/ETP
450	LEMMA	28925	S-METOLACHLOR 960 EC BINNONG	精异丙甲草胺 S-Metolachlor	FP/ETP
451	PROREGISTROS	29025	MARFIN 230 ME	四唑菌酯 Tetraconazole	FP/ETP
452	OLIGOS	29125	BIOCORYM	<i>Cordyceps javanica</i>	Bio
453	CCAB AGRO	29225	80 FLUROXIPYR METPILICO 80 PICLORAM CCAB ME	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl + 匹克洛姆 Picloram	FP/ETP
454	SYNCROM	29325	CAMPOSATO 720 WG	草甘膦 Glyphosate	FP/ETP
455	W. NEUDORFF	29425	SLUXX	磷酸铁 Ferric phosphate	Bio
456	TOTAL	29525	DEF-MIC-089-24	<i>Bacillus velezensis</i>	Bio
457	OLIGOS	29625	BIOASPER	<i>Trichoderma asperelloides</i>	Bio
458	NITRO QUÍMICA	29725	BNC 03	<i>Bacillus amyloliquefaciens + Bacillus velezensis</i>	Bio
459	SUMITOMO	29825	SCLA 330402	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl + 氯氟吡啶酸 Picloram + 三氯吡氧乙酸丁氧基乙酯 Triclopyr-butotyl	FP/ETP
460	TOTAL	29925	BTP 002-18AB	<i>Bacillus subtilis</i>	Bio
461	BIOTA	30025	BETHA	<i>Beauveria bassiana + Metarhizium anisopliae</i>	Bio/Org
462	BALLAGRO	30125	BI2024-02	<i>Beauveria bassiana + Isaria javanica</i>	Bio/Org
463	CHDS	30225	JANGADA	啞虫脒 Acetamiprid + 吡丙醚 Pyriproxyfen	FP/ETP
464	CHDS	30325	FAISÃO	精异丙甲草胺 S-Metolachlor	FP/ETP
465	MAC-CAFÉ	30425	MAC-BEAUVERIA	<i>Beauveria bassiana</i>	Bio/Org
466	NODUAGRI	30525	NODUMIX L	<i>Beauveria bassiana + Metarhizium anisopliae</i>	Bio/Org
467	TZ BIOTEC	30625	SUBTILLYD FR 25	<i>Bacillus subtilis</i>	Bio
468	PROPHYTO	30725	VIDRE+	甲基环丙烯 Methylcyclopropene	Bio
469	SOLATUS	30825	SLT - 07	<i>Trichoderma harzianum</i>	Bio/Org
470	COROMANDEL	30925	COROZEB FLOW	代森锰锌 Mancozeb	FP/ETP
471	LEMMA	31025	EASY THARZ	<i>Trichoderma harzianum</i>	Bio/Org
472	SUMITOMO	31125	OETPRAPRO	氯虫苯甲酰胺 Chlorantraniliprole	FP/ETP
473	SABERO	31225	COROZEB PLATINA	代森锰锌 Mancozeb	FP/ETP
474	NITRO QUÍMICA	31325	PLC 03	<i>Paecilomyces lilacinus</i>	Bio
475	ROTAM	TC16225	S- METOLACHLOR TÉCNICO RTM	精异丙甲草胺 S-metolachlor	ETP
476	UPL	TC16325	MACOZEB TÉCNICO UPL BRASIL	代森锰锌 Mancozeb	ETP
477	NORTOX	TC16425	MANCOZEB TÉCNICO NORTOX III	代森锰锌 Mancozeb	ETP
478	FERBRU	TC16525	MANCOZEB TÉCNICO FB	代森锰锌 Mancozeb	ETP
479	PROREGISTROS	TC16625	DIFENOCONAZOLE TÉCNICO SCH	苯醚甲环唑 Difenoconazole	ETP
480	BRILLIANCE	TC16725	CLETODIM PRÉ MISTURA BRILLIANCE	烯草酮 Clethodim	Pre-Mixture
481	TECNOMYL	TC16825	MANCOZEB TÉCNICO TECNOMYL II	代森锰锌 Mancozeb	ETP
482	INDOFIL	TC16925	PICOXYSTROBIN TÉCNICO INDOFIL	啞氧菌酯 Picoxystrobin	ETP
483	PROREGISTROS	TC17025	FORWARD AZOXYSTROBIN TÉCNICO	啞菌酯 Azoxystrobin	ETP
484	PROREGISTROS	TC17125	TRIFLOXYSTRONIM TÉCNICO WYNCA	肟菌酯 Trifloxystrobin	ETP

485	RAINBOW	TC17225	CLORANTRANILIPROLE TÉCNICO RAINBOW	氯虫苯甲酰胺 Chlorantraniliprole	ETP
486	UPL	TC17325	TRIFLOXYSTROBIN TÉCNICO UPL	肟菌酯 Trifloxystrobin	ETP
487	UPL	TC17425	IMAZETAPIR TÉCNICO UPL BR	咪唑乙烟酸 Imazethapyr	ETP
488	NORTOX	TC17525	TRIFLOXYSTROBIN TÉCNICO NORTOX II	肟菌酯 Trifloxystrobin	ETP
489	PROREGISTROS	TC17625	DIQUAT TK TÉCNICO LIER	敌草快 Diquat dibromide	ETP
490	PROREGISTROS	TC17725	DIQUAT TÉCNICO SCH	敌草快 Diquat dibromide	ETP
491	NORTOX	TC17825	TRIFLOXYSTROBIN TÉCNICO NORTOX	肟菌酯 Trifloxystrobin	ETP
492	HELM	TC17925	DIQUATE L TÉCNICO HELM	敌草快 Diquat dibromide	ETP
493	TIDE	TC18025	BIFENTRINA TÉCNICO TIDE II	联苯菊酯 Bifenthrin	ETP
494	FERBRU	TC18125	BIFENTRINA TÉCNICO FB	联苯菊酯 Bifenthrin	ETP
495	NORTOX	TC18225	BIFENTRINA TÉCNICA NORTOX IV	联苯菊酯 Bifenthrin	ETP
496	CROPChem	TC18325	BIFENTRINA TÉCNICO CROPChem	联苯菊酯 Bifenthrin	ETP
497	RED SURCOS	TC18425	BIFENTRINA TÉCNICO RED SURCOS	联苯菊酯 Bifenthrin	ETP
498	ROTAM	TC18525	MESOTRIONE TÉCNICO RTM	硝磺草酮 Mesotrione	ETP
499	SINON	TC18625	METOMIL TÉCNICO SINON II	灭多威 Methomyl	ETP
500	SOLAGRO	TC18725	METOMIL TÉCNICO HAILI	灭多威 Methomyl	ETP
501	BIORISK	TC18825	TEBUCONAZOLE TÉCNICO SJ	戊唑醇 Tebuconazole	ETP
502	CROPChem	TC18925	AZOXISTROBINA TÉCNICO CROPChem IV	啞菌酯 Azoxystrobin	ETP
503	ALLIERBRASIL	TC19025	CLETODIM TÉCNICO CHDS	烯草酮 Clethodim	ETP
504	TIDE	TC19125	DIQUATE TÉCNICO TIDE	敌草快 Diquat dibromide	ETP
505	AGROBEATS	TC19225	FENPROPIMORPH TÉCNICO ABT	丁苯吗啉 Fenpropimorph	ETP
506	AGROBEATS	TC19325	DIQUAT DIBROMIDE TÉCNICO ABT	敌草快 Diquat dibromide	ETP
507	FERBRU	TC19425	FENPROPIMORPH TÉCNICO FB	丁苯吗啉 Fenpropimorph	ETP
508	PROREGISTROS	TC19525	DIFENOCONAZOLE TÉCNICO YNX	苯醚甲环唑 Difenoconazole	ETP
509	ADAMA	TC19625	CLETODIM TÉCNICO ADA 2	烯草酮 Clethodim	ETP
510	CROPChem	TC19725	TEFLUBEZURON TÉCNICO CROPChem II	氟苯脲 Teflubenzuron	ETP
511	SYNCROM	TC19825	HALOXYFOP - P METHYL TÉCNICO NGC	高效氟吡甲禾灵 Haloxyfop-P-methyl	ETP
512	SYNCROM	TC19925	DICLOSULAM TÉCNICO NGC	双氯磺草胺 Diclosulam	ETP
513	SOLAGRO	TC20025	BIFENTHRIN TÉCNICO LIWEI	联苯菊酯 Bifenthrin	ETP
514	NORTOX	TC20125	BIFENTRINA TÉCNICA NORTOX V	联苯菊酯 Bifenthrin	ETP
515	TOPÁZIO	TC20225	PIRACLOSTROBINA TÉCNICO TOPÁZIO	吡唑醚菌酯 Pyraclostrobin	ETP
516	HELM	TC20325	IMAZETAPIR WC TÉCNICO HELM	咪唑乙烟酸 Imazethapyr	ETP
517	FMC	31425	PRESTICOR	氯虫苯甲酰胺 Chlorantraniliprole	FP
518	SYNGENTA	31525	SEEKER	丙炔氟草胺 Fenpropidin	NFP
519	SYNGENTA	31625	SPYRALE	丙炔氟草胺 Fenpropidin + 苯醚甲环唑 Difenoconazole	NFP
520	ALLIERBRASIL	31725	BIODATA 200 SL	草铵膦 Glufosinate ammonium	FP/ETP
521	ALLIERBRASIL	31825	HERBISOL 200 SL	草铵膦 Glufosinate ammonium	FP/ETP
522	CTVA	31925	SALIBRO SC	氟唑吡啶 Fluzaindolizine	NFP
523	CROPChem	32025	CLODINAFOPE 240 EC CROPChem II	炔草酯 Clodinafop-propargyl	FP/ETP
524	CTVA	32125	SALIBRO	氟唑吡啶 Fluzaindolizine	NFP
525	YONON	32225	AMINOPYRALID + 2,4-D YONON	氯氨吡啶酸 Aminopyralid + 2,4-滴 2,4-D	FP/ETP
526	UPL	32325	EVITO T	氟唑菌酯 Fluoxastrobin + 戊唑醇 Tebuconazole	NFP
527	BIORISK	32425	METRIMIL 48% SC	灭草松 Metribuzin	FP/ETP
528	SYNGENTA	32525	VANIVA	环丁氟酰胺 Cyclobutriluram	NFP
529	SYNGENTA	32625	VANIVA SC	环丁氟酰胺 Cyclobutriluram	NFP
530	SYNGENTA	32725	ACRIBIA DUO	精异丙甲草胺 S-Metolachlor + 磺草酮 Sulfentrazone	FP
531	INFLORA	32825	IN-21-02	<i>Bacillus inaquosorum</i> + <i>Bacillus licheniformis</i> + <i>Bacillus velezensis</i>	Bio
532	BIOTA	32925	MTH	<i>Metarhizium anisopliae</i>	Bio/Org
533	BC ECOCARE	33025	TRICHOCARE G	<i>Trichogramma galloi</i>	Bio/Org
534	MONSANTO	33125	ROUNDUP XTEND	草甘膦 Glyphosate + 麦草畏 Dicamba	FP
535	COMDEAGRO	33225	BEMIEX	<i>Beauveria bassiana</i> + <i>Metarhizium anisopliae</i>	Bio/Org
536	INFLORA	33325	IN-24-32	<i>Beauveria bassiana</i> + <i>Metarhizium anisopliae</i>	Bio/Org
537	INFLORA	33425	IN-24-41	<i>Beauveria bassiana</i>	Bio/Org
538	AGRO-LEAD	33525	CROSS OUT	草铵膦铵盐 Glufosinate ammonium	FP/ETP
539	ADAMA	33625	LINCE BR	莠去津 Atrazine + 甲磺草酮 Mesotrione	FP/ETP
540	CTVA	33725	ENZOSTA	氟唑吡啶 Fluzaindolizine	NFP
541	CTVA	33825	LORMELO	氟唑吡啶 Fluzaindolizine	NFP
542	CTVA	33925	TROKINTA	氟唑吡啶 Fluzaindolizine	NFP
543	CTVA	34025	YELDANA	氟唑吡啶 Fluzaindolizine	NFP
544	CTVA	34125	PRADO WG	双氯磺草胺 Diclosulam	FP
545	HELM	34225	HDB 276M	百菌清 Chlorothalonil + 戊唑醇 Tebuconazole	FP/ETP
546	INFLORA	34325	IN-24-42	<i>Metarhizium anisopliae</i>	Bio/Org
547	GÊNICA	34425	GNC006B	<i>Trichoderma asperellum</i>	Bio

548	PROREGISTROS	34525	FLUMIOXAZIM 500 SC LIER	氟米噁嗪 Flumioxazin	FP/ETP
549	YONON	34625	DICAMBA 480 SL YONON	麦草畏 Dicamba	FP/ETP
550	RAINBOW	34725	SPIREEL	肱菌酯 Trifloxystrobin + 丙硫菌唑 Prothioconazole	FP/ETP
551	AGRO IMPORT	34825	TEBUCONAZOLE 500 + TRIFLOXISTROBINA 250 WG AGROIMPORT	肱菌酯 Trifloxystrobin + 戊唑醇 Tebuconazole	FP/ETP
552	JCO	34925	NEMAEND JCO	<i>Purpureocillium lilacinum</i>	Bio
553	SUNO	35025	TOPQUAT	敌草快二溴盐 Diquat dibromide	FP/ETP
554	CHDS	35125	ESFINGE	2,4-滴 2,4-D-dimethylamine + Aminopyralid	FP/ETP
555	SOLATUS	35225	SLT 01	<i>Purpureocillium lilacinum</i>	Bio
556	SYNGENTA	35325	REFLECT TOP	吡唑萘菌胺 Isopyrazam + 苯醚甲环唑 Difenoconazole	NFP
557	SERQUIBIO	35425	BIOFOLL	<i>Beauveria bassiana</i> + <i>Metarhizium anisopliae</i> + <i>Bacillus thuringiensis</i>	Bio
558	BIORISK	35525	FLUMISAIL	氟米噁嗪 Flumioxazin	FP/ETP
559	LEMMA	35625	COMPANION MAXX WP	<i>Bacillus amyloliquefaciens</i>	Bio
560	SOLATUS	35725	SLT 02	<i>Cordyceps javanica</i>	Bio
561	SUPERBAC	35825	SUPERGUARD LIQ	<i>Bacillus subtilis</i>	Bio
562	SUMITOMO	35925	OETPRADUO	氯虫苯甲酰胺 Chlorantraniliprole + 虫螨腈 Chlorfenapyr	FP/ETP
563	CROPCHEM	36025	SHAW 240 SC	螺甲螨酯 Spiromesifen	FP/ETP
564	PERTERRA	36125	METOXIFENOZIDE 240 SC PERTERRA	甲氧虫酰肼 Methoxyfenozide	FP/ETP
565	LEMMA	36225	EASY METANISO	<i>Metarhizium anisopliae</i>	Bio/Org
566	AGBI TECH	36325	HEARNPV ABT 01	<i>Helicoverpa armigera</i> nucleopolihydrovirus	Bio
567	TRADECORP	36425	SAPIENS	鞣酸 Tannic acid	Bio
568	PERTERRA	36525	ALLENZA	啞菌酯 Azoxystrobin + 环丙唑醇 Cyproconazole	FP/ETP
569	CHDS	36625	JANGADA II	啞虫脒 Acetamiprid + 吡丙醚 Pyriproxyfen	FP/ETP
570	SYNGENTA	36725	VICTRATO	环丁氟酰胺 Cyclobutriluram	NFP
571	YONON	36825	EPOXICONAZOLE YONON	环氧菌唑 Epoxiconazole	FP/ETP
572	BEIFIUR	36925	METAFORT	<i>Metarhizium anisopliae</i>	Bio/Org
573	JLG CRUZ	37025	COTESIA - JLG	<i>Cotesia flavipes</i>	Bio/Org
574	SUMITOMO	37125	AVEO ST	<i>Bacillus amyloliquefaciens</i>	Bio
575	VITTIA	37225	BAVTT 0324	<i>Bacillus amyloliquefaciens</i>	Bio
576	NODUAGRI	37325	NODUBT	<i>Bacillus thuringiensis</i>	Bio/Org
577	TRADECORP	37425	PARLET	螺甲螨酯 Spiromesifen	FP/ETP
578	SUPERBAC	37525	VELAM	<i>Bacillus subtilis</i> + <i>Bacillus velezensis</i>	Bio
579	GENETICA	37625	BIOGENIUM TRICHO	<i>Trichoderma harzianum</i>	Bio/Org
580	SUMITOMO	37725	PROTIOCONAZOLE 250 EC	丙硫菌唑 Prothioconazole	FP/ETP
581	LEMMA	37825	2,4-D 240 + PICLORAM 64 SL	匹克洛姆 Picloram + 2,4-滴 2,4-D	FP/ETP
582	BOSQUIROLI	37925	VIRELLO WP	Baculovirus <i>Erinnyis ello</i>	Bio/Org
583	TOTAL	38025	BTP 169-21A EW	<i>Ocimum basilicum</i>	Bio
584	SYNCROM	38125	MACE 970 SG	乙酰甲胺磷 Acephate	FP/ETP
585	HELM	38225	BREAKDOWN	啞草酯 Quizalofop-P-ethyl	FP/ETP
586	HELM	38325	HDB 276A	百菌清 Chlorothalonil + 戊唑醇 Tebuconazole	FP/ETP
587	ALLIERBRASIL	38425	GLIFOSATO SOLUS WG	草甘膦铵盐 Glyphosate ammonium	FP/ETP
588	GREENUP	TC20425	PLUCK TÉCNICO	噻苯隆 Thidiazuron	ETP
589	SOLOESTE	TC20525	TIDIAZUROM TÉCNICO SL	噻苯隆 Thidiazuron	ETP
590	ADAMA	TC20625	TIAMETOXAM TÉCNICO ADAMA 3	噻虫嗪 Thiamethoxam	ETP
591	HELM	TC20725	S-METALOCOLORO JC TÉCNICO HELM	精异丙甲草胺 S-metolachlor	ETP
592	HY-GREEN	TC20825	S-METOLACHLOR TÉCNICO HY-GREEN	精异丙甲草胺 S-metolachlor	ETP
593	ADAMA	TC20925	PICOXISTROBINA TÉCNICO ADA	啞氧菌酯 Picoxystrobin	ETP
594	HELM	TC21025	METOXIFENOZIDA G TÉCNICO HELM	甲氧虫酰肼 Methoxyfenozide	ETP
595	ALTA	TC21125	GLUFOSINATO TÉCNICO ALTA	草铵膦 Glufosinate ammonium	ETP
596	ALTA	TC21225	DICAMBA TÉCNICO ALTA	麦草畏 Dicamba	ETP
597	BIORISK	TC21325	DICLOSULAM TÉCNICO BIOSEEN	双氯磺草胺 Diclosulam	ETP
598	BIORISK	TC21425	TDZ MAX TÉCNICO	噻苯隆 Thidiazuron	ETP
599	BIORISK	TC21525	MAXUNIZOL TÉCNICO	丙硫菌唑 Prothioconazole	ETP
600	BIORISK	TC21625	FLUMIOXAZIN TÉCNICO DENONG	氟噁草酮 Flumioxazin	ETP
601	BIORISK	TC21725	V LAMBDA CYHALOTHRIN TÉCNICO	高效氯氟氰菊酯 Lambda-cyhalothrin	ETP
602	IHARABRAS	TC21825	GLUFOSINATO TÉCNICO IHARA I	草铵膦 Glufosinate ammonium	ETP
603	IHARABRAS	TC21925	SULFENTRAZONE TÉCNICO JI	甲磺草胺 Sulfentrazone	ETP
604	FERBRU	TC22025	TRIFLOXYSTROBIN TÉCNICO FB	肱菌酯 Trifloxystrobin	ETP
605	LEMMA	TC22125	TRIFLOXYSTROBIN TÉCNICO SINO-AGRI	肱菌酯 Trifloxystrobin	ETP
606	CROPCHEM	TC22225	TRIFLOXISTROBINA TÉCNICO CROPCHEM II	肱菌酯 Trifloxystrobin	ETP
607	CCAB	TC22325	THIDIAZURON TÉCNICO CCAB	噻苯隆 Thidiazuron	ETP
608	HY-GREEN	TC22425	TRIFLOXISTROBINA TÉCNICO JYTF5	肱菌酯 Trifloxystrobin	ETP
609	SYNCROM	TC22525	TRIFLOXYSTROBIN TÉCNICO NGC	肱菌酯 Trifloxystrobin	ETP
610	PROREGISTROS	TC22625	GLUFOSINATO TÉCNICO SCH	草铵膦 Glufosinate ammonium	ETP
611	BIORISK	TC22725	TIAMETOXAM TÉCNICO SAU	噻虫嗪 Thiamethoxam	ETP

612	BIORISK	TC22825	DICAMBA TÉCNICO HEMANI	麦草畏 Dicamba	ETP
613	AGRO-LEAD	TC22925	GLUFOSINATO- SAL DE AMÔNIO TÉCNICO AGROLEAD II	草铵膦 Glufosinate ammonium	ETP
614	OURO FINO	TC23025	TIAMETOXAM TÉCNICO OF II	噻虫嗪 Thiamethoxam	ETP
615	ALTA	38525	FLUROXIPIR ALTA 480 EC	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl	FP/ETP
616	NORTOX	38625	TIODICARBE NORTOX	噻草酮 Thiodicarb	FP/ETP
617	NORTOX	38725	PIMETROZINA NORTOX	吡蚜酮 Pymetrozine	FP/ETP
618	NORTOX	38825	TRICLOPIR NORTOX EC	三氯吡氧乙酸丁氧乙酯 Triclopyr-butotyl	FP/ETP
619	NORTOX	38925	TEBUCO OC NORTOX	氯化铜 Copper oxychloride + 代森锰锌 Mancozeb + 戊唑醇 Tebuconazole	FP
620	LEMMA	39025	CLORIMUROM 250 WG CROPCHEM	氯嘧磺隆 Chlorimuron-Ethyl	FP/ETP
621	LEMMA	39125	ACETAMIPRID 250 G/KG + BIFENTHRIN 250 G/KG WG	啉虫腓 Acetamiprid + 联苯菊酯 Bifenthrin	FP/ETP
622	LEMMA	39225	S-METOLACHLOR 960G/L EC	精异丙甲草胺 S-Metolachlor	FP/ETP
623	RAINBOW	39325	GUIDICARB	噻草酮 Thiodicarb	FP/ETP
624	RAINBOW	39425	CITUNE XTRA	咪唑烟酸 Imazapyr + 甲咪唑烟酸 Imazapic	FP/ETP
625	GÊNICA	39525	GNC014	<i>Bacillus subtilis</i> + <i>Bacillus velezensis</i>	Bio
626	APOENA	39625	FORBLEND FS PREMIUM	<i>Bacillus velezensis</i> + <i>Bacillus pumilus</i>	Bio
627	PROREGISTROS	39725	WYN-CRAFT PICLORAM MIX	匹克洛姆 Picloram + 2,4-滴 2,4-D	FP/ETP
628	CCAB AGRO	39825	ABAMECTIN CCAB 18 EC II	阿维菌素 Abamectin	FP/ETP
629	NORTOX	39925	CLORANTRANILIPROLE NORTOX 400 SC	氯虫苯甲酰胺 Chlorantraniliprole	FP/ETP
630	PERTERRA	40025	HEXAZINONA 750 WG PERTERRA	莠灭净 Hexazinone	FP/ETP
631	RAINBOW	40125	CONSPICUO XTRA	吡唑醚菌酯 Pyraclostrobin + 啉酰菌胺 Boscalid	FP/ETP
632	NORTOX	40225	DIQUAT NORTOX SL	敌草快二溴盐 Diquat dibromide	FP/ETP
633	NORTOX	40325	INDOXACARBE NORTOX	茚虫威 Indoxacarb	FP/ETP
634	ADAMA	40425	KEEPER	抗倒酯 Trinexapac-ethyl	FP/ETP
635	NORTOX	40525	CLORANTRANILIPROLE C NORTOX	氯虫苯甲酰胺 Chlorantraniliprole + 毒死蜱 Chlorpyrifos	FP/ETP
636	ADAMA	40625	MITIGATE	联苯菊酯 Bifenthrin + 螺螨酯 Spirodiclofen	FP/ETP
637	ADAMA	40725	RAVINA WG	吡虫啉 Imidacloprid	FP/ETP
638	YONON	40825	ETHIPROLE YONON	乙虫腓 Ethiprole	FP/ETP
639	AGRO-LEAD	40925	ZINANPROG	氟啶胺 Fluazinam	FP/ETP
640	PROREGISTROS	41025	PROTECNIL 720 SC	百菌清 Chlorothalonil	FP/ETP
641	PROREGISTROS	41125	SMART GUARD	氟啶胺 Fluazinam	FP/ETP
642	SUNO	41225	TOPQUAT SUNO	敌草快二溴盐 Diquat dibromide	FP/ETP
643	TZ BIOTEC	41325	FLUORYD FR 25	<i>Pseudomonas fluorescens</i>	Bio
644	ALLIERBRASIL	41425	LOT 720 WG	草甘膦铵盐 Glyphosate ammonium	FP/ETP
645	HELM	41525	HDB 259B	磺草酮 Sulfentrazone + 氟米噁嗪 Flumioxazin	FP/ETP
646	SYNGENTA	41625	RIKALI	吡唑萘菌胺 Isopyrazam + 环丙唑醇 Cyproconazole	NFP
647	CROPCHEM	41725	BAKANA 400 SC	乙虫腓 Ethiprole	FP/ETP
648	BIORISK	TC23125	AZOXISTROBIN TÉCNICO GSP	啉菌酯 Azoxystrobin	ETP
649	SYNCROM	TC23225	TRIFLOXYSTROBIN TÉCNICO HH	肟菌酯 Trifloxystrobin	ETP
650	NORTOX	TC23325	S- METOLACLORO TÉCNICO NORTOX II	精异丙甲草胺 S-metolachlor	ETP
651	FERBRU	TC23425	TEFLUBENZURON TÉCNICO FB	氟苯脲 Teflubenzuron	ETP
652	PERTERRA	TC23525	PROTIOCONAZOLE W TÉCNICO PERTERRA	丙硫菌唑 Prothioconazole	ETP
653	SINON	TC23625	BIFENTRIN TÉCNICO SINON	氟苯脲 Teflubenzuron	ETP
654	PILARQUIM	TC23725	MESOTRIONE TÉCNICO PILARQUIM	硝磺草酮 Mesotrione	ETP
655	ALLIERBRASIL	TC23825	FLUROXIPIR TÉCNICO SOLUS	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl	ETP
656	ZHONGSHAN	TC23925	HEXAZINONA TÉCNICO ZS	环嗪酮 Hexazinone	ETP
657	NORTOX	TC24025	BISPIRIBAC TÉCNICO NORTOX II	啉菌酯 Azoxystrobin	ETP
658	NORTOX	TC24125	FLUDIOXONIL TÉCNICO NORTOX	咯菌腈 Fludioxonil	ETP
659	NORTOX	TC24225	CLORFENAPIR TÉCNICO NORTOX III	虫螨腈 Chlorfenapyr	ETP
660	SYNCROM	TC24325	BOSCALID TÉCNICO NGC	啉酰菌胺 Boscalid	ETP
661	NORTOX	TC24425	AMINOPIRALIDE TÉCNICO NORTOX III	氨基吡啶胺 Aminopyralid	ETP
662	NORTOX	TC24525	AMINOPIRALIDE TÉCNICO NORTOX	氨基吡啶胺 Aminopyralid	ETP
663	NORTOX	TC24625	TRIFLOXYSTROBIN TÉCNICO NORTOX IV	肟菌酯 Trifloxystrobin	ETP
664	NORTOX	TC24725	PICOXISTROBIN TÉCNICO NORTOX	啉氧菌酯 Picoxystrobin	ETP
665	NORTOX	TC24825	DIFENOCONAZOLE TÉCNICO NORTOX II	苯醚甲环唑 Difenoconazole	ETP
666	RAINBOW	TC24925	ESPIROMESIFENO TÉCNICO RAINBOW	螺甲螨酯 Spiromesifen	ETP
667	TIDE	TC25025	PICOXISTROBINA TÉCNICO TIDE II	啉氧菌酯 Picoxystrobin	ETP
668	RAINBOW	TC25125	OXIFLUORFEM TÉCNICO RAINBOW	乙氧氟草醚 Oxyfluorfen	ETP
669	CAC	TC25225	TEMBOTRIONA TÉCNICO CAC	坦博特龙 Tembotrione	ETP
670	RAINBOW	TC25325	CLORETO DE CLORMEQUATE TÉCNICO RAINBOW	矮壮素 Chlormequat chloride	ETP
671	IHARABRAS	TC25425	GLIFOSATO TÉCNICO IHARA XM	草甘膦 Glyphosate	ETP
672	SYNTECH	TC25525	TEBUCONAZOLE TECHNICAL ASTEC	戊唑醇 Tebuconazole	ETP
673	AGROALLIANZ	TC25625	FLUDIOXONIL TÉCNICO FB	咯菌腈 Fludioxonil	ETP

674	PROREGISTROS	TC25725	AZOXYSTROBIN TÉCNICO FUHUA	啞菌酯 Azoxystrobin	ETP
675	ZHONGSHAN	TC25825	CLOMAZONE TÉCNICO ZS	异噁草酮 Clomazone	ETP
676	TECNOMYL	TC25925	TRIFLOXISTROBINA TÉCNICO TECNOMYL IV	肟菌酯 Trifloxystrobin	ETP
677	HELM	TC26025	TRIFLOXISTROBINA U TÉCNICO HELM	肟菌酯 Trifloxystrobin	ETP
678	CROPCHEM	41825	SEVARE DUO	啞菌酯 Azoxystrobin + 苯醚甲环唑 Difenoconazole	FP/ETP
679	ALBAUGH	41925	PORCEL 01	吡丙醚 Pyriproxyfen	FP/ETP
680	BIORISK	42025	CHETTAK	乙酰甲胺磷 Acephate	FP/ETP
681	CCAB AGRO	42125	ACEFATO CCAB 970 SG	乙酰甲胺磷 Acephate	FP/ETP
682	CTVA	42225	ZACTINE	氟唑吡啶 Fluzaindolizine	NFP
683	TECNOMYL	42325	TEC-096-F	阿维菌素 Abamectin	FP/ETP
684	MONSANTO	42425	XTENDIMAX 2	麦草畏 Dicamba	FP
685	OURO FINO	42525	LOOKED	乙酰甲胺磷 Acephate + 联苯菊酯 Bifenthrin	FP/ETP
686	PROREGISTROS	42625	DIMAN 740 WP	氯化铜 Copper oxychloride + 代森锰锌 Mancozeb	FP
687	TOTAL	42725	BTP 005-19A	<i>Bacillus pumilus</i>	Bio
688	ALLIERBRASIL	42825	GRANADA 200 SL	草铵膦 Glufosinate ammonium	FP/ETP
689	RAINBOW	42925	GLICRUSH	草甘膦 Glyphosate	FP/ETP
690	BEIFIUR	43025	BOVEFORT	<i>Beauveria bassiana</i>	Bio/Org
691	RAINBOW	43125	REDFIRE	噻苯隆 Thidiazuron + 敌草隆 Diuron	FP/ETP
692	BIORISK	43225	CHLORPYRIFOS AGROGILL 480EC	毒死蜱 Chlorpyrifos	FP/ETP
693	ADAMA	43325	AZIMUT SC	啞菌酯 Azoxystrobin + 戊唑醇 Tebuconazole	FP/ETP
694	SUNO	43425	PRESSURE 880 SG	草甘膦 Glyphosate	FP/ETP
695	ALLIERBRASIL	43525	TECISO	氟啶胺 Fluzainam	FP/ETP
696	PROREGISTROS	43625	CLEFANDIM 480 EC	烯草酮 Clethodim	FP/ETP
697	PROREGISTROS	43725	CLEFANDIM 240 EC	烯草酮 Clethodim	FP/ETP
698	ALLIERBRASIL	43825	GLADIS	草铵膦 Glufosinate ammonium	FP/ETP
699	CROPCHEM	43925	CIPROCONAZOLE 80 + PICOXYSTROBIN 200 SC CROPCHEM	啞菌酯 Picoxystrobin + 环丙唑醇 Cyproconazole	FP/ETP
700	CRYSTAL	44025	ATRATUS	噻虫胺 Clothianidin	FP/ETP
701	B PLANT	44125	PALI	<i>Purpureocillium lilacinum</i>	Bio
702	BIORISK	44225	ERASER	异噁草酮 Clomazone	FP/ETP
703	ALLIERBRASIL	44325	MYCLO EC	麦克斯菌唑 Myclobutanil	FP/ETP
704	CCAB AGRO	44425	IMIDACLOPRIDE 150 TIODICARB 450 CCAB FS	吡虫啉 Imidacloprid + 噻草酮 Thiodicarb	FP/ETP
705	CCAB AGRO	44525	GLIFOSATO CCAB 720 WG	草甘膦 Glyphosate	FP/ETP
706	ZHONGSHAN	44625	KAMAITACHI	敌草隆 Diuron	FP/ETP
707	ZHONGSHAN	44725	BARRACUDA	精异丙甲草胺 S-Metolachlor	FP/ETP
708	TOTAL	44825	BTP 066-20AC SC	<i>Bacillus thuringiensis</i>	Bio
709	BINOVA	44925	AG TRIMMON PRO	<i>Trichoderma harzianum</i>	Bio/Org
710	BIO CONTROLE	45025	BIO FURÃO	E-8-十二烯基乙酸酯 E-8-dodecenyl acetate	Bio
711	ADAMA	45125	ADA FM 267/21	<i>Bacillus subtilis</i> + <i>Bacillus velezensis</i>	Bio
712	HELM	45225	LVH04A	苯醚甲环唑 Difenoconazole	FP
713	RAINBOW	45325	PEROXONIL MIXX	百菌清 Chlorothalonil + 啞菌酯 Picoxystrobin + 戊唑醇 Tebuconazole	FP/ETP
714	ALBAUGH	45425	PRETORIAN	虫螨腈 Chlorfenapyr	FP/ETP
715	CROPCHEM	45525	DHARMA DUO	啞菌酯 Picoxystrobin + 环丙唑醇 Cyproconazole	FP/ETP
716	OXIQUÍMICA	45625	ATINGE	植物油 Vegetable oil	Bio
717	ALTA	45725	IMAZETAPIR ALTA 106 SL	咪唑乙烟酸 Imazethapyr	FP/ETP
718	ALTA	45825	AVARIS	啞菌酯 Picoxystrobin + 丙硫菌唑 Prothioconazole	FP/ETP
719	BIORISK	45925	ACEPHATE 97% SG GSP II	乙酰甲胺磷 Acephate	FP/ETP
720	BIORISK	46025	ACEPHATE 97% SG GSP	乙酰甲胺磷 Acephate	FP/ETP
721	ANDERMATT	46125	PLUTEX	<i>Plutella xylostella granulovirus</i>	Bio
722	DVA	46225	CARTE	<i>Melaleuca alternifolia</i> + <i>Thymus vulgaris</i>	Bio
723	NORTOX	46325	DICAMBA NORTOX	麦草畏 Dicamba	FP/ETP
724	BASF	46425	FASTAC EC	顺式氯氟菊酯 Alpha-Cypermethrin	FP
725	UPL	46525	LIVO	代森锰锌 Mancozeb	FP/ETP
726	CHDS	46625	ELIMINATE ULTRA	草铵膦铵盐 Glufosinate ammonium	FP/ETP
727	COROMANDEL	46725	AZOGRO	啞菌酯 Azoxystrobin	FP/ETP
728	INDOFIL	46825	GRUMA 05 SC	代森锰锌 Mancozeb + 苯醚甲环唑 Difenoconazole + 丙硫菌唑 Prothioconazole	FP/ETP
729	ALLIERBRASIL	TC26125	FLUROXIPIR TÉCNICO SD	氟氧吡啶乙酸异辛酯 Fluroxypyr-meptyl	ETP
730	AGROBEATS	TC26225	HALOXYFOP-P-METHYL TÉCNICO ABT	高效氟吡甲禾灵 Haloxyfop-P-methyl	ETP
731	NORTOX	TC26325	DIFENOCONAZOLE TÉCNICO NORTOX III	苯醚甲环唑 Difenoconazole	ETP
732	AGRO-LEAD	TC26425	CLORFENAPIR TÉCNICO AGROLEAD	虫螨腈 Chlorfenapyr	ETP
733	CHDS	TC26525	CHLORFENAPYR TÉCNICO CHDS	虫螨腈 Chlorfenapyr	ETP
734	CCAB	TC26625	CHLORFENAPYR TÉCNICO CCAB II	虫螨腈 Chlorfenapyr	ETP
735	STOCKTON	TC26725	CLORFENAPIR TÉCNICO STOCKTON	虫螨腈 Chlorfenapyr	ETP
736	HELM	TC26825	CIPROCONAZOLE A TÉCNICO HELM	环丙唑醇 Cyproconazole	ETP
737	ARYSTA	TC26925	CIPROCONAZOL TÉCNICO ALS	环丙唑醇 Cyproconazole	ETP

738	HELM	TC27025	CHLORFENAPYR U TÉCNICO HELM	虫螨腈 Chlorfenapyr	ETP
739	SYNTECH	TC27125	CYPROCONAZOLE TÉCNICO ASTEC	环丙唑醇 Cyproconazole	ETP
740	ADAMA	TC27225	CLORFENAPIR TÉCNICO ADA	虫螨腈 Chlorfenapyr	ETP
741	LEMMA	TC27325	CHLORFENAPYR TÉCNICO SINO-AGRI	虫螨腈 Chlorfenapyr	ETP
742	CROPChem	TC27425	CLORFENAPIR TÉCNICO CROPChem III	虫螨腈 Chlorfenapyr	ETP
743	PROREGISTROS	TC27525	FORWARD MESOTRIONE TÉCNICO	硝磺草酮 Mesotrione	ETP
744	BRILLIANCE	TC27625	IMAZETHAPYR TÉCNICO BRILLIANCE II	咪唑乙烟酸 Imazethapyr	ETP
745	LEMMA	TC27725	PICOXYSTROBIN TÉCNICO SINO-AGRI	啉氧菌酯 Picoxystrobin	ETP
746	SOLUS	TC27825	FOMESAFEM TÉCNICO SOLUS	氟磺胺草醚 Fomesafen	ETP
747	PROREGISTROS	TC27925	CLETODIM PRÉ-MISTURA SA	烯草酮 Clethodim	Pre-Mixture
748	BRA	TC28025	DICLOSULAM TÉCNICO BRA	双氯磺草胺 Diclosulam	ETP
749	ROTAM	TC28125	DICLOSULAM TÉCNICO RTM	双氯磺草胺 Diclosulam	ETP
750	NORTOX	TC28225	CLORFENAPIR TÉCNICO NORTOX II	虫螨腈 Chlorfenapyr	ETP
751	AVGUST	TC28325	DICLOSULAM TÉCNICO AVGUST	双氯磺草胺 Diclosulam	ETP
752	PROREGISTROS	46925	GOLERO	氟苯胺 Diflubenuron	FP/ETP
753	CROPChem	47025	HARBIN II	肟菌酯 Trifloxystrobin	FP/ETP
754	YONON	47125	CHLORFENAPYR 240 SC YONON	虫螨腈 Chlorfenapyr	FP/ETP
755	ALLIERBRASIL	47225	MESTER 480 SC	甲磺草酮 Mesotrione	FP/ETP
756	YONON	47325	GLUFOSINATE-AMMONIUM 850 WG YONON	草铵膦 Glufosinate ammonium	FP/ETP
757	ALLIERBRASIL	47425	COMPERT 240 EC	烯草酮 Clethodim	FP/ETP
758	ALLIERBRASIL	47525	BIOSOLMO 480 SL	草甘膦 Glyphosate	FP/ETP
759	ALLIERBRASIL	47625	GLADES 480 SL	草甘膦异丙胺盐 Glyphosate isopropylamine	FP/ETP
760	ALLIERBRASIL	47725	ZUXION 200 SP	啉虫脒 Acetamiprid	FP/ETP
761	YONON	47825	PYRACLOSTROBIN YONON	吡唑醚菌酯 Pyraclostrobin	FP/ETP
762	GREEN WORLD	47925	GREENFOSATO	草甘膦 Glyphosate	FP/ETP
763	SUMITOMO	48025	AVEO SC	<i>Bacillus amyloliquefaciens</i>	Bio
764	COMPOSTEC	48125	TETRA	<i>Trichoderma harzianum</i>	Bio/Org
765	AGROIMPORT	48225	AZOXISTROBINA 600 + CIPROCONAZOL 240 WG AGROIMPORT	啉菌酯 Azoxystrobin + 环丙唑醇 Cyproconazole	FP/ETP
766	AGROIMPORT	48325	CLOMAZONE 500 EC AGROIMPORT	异噁草酮 Clomazone	FP/ETP
767	AGROIMPORT	48425	METOXIFENOZIDA 240 SC AGROIMPORT	甲氧虫酰肼 Methoxyfenozide	FP/ETP
768	SÃO MARTINHO	48525	SMART BIO COTESIA	<i>Cotesia flavipes</i>	Bio/Org
769	AGROIMPORT	48625	ETIPROLE 200 SC AGROIMPORT	乙虫脒 Ethiprole	FP/ETP
770	BIORISK	48725	MAXUNIL 720 SC	百菌清 Chlorothalonil	FP/ETP
771	FERBRU	48825	ESPADA	乙酰甲胺膦 Acephate	FP/ETP
772	ALLIERBRASIL	48925	MIGHTY	甲磺草酮 Mesotrione	FP/ETP
773	SHARDA	49025	CABBY 480 SC	克菌丹 Captan	FP/ETP
774	ALBAUGH	49125	GLIDER DUO	苯醚甲环唑 Difenoconazole + 百菌清 Chlorothalonil	FP/ETP
775	ALBAUGH	49225	BALAZO	联苯菊酯 Bifenthrin	FP/ETP
776	PILARQUIM	49325	PILARPOINT	2,4-滴 2,4-D	FP/ETP
777	AGROBEATS	49425	GAZINA 500 SC	氟米噁嗪 Flumioxazin	FP/ETP
778	CROPChem	49525	AMPUS 125 SC	环氧菌唑 Epoxiconazole	FP/ETP
779	ALBAUGH	49625	BALUARTE	噻虫嗪 Diafenthiuron	FP/ETP
780	ALBAUGH	49725	SKELDON	丙硫菌唑 Prothioconazole	FP/ETP
781	SUMITOMO	49825	MESIC MAX	丙硫菌唑 Prothioconazole + 啉氧菌酯 Picoxystrobin	FP
782	ALBAUGH	49925	ACETAMIPRIDO SC ALBAUGH 01	啉虫脒 Acetamiprid	FP/ETP
783	SUMITOMO	50025	ZELTERA PURA	茚吡菌胺 Inpyrfluxam	FP
784	TECNOMYL	50125	TEC-007-B	<i>Beauveria bassiana</i> + <i>Metarhizium anisopliae</i>	Bio/Org
785	NORTOX	50225	PICOXYSTROBIN NORTOX	啉氧菌酯 Picoxystrobin	FP/ETP
786	CROPChem	50325	KAIJU 480 SL	麦草畏 Dicamba	FP/ETP
787	ALLIERBRASIL	50425	CLETODIM CHDS 240 EC	烯草酮 Clethodim	FP/ETP
788	HELM	50525	HDB 187	丁苯吗啉 Fenpropimorph	FP/ETP
789	ALLIERBRASIL	50625	ACAM 200 SP	啉虫脒 Acetamiprid	FP/ETP
790	ALLIERBRASIL	50725	PYTA	烯草酮 Clethodim	FP/ETP
791	ALLIERBRASIL	50825	KOVAN 240 EC	烯草酮 Clethodim	FP/ETP
792	ALLIERBRASIL	50925	D-RAY 806 SL	2,4-滴 2,4-D	FP/ETP
793	ALLIERBRASIL	51025	BIODYN 806 SL	2,4-滴 2,4-D	FP/ETP
794	ALLIERBRASIL	51125	DICAT 480 SL	麦草畏 Dicamba	FP/ETP
795	KOPPERT	51225	KBR-T1H57WP2	<i>Trichoderma asperelloides</i>	Bio
796	CAC QUÍMICA	51325	GLEBA 325 SC	肟菌酯 Trifloxystrobin + 丙硫菌唑 Prothioconazole	FP/ETP
797	SYNGENTA	51425	REFLECT	吡唑萘菌胺 Isopyrazam	NFP
798	ALLIERBRASIL	51525	ASAFAT SG 5	乙酰甲胺膦 Acephate	FP/ETP
799	ALLIERBRASIL	51625	HOSANNA	精异丙甲草胺 S-Metolachlor	FP/ETP
800	HELM	51725	HDB 171	敌草快二溴盐 Diquat dibromide	FP/ETP
801	TECNOMYL	51825	BOTTEN	吡唑醚菌酯 Pyraclostrobin + 戊唑醇 Tebuconazole	FP/ETP
802	ALLIERBRASIL	51925	BOSCAVI 500 WG	啉酰菌胺 Boscalid	FP/ETP

803	ALLIERBRASIL	52025	BUSY 500 WG	啮酰菌胺 Boscalid	FP/ETP
804	ALLIERBRASIL	52125	DIQUATE LB 200 SL	敌草快二溴盐 Diquat dibromide	FP/ETP
805	MONSANTO	52225	ROUNDUP TRANSORB B	草甘膦钾盐 Glyphosate potassium	FP/ETP
806	NUTRIEN	52325	MALLE 250 SL	氟磺胺草醚 Fomesafem	FP/ETP
807	CHDS	52425	FORCEPS II	啉虫脒 Acetamiprid + 联苯菊酯 Bifenthrin	FP/ETP
808	SYNGENTA	52525	ELESTAL FIT	螺吡酮 Spiropidion	FP/ETP
809	SYNGENTA	52625	ACOMPLE	甲氨基阿维菌素 Emamectin benzoate + 异噁唑虫酰胺 Isocycloseram	FP/ETP
810	RAINBOW	52725	MUFEROX	氟磺胺草醚 Fomesafem	FP/ETP
811	BRANDT	52825	BRANDT #66	<i>Beauveria bassiana</i>	Bio/Org
812	MONSANTO	52925	ROUNDUP XTENDICAM	麦草畏 Dicamba + 草甘膦 Glyphosate	FP/ETP
813	BIORISK	53025	DEURA 430 SC	戊唑醇 Tebuconazole	FP/ETP
814	AGROIMPORT	53125	TRIFLOXISTROBINA 490 + CIPROCONAZOL 210 WG AGROIMPORT	肟菌酯 Trifloxystrobin + 环丙唑醇 Cyproconazole	FP/ETP
815	ALBAUGH	53225	GLIFOSATO K ALBAUGH 02	草甘膦钾盐 Glyphosate potassium	FP/ETP
816	CHDS	53325	BOMBEIRO MAX	虫螨腈 Chlorfenapyr	FP/ETP
817	PILARQUIM	53425	TARKAN	2,4-滴 2,4-D	FP/ETP
818	TECNOMYL	53525	PERGAM	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl	FP/ETP
819	ALTA	53625	DICLOSULAM ALTA 840 WG	双氯磺草胺 Diclosulam	FP/ETP
820	CROPCHEM	53725	SALANDER DUO	丙硫菌唑 Prothioconazole + 肟菌酯 Trifloxystrobin	FP/ETP
821	CROPCHEM	53825	ARANHA 840 WG	双氯磺草胺 Diclosulam	FP/ETP
822	CROPCHEM	53925	KOLEOS 250 EC	吡唑醚菌酯 Pyraclostrobin	FP/ETP
823	CROPCHEM	54025	EMERITUS 500 SC	百菌清 Chlorothalonil	FP/ETP
824	CROPCHEM	54125	APURE 500 WG	吡蚜酮 Pymetrozine	FP/ETP
825	SYNCROM	54225	2,4-D + PICLORAM EA	2,4-滴 2,4-D + 氨基吡啶酸 Picloram	FP/ETP
826	ALLIERBRASIL	54325	CLETODIM CROP 240 EC	烯草酮 Clethodim	FP/ETP
827	ALLIERBRASIL	54425	TACOMA 200 SL	草铵膦 Glufosinate ammonium	FP/ETP
828	SUMITOMO	54525	LACTUS	丙硫菌唑 Prothioconazole + 啉菌酯 Picoxystrobin	FP/ETP
829	NORTOX	54625	HALOXIFOP NORTOX	高效氟吡甲禾灵 Haloxyfop-P-methyl	FP/ETP
830	PERTERRA	54725	ULTIMARE	肟菌酯 Trifloxystrobin + 环丙唑醇 Cyproconazole	FP/ETP
831	BRA DEFENSIVOS	54825	FRENTE ME	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl + 氨基吡啶酸 Picloram	FP/ETP
832	ALLIERBRASIL	54925	DICASH 480 SL	麦草畏 Dicamba	FP/ETP
833	ALLIERBRASIL	55025	DISTANT 480 SL	麦草畏 Dicamba	FP/ETP
834	GAIA	55125	BGT	草甘膦异丙胺盐 Glyphosate-isopropylamine	FP/ETP
835	ALLIERBRASIL	55225	GOLEIRO 200 SP	啉虫脒 Acetamiprid	FP/ETP
836	ALLIERBRASIL	55325	GOLMAL 200 SP	啉虫脒 Acetamiprid	FP/ETP
837	BIOPAR	55425	TRIXMA	<i>Trichoderma harzianum</i> + <i>Trichoderma viride</i>	Bio/Org
838	IHARABRAS	55525	FUSÃO FIX	甲氧咪草酯 Metominostrobin + 戊唑醇 Tebuconazole + 百菌清 Chlorothalonil	FP/ETP
839	HELM	55625	HDB 239B	精异丙甲草胺 S-Metolachlor + 磺草酮 Sulfentrazone	FP/ETP
840	HELM	55725	HDB 239A	精异丙甲草胺 S-Metolachlor + 磺草酮 Sulfentrazone	FP/ETP
841	ALLIERBRASIL	55825	GLIFORCE WG	草甘膦 Glyphosate	FP/ETP
842	ALLIERBRASIL	55925	OLASOJA SC	氟米噁嗪 Flumioxazin	FP/ETP
843	ALLIERBRASIL	56025	MAXUNITECH 500 SC	氟米噁嗪 Flumioxazin	FP/ETP
844	NORTOX	56125	DICLOSULAM NORTOX	双氯磺草胺 Diclosulam	FP/ETP
845	OXON	56225	DOGE	氟啶胺 Fluazinam	FP/ETP
846	NORTOX	56325	FLUROXIPIR A NORTOX	氯氨吡啶酸 Aminopyralid + 氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl	FP/ETP
847	NORTOX	56425	2,4-D A NORTOX	2,4-滴 2,4-D + 氯氨吡啶酸 Aminopyralid	FP/ETP
848	ALBAUGH	56525	DAKOTA ULTRA	麦草畏 Dicamba	FP/ETP
849	TECNOMYL	56625	DICLOSULAM 840 WG TECNOMYL	双氯磺草胺 Diclosulam	FP/ETP
850	HELM	56725	ULTRON	丁苯吗啉 Fenpropimorph	FP/ETP
851	SYNCROM	56825	DIQUAT 200 SL EA	敌草快 Diquat	FP/ETP
852	ALBAUGH	56925	DIAFENTIUIROM SC ALBAUGH 02	噻虫嗪 Diafenthiuron	FP/ETP
853	CROPCHEM	57025	KENZO 700 WG	灭草松 Metribuzin	FP/ETP
854	TOTAL	57125	DEF-MIC-089-24-B	<i>Bacillus velezensis</i>	Bio
855	TOTAL	57225	DEF-MIC-089-24-A	<i>Bacillus velezensis</i>	Bio
856	NITRO QUÍMICA	57325	PLC 02	<i>Paecilomyces lilacinus</i>	Bio
857	NITRO QUÍMICA	57425	PLC 01	<i>Paecilomyces lilacinus</i>	Bio
858	COMPOSTEC	57525	TURIMAX	<i>Bacillus thuringiensis</i>	Bio/Org
859	ALLIERBRASIL	57625	GUERRA 200 SL	草铵膦 Glufosinate ammonium	FP/ETP
860	CHDS	57725	FENPROPIX	丙硫菌唑 Prothioconazole + 丁苯吗啉 Fenpropimorph + 啉菌酯 Picoxystrobin	FP/ETP
861	RAINBOW	57825	ALIDMOX	氯氨吡啶酸 Aminopyralid + 2,4-滴 2,4-D	FP/ETP
862	TIDE	57925	ACETIDE	乙酰甲胺磷 Acephate	FP/ETP
863	RAINBOW	58025	GRAVO 200 EC	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl	FP/ETP
864	CHDS	58125	RALLY	虫螨腈 Chlorfenapyr	FP/ETP
865	CHDS	58225	RALLY SC	虫螨腈 Chlorfenapyr	FP/ETP
866	MACROBIO	58325	SUPPLAY MIX	<i>Trichoderma harzianum</i> + <i>Trichoderma viride</i>	Bio/Org

867	MACROBIO	58425	SUPPLAY	<i>Trichoderma harzianum + Trichoderma viride</i>	Bio/Org
868	OXON	58525	CERVINO GOLD	异噁草酮 Clomazone + 氟米噁嗪 Flumioxazin	FP/ETP
869	ZHONGSHAN	58625	BUGÃO	精异丙甲草胺 S-Metolachlor	FP/ETP
870	SYNGENTA	58725	VICTRATO PRO	环丁氟酰胺 Cyclobutrifluram	FP
871	OURO FINO	58825	TERZZO	烯草酮 Clethodim + 高效氟吡甲禾灵 Haloxyfop-P-methyl	FP
872	NELLY	58925	STAY UP	2,3,5-三碘苯甲酸 2,3,5-Triiodobenzoic acid	Bio
873	YONON	TC28425	INDOXACARB TÉCNICO IT	茚虫威 Indoxacarb	ETP
874	TECNOMYL	TC28525	CLORFENAPIR TÉCNICO TECNOMYL III	虫螨腈 Chlorfenapyr	ETP
875	BRILLIANCE	TC28625	CLOMAZONE TÉCNICO BRILLIANCE	异噁草酮 Clomazone	ETP
876	TECNOMYL	TC28725	ETEFOM TECNICO TECNOMYL	乙烯利 Ethephon	ETP
877	TECNOMYL	TC28825	ISOXAFLOTOLÉ TÉCNICO TECNOMYL	异噁唑草酮 Isoxaflutole	ETP
878	OURO FINO	TC28925	CLORFENAPIR TÉCNICO OURO FINO	虫螨腈 Chlorfenapyr	ETP
879	CROPCHEM	TC29025	CLORFENAPIR TÉCNICO CROPCHEM II	虫螨腈 Chlorfenapyr	ETP
880	BIORISK	TC29125	METHOXYFENOZIDE TÉCNICO GC	甲氧虫酰肼 Methoxyfenozide	ETP
881	BIORISK	TC29225	CHLORFENAPYR TÉCNICO SAL	虫螨腈 Chlorfenapyr	ETP
882	BIORISK	TC29325	V PERMETRINA TÉCNICO	氯菊酯 Permethrin	ETP
883	ALLIERBRASIL	TC29425	CLOMAZONE TÉCNICO SD	异噁草酮 Clomazone	ETP
884	OURO FINO	TC29525	TIAMETOXAM TÉCNICO OF	噻虫嗪 Thiamethoxam	ETP
885	RAINBOW	TC29625	CIMOXANIL TÉCNICO RAINBOW	霜脲氰 Cymoxanil	ETP
886	STAPHYT	TC29725	FLUXAPYROXAD TÉCNICO HN	氟苯吡菌胺 Fluxapyroxad	ETP
887	ALTA	TC29825	CLOMAZONE TÉCNICO ALTA	异噁草酮 Clomazone	ETP
888	LEMMA	TC29925	FOMESAFEN TÉCNICO SINO-AGRI	氟磺胺草醚 Fomesafen	ETP
889	ALBAUGH	TC30025	CLOMAZONE TÉCNICO ALBAUGH	异噁草酮 Clomazone	ETP
890	LEMMA	TC30125	DICAMBA TÉCNICO SINO-AGRI	麦草畏 Dicamba	ETP
891	BRILLIANCE	TC30225	CLOMAZONE TÉCNICO BRILLIANCE II	异噁草酮 Clomazone	ETP
892	FERBRU	TC30325	AZOXYSTROBIN TÉCNICO FB	啞菌酯 Azoxystrobin	ETP
893	BIORISK	TC30425	BOSCALID TÉCNICO BIOSEEN	啞酰菌胺 Boscalid	ETP
894	NORTOX	TC30525	LAMBDA-CIALOTRINA TÉCNICA NORTOX III	高效氯氟氰菊酯 Lambda-cyhalothrin	ETP
895	TECNOMYL	TC30625	ETIPROLE TÉCNICO TECNOMYL II	乙虫腈 Ethiprole	ETP
896	CROPCHEM	TC30725	TEBUCONAZOLE TÉCNICO CROPCHEM IV	戊唑醇 Tebuconazole	ETP
897	RAINBOW	TC30825	CIAZOFAMIDA TÉCNICO RAINBOW	氟霜唑 Ciazofamid	ETP
898	ADAMA	TC30925	CLOMAZONE TÉCNICO MIL	异噁草酮 Clomazone	ETP
899	CROPCHEM	TC31025	AMINOPIRALIDE TÉCNICO CROPCHEM	氯氨吡啶酸 Aminopyralid	ETP
900	CROPCHEM	TC31125	METRIBUZIM TÉCNICO CROPCHEM	三嗪酮 Triazinona	ETP
901	CROPCHEM	TC31225	QUIZALOFOPE TÉCNICO CROPCHEM	精喹禾灵 Quizalofop-P-ethyl	ETP
902	CROPCHEM	TC31325	HALOXIFOPE TÉCNICO NHP-CROPCHEM	精喹禾灵 Quizalofop-P-ethyl	ETP
903	ZHONGSHAN	TC31425	IMAZAPIQUE TÉCNICO ZS	甲咪唑烟酸 Imazapic	ETP
904	CROPCHEM	TC31525	PICOXISTROBINA TÉCNICO CROPCHEM	啞氧菌酯 Picoxystrobin	ETP
905	NORTOX	TC31625	CLOMAZONE TÉCNICO NORTOX III	异噁草酮 Clomazone	ETP
906	PILARQUIM	TC31725	CLOMAZONE TÉCNICO PILARQUIM	异噁草酮 Clomazone	ETP
907	OXON	TC31825	CLOMAZONE TÉCNICO OXON III	异噁草酮 Clomazone	ETP
908	PROREGISTROS	TC31925	OXYFLUORFEN TÉCNICO YN	乙氧氟草醚 Oxyfluorfen	ETP
909	ZHONGSHAN	TC32025	PENOXULAM TÉCNICO CX	五氟磺草胺 Penoxsulam	ETP
910	IHARABRAS	TC32125	ESPIRODICLOFENO TÉCNICO IHARA II	螺螨酯 Spirodiclofen	ETP
911	ZHONGSHAN	TC32225	PICOXISTROBINA TÉCNICO CX	啞氧菌酯 Picoxystrobin	ETP
912	NORTOX	TC32325	CLOMAZONE TÉCNICO NORTOX IV	异噁草酮 Clomazone	ETP

TP: 技术产品 Technical Product

NTP: 基于新型活性成分的技术产品

Technical Product Based on New Active Ingredient

ETP: 等效技术产品 Equivalent Technical Product

FP: 配方产品 Formulated Product

NFP: 基于新型活性成分的配方产品

Formulated Product Based on New Active Ingredient

FP/ETP: 基于等效技术产品的配方产品

Formulated Product Based on Equivalent Technical Product

Bio/Org: 用于有机农业的生物, 微生物, 生物化学, 植物提取物, 生长调节剂或半化学配方产

Biological, Microbiological, Biochemical, Plant Extract, Growth Regulator, or Semiochemical Formulated Product

Approved for Organic Agriculture

Bio: 生物, 微生物, 生物化学, 植物提取物, 生长调节剂或半化学配方产品

Biological, Microbiological, Biochemical, Plant Extract, Growth Regulator, or Semiochemical



Laboratory profile 实验室简介

Jiangsu Authority Testing Co., Ltd (Authority Testing) is a third-party Laboratory . Authority Testing established in 2015, located in Changzhou Science & Education Town, a national high education and science park. The existing area is 1400 square meters, with a standard dioxin laboratory, instrument analysis room, physical and chemical analysis room, sample room, etc.

Authority Testing obtained the CMA qualification in November 2016 (Certificate number: 161012050690) and the CNAS qualification(ISO/IEC17025) in March 2018 (Certificate number: CNAS L10880). Authority Testing main business is dioxin testing and pesticides testing.

The laboratory is equipped with first-class international and domestic brands of professional testing equipment, such as intelligent dioxin exhaust gas sampler (Laoying 3030B), intelligent air dioxin sampler (Laoying 2040C), liquid chromatography-mass spectrometry instrument (Agilent), gas chromatogram-mass spectrometry (Shimadzu), etc.

Authority Testing adheres to the "high quality, high specification, high efficiency" service principle , to provide customers with more convenient and effective service.

江苏全威检测有限公司是(以下简称“全威检测”)是一家第三方实验室。全威检测2015年成立, 位于国家级高教和科技园区常州科教城, 现有实验室面积1400 m², 建有标准的二噁英实验室、仪器分析室、理化分析室、样品室等。

全威检测于2016年11月取得CMA资质 (证书编号: 161012050690) , 于2018年03月取得CNAS (ISO/IEC17025) 资质 (证书编号: CNAS L10880) 。

全威检测主营业务为二噁英检测和农药检测。全威检测配备有国外一流品牌的专业检测设备, 如智能二噁英废气采样仪 (崂应3030B)、智能空气二噁英采样仪 (崂应2040C)、液相色谱-质谱联用仪 (Agilent) 等。

全威检测秉承“高质量、高规格、高效率”的服务宗旨, 为客户提供更加便捷有效的服务!

农业部 | Ministry of Agriculture of Brazil

农药登记批准 (2025) | Pesticide Registration Approvals (2025)

第6号法案 2025年2月18日 - 发布于2025年2月26日 - 技术产品及预混料的农药登记审批 Act No. 6 from 2/18/25 - Published on 2/26/25 - Technical product registration approvals				
登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	笔记 Note	原药生产商 Manufacturer	产品 Product
SYNCROM	DIFENOCONAZOLE TÉCNICO UDRAGON (TC00125)	等效毒理学概况 环境等级 II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd. Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	苯醚甲环唑 Difenoconazole
ALLIERBRASIL	AZOSHY TÉCNICO (TC00225)	等效毒理学概况 环境等级 II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Funong Biotech Co., Ltd. - Lantian Yongqiang, Wenzhou, Yongqiang, Wenzhou, China	唑菌酯 Azoxystrobin
CRYSTAL AGRO	CLOTIANIDINA TÉCNICO CRYSTAL (TC00325)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China	噻虫胺 Clothianidin
CROPCHEM	CIPROCONAZOL TÉCNICO CROPCHEM III (TC00425)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Fengdeng Crop Science Co., Ltd. - Dengguan, Changzhou, Jiangsu, China	环丙唑醇 Cyproconazole
SYNGENTA	BENZOATO DE EMAMECTINA PRÉ-MISTURA (TC00525)	毒性等级 II 级 - 剧毒 环境等级 III - 危险产品 Tox. clas. II - Highly toxic Env. clas. III - Dangerous	Syngenta Nantong Crop Protecon Co., Ltd. - 1 Zhongyang Rd. Econ. Tech. Develop. Zone, Nantong, Jiangsu; Inner Mongolia New Veyong Bio-Chem. Co., Ltd. - Wangaizhao Dalate Inner Mongolia, China; Qilu Synna Pharmaceutical Co., Ltd. - 28 Licheng Av, Linyi, Dezhou, Shandong, China	甲氨基阿维菌素 Emamectin benzoate
ALLIERBRASIL	CIPROCONAZOL TÉCNICO CHEMBRI (TC00625)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Fengdeng Crop Science Co., Ltd. - Dengguan, Changzhou, Jiangsu, China	环丙唑醇 Cyproconazole
ALLIERBRASIL	AMICARBAZONA TÉCNICO GOOD HARVEST (TC00725)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China	氨基草酮 Amicarbazone
NORTOX	CLORANTRANILIPROLE TÉCNICO NORTOX (TC00825)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Nortox S.A. - Rod. BR 369, km 197, Aricanduva, Arapongas, PR, Brazil	氯虫苯甲酰胺 Chlorantraniliprole
CROPCHEM	TRIFLURALINA TÉCNICO CROPCHEM (TC00925)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Fengshan Group Co., Ltd. - Wanggang, Dafeng, Jiangsu, Yancheng, China	氟乐灵 Trifluralin
ALBAUGH	DIFENOCONAZOLE TÉCNICO ROTAM (TC01025)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	苯醚甲环唑 Difenoconazole
HELM	DIFENOCONAZOLE ZB TÉCNICO HELM (TC01125)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	苯醚甲环唑 Difenoconazole
CROPCHEM	CLETODIM TÉCNICO CROPCHEM II (TC01225)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Weifang Cynda Chem. Co., Ltd. - 2, East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	烯草酮 Clethodim
OURO FINO	CIPROCONAZOL TÉCNICO OF II (TC01325)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Chengyang Crop Science Co., Ltd. - 83 Guan Qu Nan Lu, Nanjing Chem. Ind. Park, Nanjing, Jiangsu, China	环丙唑醇 Cyproconazole
TRADECORP	DIFENOCONAZOL ASCENZA TÉCNICO (TC01425)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China; Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue, Taian, Shandong, China	苯醚甲环唑 Difenoconazole
NORTOX	CIPERMETRINA TÉCNICO NORTOX IV (TC01525)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Hemani Industries Ltd. - GIDC Ind. Estate, Dahej Vagra, Bharuch, Gujarat, India	氯氟菊酯 Cypermethrin
SYNCROM	AMINOPYRALID TÉCNICO NGC (TC01625)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Avilive Chem. Co., Ltd. - 335 Jiangnan Rd., Hengdian, Dongyang, Zhejiang, China	氯氟吡啶酸 Aminopyralid
CRYSTAL AGRO	CLOROTALONIL TÉCNICO CRYSTAL (TC01725)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	百菌清 Chlorothalonil
BIORISK	ALPHA-CYPERMETHRIN TÉCNICO BHARAT (TC01825)	等效毒理学概况 环境等级 III - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Bharat Rasayan Ltd. - 2 km Madina-Mokhra Rd., Mokhra, Tehsil Meham, Rohtak, Haryana, India	顺式氯氟菊酯 Alpha-cypermethrin

SYNCROM	AMINOPYRALID TÉCNICO AVILIVE (TC01925)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Avilive Chem. Co., Ltd. - 335 Jiangnan Rd., Hengdian, Dongyang, Zhejiang, China	氯氨吡啶酸 Aminopyralid
CROPCHEM	CLOROTALONIL TÉCNICO CROPCHEM II (TC02025)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	百菌清 Chlorothalonil
PERTERRA	CLOROTALONIL TÉCNICO PERTERRA (TC02125)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	百菌清 Chlorothalonil
IHARABRAS	KINOPROL TÉCNICO (TC02225)	未分类 环境Ⅲ级 - 危险产品 No classification Env. clas. III - Dangerous	Nippon Soda Co., Ltd. - 300 Mukaino-Honmachi, Takaoka, Toyama, Japan	伊普氟诺喹 Ipflufenquin
ADAMA	CICLANILIDA TÉCNICO ADAMA BR (TC02325)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Hunan Bide Biochemical Tech. Co., Ltd. - Ruxi Chem. Ind. Zone, Linxiang, Yueyang, Hunan, China	环苯胺 Cyclanilide
NORTOX	CICLANILIDA TÉCNICA NORTOX (TC02425)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Hunan Bide Biochemical Tech. Co., Ltd. - Ruxi Chem. Ind. Zone, Linxiang, Yueyang, Hunan, China	环苯胺 Cyclanilide
LEMMA	CHLOROTHALONIL TÉCNICO WYNCA (TC02525)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	百菌清 Chlorothalonil
ALLIERBRASIL	AMICARBAZONA TÉCNICO SOLUS (TC02625)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Jiangsu, China	氨基草酮 Amicarbazone
NORTOX	AMICARBAZONA TÉCNICO NORTOX III (TC02725)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Jiangsu, China	氨基草酮 Amicarbazone
TECNOMYL	AMICARBAZONA TÉCNICO TECNOMYL II (TC02825)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Jiangsu, China	氨基草酮 Amicarbazone
ALTA	ACETAMIPRIDO TÉCNICO ALTA (TC02925)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Hebei Yetian Agrochemical Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China; Ningbo Sunjoy Agrosience Co., Ltd. - 1165 Beihai Rd., Chem. Ind. Zone, Zhenhai, Ningbo, Zhejiang, China; Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China	啶虫脒 Acetamiprid
SOLAGRO	ACETAMIPRID TÉCNICO BESTAR (TC03025)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Hebei Yean Agrochemical Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China	啶虫脒 Acetamiprid
AGROBEATS	ACETAMIPRID TÉCNICO ABT (TC03125)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Hebei Yetian Agrochemical Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China	啶虫脒 Acetamiprid
SUMITOMO	DIFENOCONAZOLE TÉCNICO SUMITOMO (TC03225)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	苯醚甲环唑 Difenoconazole
BIORISK	PROTHIOCONAZOLE TÉCNICO UNITED (TC03325)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue, Shandong, China	丙硫菌唑 Prothioconazole
BIORISK	PROTHIOCONAZOLE TÉCNICO SAU (TC03425)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue, Shandong, China	丙硫菌唑 Prothioconazole
BIORISK	CLORIDRATO DE PROPAMOCARBE TÉCNICO SAU (TC03525)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue, Shandong, China	霜霉威 Propamocarb hydrochloride
AGROBEATS	CIPROCONAZOL TÉCNICO ABT (TC03625)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Fengdeng Crop Science Co., Ltd. - Dengguan, Changzhou, Jiangsu, China	环丙唑醇 Cyproconazole
ADAMA	AMINOPYRALIDE TÉCNICO ADAMA (TC03725)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Avilive Chem. Co., Ltd. - 335 Jiangnan Rd., Hengdian, Dongyang, Zhejiang, China; Lianyungang Avilive Chem. Co., Ltd. - Duigou Port Chem. Ind. Park, Guannan, Lianyungang, Jiangsu, China	氯氨吡啶酸 Aminopyralid
BIORISK	CLOTHIANIDIN TÉCNICO HAILIR (TC03825)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China	噻虫胺 Clothianidin
STOCKTON	DIFENOCONAZOLE TÉCNICO STK (TC03925)	等效毒理学概况 环境Ⅲ级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	苯醚甲环唑 Difenoconazole
UPL	FLUOXASTROBINA TÉCNICO ARYSTA (TC04025)	未分类 环境Ⅲ级 - 危险产品 No classification Env. clas. III - Dangerous	Bayer AG - Alte Heerstrasse, Dormagen, Germany; Deccan Fine Chemicals Ltd. - Kesavaram, Venkatanagaram Post, Payakaraopeta Mandal, Visakhapatnam, Andhra Pradesh, India	氟啶菌酯 Fluoxastrobin

第9号法案 2025年2月27日 - 发布于2025年3月10日 - 制定产品注册批件
Act No. 9 from 2/27/25 - Published on 3/10/25 - Formulated product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	建议使用 Use Recommendation	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
NORTOX	TIOFANATO F NORTOX (125)	菜豆, 苹果, 大豆植株, 番茄 Beans, apple, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Fluazinam Técnico Nortox) Nortox S.A. - Rod. Melo Peixoto BR 369, km 197, Aricanduva, Arapongas, PR, Brazil; (Fluazinam Técnico Nortox BR) Huaian Glory Chem. Co., Ltd. - 2, Guoqiao Rd., Salt Chem. Ind. Park, Hongze, Huaian, Huaian, China; Zhejiang Hetian Chem. Co., Ltd. - Xiasha Econ. Zone, Hangzhou, Zhejiang, China; (Tiofanato Metil Técnico Nortox) Anhui Guangxin Agrochemical Co., Ltd. - Caijiashan Pengcun, Xinhang, Guangde, Anhui, China; Jiangsu Lanfeng Biochemical Co., Ltd. - Suhua Rd., Xinyi Econ. Tech. Develop. Zone, Xinyi, Jiangsu, China; Ningxia Ruitai Tech. Co., Ltd. - Fine Chem. Park, Zhongwei Ind. Complex, Ningxia, China	氟啶胺 200 + 甲基硫菌灵 400 Fluazinam 200 + thiophanate-methyl 400 g/L SC
PROREGISTROS	GLUFOS BESTAR (225)	棉花, 玉米, 大豆 Cotton, corn, soybean	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Glufosinato Técnico Wynca) Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	草铵膦 Glufosinate ammonium 880 g/kg SG
PROREGISTROS	GLUFOS SG 880 (325)	棉花, 玉米, 大豆 Cotton, corn, soybean	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Glufosinato Técnico Wynca) Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	草铵膦 Glufosinate ammonium 880 g/kg SG
PROREGISTROS	GLUFOSINATO WYNCA SG (425)	棉花, 玉米, 大豆 Cotton, corn, soybean	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Glufosinato Técnico Wynca) Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	草铵膦 Glufosinate ammonium 880 g/kg SG
PERTERRA	CLOMAZONE 360 CS PERTERRA (525)	棉花, 水稻, 灌溉水稻, 马铃薯, 甘蔗, 桉树, 烟草, 木薯 Cotton, rice, irrigated rice, potato, sugarcane, eucalyptus, tobacco, cassava	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Clomazona Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁唑酮 Clomazone 360 g/L CS
MCP	TETRASTICHUS MCP (625)	任何受该害虫侵袭的农作物 Any crop with <i>Thyrinteina arnobia</i> , <i>Diatraea saccharalis</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	MCP Controle Biológico Ltda. - Av. das Primaveras 1831, Parque Ind., Tarumã, SP, Brazil	<i>Tetrastichus howardi</i> 150 活体昆虫 live insects
CHDS	PRIMORDIM IV (725)	棉布, 咖啡, 大麦, 向日葵, 玉米, 大豆植株, 小麦 Cotton, coffee, barley, sunflower, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobin Técnico CHDS) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China; (Ciproconazol Técnico CHDS) Ningbo Sunjoy Agroscience Co., Ltd. - BeiHai Rd., Ningbo Chem. Ind. Zone, Xiepu, Zhenhai, Ningbo, Zhejiang, Ningbo, China	环丙唑醇 160 + 肟菌酯 375 g/L SC Cyproconazole 160 + trifloxystrobin 375 g/L SC
VALENTTO	TRICHO-MAX (825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Tuta absoluta</i> , <i>Helicoverpa zea</i> , <i>Spodoptera frugiperda</i> , <i>Anticarsia gemmatilis</i> , <i>Pseudoplusia includens</i> , <i>Lasiothyris luminosa</i> , <i>Cryptoblabes gnidiella</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Valentto Biodefensores Ltda. - Av. Afonso Queiroz, 2369, Jardim Panorâmico, Patos de Minas, MG, Brazil	<i>Trichogramma pretiosum</i> 25000 个体/毫升 individuals/mL
ARCONI	TRIONIL (925)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Rhizoctonia solani</i> , <i>Fusarium oxysporum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Arconi Biotecnologia Ltda. - Av. José Geraldo De Souza, 265, Jardim Copacabana, Uberaba, MG, Brazil	<i>Trichoderma harzianum</i> IBLF1278 7.5 + <i>Trichoderma harzianum</i> IBLF1282 7.5 + <i>Trichoderma viride</i> IBLF1275 7.5 + <i>Trichoderma viride</i> IBLF1276 7.5 g/L SC
ARCONI	BOVEC (1025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Arconi Biotecnologia Ltda. - Av. José Geraldo De Souza, 265, Jardim Copacabana, Uberaba, MG, Brazil	<i>Beauveria bassiana</i> IBCB 66 30 g/L SC
NOOA	TRITTER 1917 (1125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	NOOA Ciência e Tecnologia Agrícola Ltda. - Rod. BR 365, Zona Rural, Patos de Minas, MG, Brazil	<i>Trichoderma harzianum</i> IB 1917 300 g/kg WP

CROPCHEM	LACANO 200 SL (1225)	土豆, 咖啡, 柑橘, 豆, 大豆 Potato, coffee, citrus, beans, soybean	类别 3 - 中度有毒 环境等级 II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Diquat Técnico Cropchem) Zhejiang Funong Biotech Co., Ltd. - Lantian, Yongqiang-Wenzhou, China; (Diquat Técnico Cropchem II) Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun, Nanjing, Jiangsu, China; (Diquat Técnico Nortox) Zhejiang Funong Biotech Co., Ltd. - Lantian, Yongqiang-Wenzhou, China; (Diquat Técnico Nortox III) Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun, Nanjing, Jiangsu, China	敌草快 Diquat dibromide 374 g/L SL
AGROIMPORT	CLETODIM 240 EC AGROIMPORT (1325)	菠萝, 棉布, 蒜, 花生, 灌溉稻米, 燕麦, 土豆, 甘薯, 茄子, 甜菜, 咖啡, 腰果, 蔗, 油菜籽, <i>Diospyros kaki</i> , <i>Dioscorea</i> spp., <i>Averrhoa carambola</i> , 洋葱, 胡萝卜, 黑麦, 大麦, 柑橘, 豌豆, 豆, 豇豆, 如图, 烟草, 姜, 芝麻, 向日葵, 番石榴, 鹰嘴豆, 薯, 吉洛茄, 扁豆, 亚麻籽, 垃圾, <i>Ricinus communis</i> , 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 粟, 玉米, 茺菁, 胡椒, 胡椒, 秋葵, 萝卜, 大豆植株, 番茄, 小麦, 小黑麦, 葡萄 Pineapple, cotton, garlic, peanuts, irrigated rice, oats, potato, sweet potato, yacon potato, eggplant, beets, coffee, cashews, sugarcane, canola, persimmons, yams, star fruit, onions, carrots, rye, barley, citrus, peas, beans, cowpeas, figs, tobacco, ginger, sesame, sunflower, guava, chickpeas, yam, jiló, lentil, linseed, apple, castor bean, cassava, parsley, watermelon, millet, corn, turnip, pepper, paprika, okra, radish, soybean, tomato, wheat, rye, grape	类别 5 - 产品不可能引起严重损坏 环境 III 级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Cletodim Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	烯草酮 Clethodim 240 g/L EC
GÊNICA	RESYD (1425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Alabama argillacea</i> , <i>Spodoptera frugiperda</i> , <i>Anticarsia gemmatalis</i> , <i>Chrysodeixis includens</i>	类别 5 - 产品不可能引起严重损坏 环境等级 IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Gênica Inovação Biotecnologica S.A. - Antonio Degaspari, Água Santa, Piracicaba, SP, Brazil	<i>Bacillus thuringiensis</i> kurstaki HD-1 S1450 942 g/L SC
PERTERRA	AMICARBAZONE 700 WG PERTERRA (1525)	蔗, 玉米 Sugarcane, corn	类别 5 - 产品不可能引起严重损坏 环境 III 级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Amicarbazona Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Zone, Weifang, Shandong, China	氨基唑啉酮 Amicarbazone 700 g/kg WG
AGROIMPORT	GLUFOSINATO DE AMÔNIO 200 SL AGROIMPORT (1625)	阿萨伊, 苜蓿, 棉花, 转基因棉花, 燕麦, 香蕉, 马铃薯, 咖啡, 甘蔗, 巴西坚果, 黑麦, 大麦, 柑橘, 椰子, 油棕, 杜波伊西亚属植物, 豌豆, 桉树, 菜豆, 豇豆, 蚕豆, 木豆, 绿豆, 四季豆, 鹰嘴豆, 扁豆, 苹果, 澳洲坚果, 玉米, 转基因玉米, 油桃, 碧根果, 桃, 巴西松子, 桃棕, 卷心菜, 大豆, 转基因大豆, 小麦, 小黑麦, 葡萄 Acai, lettuce, cotton, GMO cotton, oats, banana, potato, coffee, sugarcane, Brazil nuts, rye, barley, citrus, coconut, oil palm, <i>Duboisia</i> spp., pea, eucalyptus, beans, cowpea, lima bean, pigeon pea, mung bean, snap bean, chickpea, lentil, apple, macadamia, corn, millet gmo, nectarine, pecan, peach, pine nut, peach palm, cabbage, soybean, GMO soybean, wheat, rye, grape	类别 5 - 产品不可能引起严重损坏 环境 III 级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato de Amônio Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	草铵膦 Glufosinate ammonium 200 g/L SL
BIOTA	INVER (1725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Mahanarva fimbriolata</i> , <i>Zulia entreriana</i> , <i>Deois flavopicta</i>	类别 5 - 产品不可能引起严重损坏 环境等级 IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Biota Innovations Ind. e Comércio de Bioprodutos Ltda. - Pedro Barbassa, 517, Recreio dos Bandeirantes, Uberaba, MG, Brazil	<i>Metarhizium anisopliae</i> IBCB 425 100 g/kg WP
BIOTA	TRC (1825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级 IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Biota Innovations Ind. e Comércio de Bioprodutos Ltda. - Pedro Barbassa, 517, Recreio dos Bandeirantes, Uberaba, MG, Brazil	<i>Trichoderma harzianum</i> IB 1917 200 g/kg WP

AGROIMPORT	DIQUAT 200 SL AGROIMPORT (1925)	棉布, 土豆, 咖啡, 柑橘, <i>Duboisia</i> spp., 豆, 向日葵, 玉米, 大豆 Cotton, potato, coffee, citrus, <i>Duboisia</i> spp., beans, sunflower, corn, soybean	类别 3 - 中度有毒 环境III级 - 危险产品 Tox. clas. 3 - Moderately toxic Env. clas. III - Dangerous	(Diquat Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	敌草快 Diquat dibromide 374 g/L SL
PERTERRA	2,4-D 806 SL PERTERRA (2025)	米, 燕麦, 咖啡, 蔗, 黑麦, 大麦, 玉米, 粟, 牧场, 大豆植株, 高粱, 小麦 Rice, oats, coffee, sugarcane, rye, barley, corn, millet, pasture, soybean, sorghum, wheat	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	2,4-滴 2,4-D 806 g/L SL
FMC	PREMIO BR (2125)	南瓜, 西葫芦, 棉布, 花生, 燕麦, 土豆, 甘薯, 茄子, 甜菜, 西兰花, 胡萝卜, 黑麦, 大麦, 佛手瓜, 柑橘, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜 <i>Duboisia</i> spp., 豌豆, 豆, 豆子, 鹰嘴豆, 吉洛茄, 扁豆, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 瓜, 粟, 玉米, 黄瓜, 胡椒, 胡椒, 秋葵, 卷心菜, 大豆植株, 高粱, 番茄, 小麦, 小黑麦 Pumpkin, zucchini, cotton, peanuts, oats, potato, sweet potato, eggplant, beets, broccoli, carrots, rye, barley, chayote, citrus, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, <i>Duboisia</i> spp., peas, beans, chickpeas, jilo, lentils, cassava, parsley, watermelon, melon, millet, corn, cucumber, chili peppers, okra, cabbage, soybean, sorghum, tomato, wheat, rye	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Chlorantraniliprole Técnico) Corteva Agriscience Spain, S.L - Yangkou Chem. Ind. Park, Rudong, Jiangsu, China; FMC Shanghai Agricultural Sciences Co., Ltd. - 39, Shungong Rd., Shanghai Chem. Ind. Park, Shanghai, China	氯虫苯甲酰胺 Chlorantraniliprole 200 g/L SC
PROREGISTROS	CLETODIM 360 EC YUNFAN (2225)	菠萝, 棉布, 蒜, 花生, 灌溉稻米, 土豆, 甘薯, 茄子, 甜菜, 咖啡, 蔗, 油菜籽, <i>Dioscorea</i> spp., 洋葱, 胡萝卜, 柑橘, 豆, 烟草, 姜, 向日葵, 薯, 吉洛茄, 垃圾, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 玉米, 胡椒, 胡椒, 秋葵, 大豆植株, 番茄, 小麦, 葡萄 Pineapple, cotton, garlic, peanuts, irrigated rice, potato, sweet potato, yacon potato, eggplant, beets, coffee, sugarcane, canola, yams, onions, carrots, citrus fruits, beans, tobacco, ginger, sunflower, yams, jiló, apple, cassava, parsnips, watermelon, corn, pepper, peppers, okra, soybean, tomato, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Cletodim Técnico YN) Jiangsu Yunfan Chemicals Co., Ltd. - 168, Jiangsu Rd., Binjiang Fine Chem. Ind. Park, Jiangsu, China	烯草酮 Cletodim 360 g/L EC
ALLIERBRASIL	OLASUL 750 WG (2325)	菠萝, 咖啡, 蔗, 柑橘, 桉树, 烟草, 大豆 Pineapple, coffee, sugarcane, citrus, eucalyptus, tobacco, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Olasul Técnico) Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Luzhou, Sichuan, China; (SNT Técnico) Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Luzhou, Sichuan, China	甲磺草胺 Sulfentrazone 750 g/kg WG
FMC	RHYME (2425)	南瓜, 西葫芦, 棉布, 花生, 水稻种植园, 咖啡, 胡萝卜, 甘薯, 茄子, 甜菜, 西兰花, <i>Dioscorea</i> spp., 柑橘, 佛手瓜, 椰子, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜 <i>Elaeis guineensis</i> , 豌豆, 豆, 豆子, 鹰嘴豆, 吉洛茄, 扁豆, 垃圾, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), <i>Cucumis anguria</i> , 瓜, 西瓜, 粟, 玉米, 茺菁, 黄瓜, 桃, 胡椒, 胡椒, 秋葵, 萝卜, 卷心菜, 大豆植株, 高粱, 葡萄 Pumpkin, zucchini, cotton, peanuts, rice, coffee, carrots, sweet potato, yacon potato, eggplant, beets, broccoli, yams, citrus, chayote, coconut, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, palm oil, peas, beans, chickpeas, jilo, lentils, apple, cassava, cassava parsley, gherkin, melon, watermelon, millet, corn, turnip, cucumber, peach, pepper, paprika, peach palm, okra, radish, cabbage, soybean, sorghum, grapes	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Chlorantraniliprole Técnico) Du Pont Asturias S.L. - Nubledo, Tamón, Valle de Tamón, Carreño, Asturias, Spain; FMC Corporation - US Highway 43 North, Axis, Alabama, USA; DuPont Agricultural Chemicals Ltd. - 39, Shungong Rd., Shangai Chem. Ind. Park, Shanghai, China; (Bifenthrin Técnico FMC) Zhejiang Lianhe Chem. Tech. Co., Ltd. - Sanjiang, Huangyan, Zhejiang, China; Jiangsu Lianhe Chem. Tech. Co., Ltd. - Weisan RD, Chenjiagang, Xiangshui, Jiangsu, China; Viakem S.A. de C.V. - Av. Manuel L. Barragán 701, Zona Ind. San Nicolás da Los Garza, Nuevo León, Mexico; Jiangsu Huifeng Agrochemical Co., Ltd. - Weier Rd., South of Ocean Econ. Develop. Zone, Dafeng, Jiangsu, China; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Talstar Técnico FMC) FMC Corporation - 1701 East, Patapsco Ave., Baltimore, Maryland, USA	联苯菊酯 195 + 氯虫苯甲酰胺 60 g/L SC Bifenthrin 195 + chlorantraniliprole 60 g/L SC
ALLIERBRASIL	OLASUL WG (2525)	菠萝, 咖啡, 蔗, 柑橘, 桉树, 烟草, 大豆 Pineapple, coffee, sugarcane, citrus, eucalyptus, tobacco, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Olasul Técnico) Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Luzhou, Sichuan, China; (SNT Técnico) Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Luzhou, Sichuan, China	甲磺草胺 Sulfentrazone 750 g/kg WG

OXON	CLICK PRO (2625)	玉米 Corn	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Terbuthylazine Técnico) Sipcam Oxon SpA - Strada Provinciale per Torre Beretti, Mezzana Bigli, Pavia, Italy; Hebei Shanli Chem. Co., Ltd. - 18th Team, Zhongije Farm, Cangzhou, Hebei, China; (Mesotrione Técnico Oxon) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China; (Mesotrione Técnico Oxon II) Anhui Zhongshan Chem. Ind. Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi Anhui, China; Hebei Shanli Chem. Co., Ltd. - 18th Team, Cangzhou, Hebei, China	草铵草酮 70 + 特丁津 400 g/L SC Mesotrione 70 + terbuthylazine 400 g/L SC
SYNCROM	GLIFOSATO WG NGC (2725)	棉布, 转基因棉花, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 转基因玉米, 油桃, 牧场, 梨, 桃, 松树, 橡胶树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, GMO cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, GMO corn, nectarine, pasture, pear, peach, pinetree, rubber tree, soybean, GMO soybean, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico Fersol 950) Jingma Chemicals Co., Ltd. - 50 Baota Rd., Longyou, Quzhou, Zhejiang, China	草甘膦 792.5 g/kg WG Glyphosate 792.5 g/kg WG
RAINBOW	CEDIARCO (2825)	棉布, 蒜, 土豆, 咖啡, 蔗, 洋葱, 胡萝卜, 豆, 烟草, 木薯, 西瓜, 玉米, 大豆植株, 番茄, 小麦 Cotton, garlic, potato, coffee, sugarcane, onions, carrots, beans, tobacco, cassava, watermelon, corn, soybean, tomato, wheat	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Cletodim Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	烯草酮 Clethodim 240 g/L EC
PROREGISTROS	GLIFOPARTNER PLUS (2925)	菠萝, 棉布, 蒜, 花生, 灌溉稻米, 土豆, 甘薯, 茄子, 甜菜, 咖啡, 蔗, 油菜籽, <i>Dioscorea</i> spp., 洋葱, 胡萝卜, 柑橘, 豆, 烟草, 姜, 向日葵, 薯, 吉洛茄, 垃圾, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 玉米, 胡椒, 胡椒, 秋葵, 大豆植株, 番茄, 小麦, 葡萄 Pineapple, cotton, garlic, peanuts, irrigated rice, potato, sweet potato, yacon potato, eggplant, beets, coffee, sugarcane, canola, yams, onions, carrots, citrus fruits, beans, tobacco, ginger, sunflower, yams, jiló, apple, cassava, parsnips, watermelon, corn, pepper, peppers, okra, soybean, tomato, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Cletodim Técnico YN) Jiangsu Yunfan Chemicals Co., Ltd. - 168, Jiangsu Rd., Binjiang Fine Chem. Ind. Park, Jiangsu, China	烯草酮 Clethodim 360 g/L EC
UPL	OLEA (3025)	牧场 Pasture	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(2,4-D Técnico Uniphos) CAC Nantong Chem. Co., Ltd. - Fourt Huanghai Rd., Yangkou Ind. Park Nantong, Jiangsu, China; (2,4-D Técnico UPL BR) Adama Ltd. - 93 East Beijing Rd., Jingzhou, Hubei, China; (2,4-D Técnico UPL Brasil) Adama Ltd. - 93 East Beijing Rd., Jingzhou, Hubei, China; Jiamusi Heilong Agricultural, Ind. Chem. Co., Ltd. - 114 Changan Rd.-Jiamusi-Heilongjiang, China; (2,4-D Ácido Técnico Volcano) Volcano Agrosience PTY Ltd. - Corner of Nyala, Duiker Rd., 216 Canelands, South Africa; Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (2,4-D Técnico UPL) UPL Ltd. - 750, Jhagadia, Bharuch, Gujarat, India; (Metsulfurom Técnico UPL) Jiangsu Changlong Chemicals Co., Ltd. - Longhu Tang, New District of Changzhou, Jiangsu, China; Jiangsu Institute of Ecomones Co., Ltd. - 102, Ximen St., Jintan, Jiangsu, China; (Picloram Técnico UPL BR) Zhejiang Funong Biotech Co., Ltd. - Lantian Yongqiang, Wenzhou, Zhejiang, China; (Picloram Técnico Volcano) Volcano Agrosience PTY Ltd. - Corner of Nyala, Duiker Rd., 216 Canelands, South Africa	2,4-滴 318 + 甲磺隆 45 + 氨基吡啶酸 96 g/ kg WG 2,4-D 318 + metsulfuron-methyl 45 + picloram 96 g/kg WG

UPL	UPL 1040 FP (3125)	棉布, 花生, 水稻种植园, 灌溉稻米, 土豆, 豌豆, 豆, 豇豆, 蚕豆, 绿豆, 豆角, 鹰嘴豆, 扁豆, 玉米, 粟, 玫瑰丛, 观赏植物, 大豆植株, 高粱, 番茄 Cotton, peanuts, rice, irrigated rice, potato, peas, beans, cowpeas, lima beans, pigeon peas, mung beans, snap beans, chickpeas, lentils, corn, millet, roses, ornamental plants, soybean, sorghum, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Clorfenapir Técnico UPL) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China; UPL Ltd. - 750, Jhagadia Bharuch, Gujarat, India; (Chlorantraniliprole Técnico) Du Pont Asturias S.L. - Valle de Tamón, Nubledo, Tamón, Carreño, Asturias, Spain; DuPont Agricultural Chemicals Ltd. - 39, Shungong Rd., Shanghai, China; FMC Corporation - US Highway 43 North, Axis, Alabama, USA (Clorantraniliprole Técnico UPL) UPL Ltd. - Dahej Bharuch, Gujarat, India	氯虫苯甲酰胺 240 + 氯虫苯甲酰胺 490 g/L SC Chlorantraniliprole 240 + chlorfenapyr 490 g/L SC
BIORISK	MAXUTOL 750WG (3225)	棉布, 土豆, 蔗, 桉树, 木薯, 玉米, 松树, 大豆 Cotton, potato, sugarcane, eucalyptus, cassava, corn, pinetree, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Isoxaflutol Técnico Ola) Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Luzhou, Sichuan, China	异噁唑草酮 Isoxaflutol 750 g/kg WG
BIORISK	OLAZONA 360CS (3325)	棉布, 水稻种植园, 灌溉稻米, 土豆, 蔗, 桉树, 烟草, 木薯, 大豆 Cotton, rice, irrigated rice, potato, sugarcane, eucalyptus, tobacco, cassava, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Clomazone Técnico CCAB) Shandong Cynda Chem. Co., Ltd. - Econ. Develop. Area, Boxing Shandong, China	异噁唑草酮 Clomazone 360 g/L CS
COOPAVEL	BOVECOOP SC (3425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Coopavel Cooperativa Agroindustrial - Rod. BR 277, km 582, Cascavel Velho, Cascavel, PR, Brazil	<i>Beauveria bassiana</i> IBCB 66 50 g/L SC
COOPAVEL	HIZOCOOP WP (3525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Deois flavopicta</i> , <i>Euschistus heros</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Coopavel Cooperativa Agroindustrial - Rod. BR 277, km 582, Cascavel Velho, Cascavel, PR, Brazil	<i>Beauveria bassiana</i> IBCB 66 20 + <i>Metarhizium anisopliae</i> IBCB 425 20 g/kg WP
COOPAVEL	TRICOBIO WP (3625)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Coopavel Cooperativa Agroindustrial - Rod. BR 277, km 582, Cascavel Velho, Cascavel, PR, Brazil	<i>Trichoderma harzianum</i> IB 1917 50 g/kg WP
COOPAVEL	HIZOCOOP SC (3725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Deois flavopicta</i> , <i>Euschistus hero</i> Any crop with <i>Deois flavopicta</i> , <i>Euschistus heros</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Coopavel Cooperativa Agroindustrial - Rod. BR 277, km 582, Cascavel Velho, Cascavel, PR, Brazil	<i>Beauveria bassiana</i> IBCB 66 20 + <i>Metarhizium anisopliae</i> IBCB 425 20 g/L SC
COOPAVEL	METABIO WP (3825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Mahanarva fimbriolata</i> , <i>Zulia entreriana</i> , <i>Deois flavopicta</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Coopavel Cooperativa Agroindustrial - Rod. BR 277, km 582, Cascavel Velho, Cascavel, PR, Brazil	<i>Metarhizium anisopliae</i> IBCB 425 50 g/kg WP
PERTERRA	TRIFLOXISTROBI500 WG PERTERRA (3925)	柑橘, 垃圾 Citrus, apple	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobina Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	肟菌酯 Trifloxystrobin 500 g/kg WG
BIORISK	SUPER SUPPRESS (4025)	棉布, 土豆, 咖啡, 蔗, 洋葱, 柑橘, 桉树, 豆, 玉米, 松树, 大豆 Cotton, potato, coffee, sugarcane, onion, citrus, eucalyptus, beans, corn, pinetree, soybean	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Flumioxazin Técnico YN) Yifan Biotechnology Group Co., Ltd. - 555, Changnan Rd., Yaoxi Sub, Longwan, Wenzhou, Zhejiang, China	氟噁唑草酮 Flumioxazin 480 g/L SC
GAIA	GAIA CONTROL RHIZIUM (4125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Mahanarva fimbriolata</i> , <i>Zulia entreriana</i> , <i>Deois flavopicta</i> Any crop with <i>Mahanarva fimbriolata</i> , <i>Zulia entreriana</i> , <i>Deois flavopicta</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	MB Enzymas Ltda. - Av. 7 de Setembro, 2083, Centro, Saltinho, SP, Brazil	<i>Metarhizium anisopliae</i> IBCB 425 50 g/L SC

GAIA	GAIA CONTROL BOV (4225)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	MB Enzymas Ltda. - Av. 7 de Setembro, 2083, Centro, Saltinho, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 50 g/L SC
GÊNICA	GNC006C (4325)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Fusarium oxysporum</i> , <i>Rhizoctonia solani</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Gênica Inovação Biotecnológica S.A. - Antonio Degaspari, 1514, Água Santa, Piracicaba, SP, Brazil	<i>Trichoderma asperellum</i> T2 50 g/kg WP
PARTNER	PHOS-GRAIN (4425)	米, 燕麦, 咖啡, 大麦, farelo dsoja, 面粉, 豆, 烟草 armazenado, 玉米, 大豆植株, 小麦 Rice, oats, coffee, barley, soybean meal, wheat flour, beans, stored tobacco, corn, soybean, wheat	类别 1 - 剧毒 环境III级 - 危险产品 Tox. clas. 1 - Extremely toxic Env. clas. III - Dangerous	Jining Shengcheng Chem. Experimental Co., Ltd. - 59 West Jinyu Rd., Rencheng, Jining, Shandong, China; Shenyang Harvest Agrochemical Co., Ltd. - 100 Jidong Rd., Linsheng, Sujiatun, Shenyang, Liaoning, China	磷化铝 560 g/kg FD Aluminium phosphide 560 g/kg FD
FMC	HALOXIFOP-P-METÍLICO 125 EC AGROIMPORT (4525)	棉布, 花生, 咖啡, 豌豆, 鹰嘴豆, 扁豆, 大豆 Cotton, peanuts, coffee, peas, beans, chickpeas, lentils, soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Haloxifop-P-Methyl Técnico Rainbow) Shandong Luba Chem. - Loujia, Tangwang, Licheng, Jinan, Shandong, China; NingXia Rainbow Chem. Co., Ltd. - Taisha Ind. Park, Pingluo Ningxia, China	高效氟吡甲禾灵 Haloxifop-p-methyl 125 g/L EC
BASF	VICADION (4625)	棉布, 燕麦, 香蕉, 黑麦, 大麦, 大豆植株, 小麦, 小黑麦 Cotton, oats, bananas, rye, barley, soybean, wheat, triticale	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Fenpropimorph Técnico) BASF SE - Carls-Bosch Strasse, 38, D-Ludwigshafen, Germany (Revsol Técnico) Basf Espanola S.L. - Carretera Nacional 340, km 1156, Tarragona, ES, Spain; Basf Corporation - Hannibal Plant, 3150 Highway, JJ Palmyra, MO, USA	甲芬曲氟康唑 150 + 丁苯吗咪 400 g/L SE Mefentrifluconazole 150 + fenpropimorph 400 g/L SE
BIOTA	BEVA (4725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Biota Innovations Ind. e Comércio de Bioprodutos Ltda. - Pedro Barbassa, 517, Recreio dos Bandeirantes, Uberaba, MG, Brazil	<i>Beauveria bassiana</i> IBCB 66 80 g/kg WP
GENICA	AGATHOS (4825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Colletotrichum truncatum</i> , <i>Corynespora cassicola</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Genica Inovação Biotecnológica S.A. - Antônio Degaspari, 1514, Água santa, Quadra B, Piracicaba, SP, Brazil	<i>Bacillus amyloliquefaciens</i> , GNC005A 708.7 g/L SC
FC	COTÉSIA DUCAMPO (4925)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Diatraea saccharalis</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	FC Bioinsumos Ltda. - Alfredo de Paula, São Benedito, Campo Florido, MG, Brazil	<i>Cotesia flavipes</i> 1500 活体昆虫 live insects
SYNGENTA	MIRAVIS OPTI SC (5025)	南瓜, 西葫芦, 棉布, 蒜, 花生, 燕麦, 土豆, 茄子, 洋葱, 黑麦, 大麦, 佛手瓜, 豌豆, 豇豆, 蚕豆, 鹰嘴豆, 吉洛茄, 扁豆, <i>Cucumis anguria</i> , 粟, 玉米, 黄瓜, 胡椒, 胡椒, 秋葵, 大豆植株, 高粱, 番茄, 小麦, 小黑麦 Squash, zucchini, cotton, garlic, peanuts, oats, potato, eggplant, onion, rye, barley, shallot, chayote, pea, cowpea, fava bean, chickpea, jilo, lentil, gherkin, millet, corn, cucumber, pepper, pepper, okra, soybean, sorghum, tomato, wheat, triticale	T类别 2 - 剧毒产品 环境等级II - 非常危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Clorotalonil Técnico) GB Biosciences Corporation - Haden Rd., 2239, Houston, TX, USA; Jiangsu Xinhe Agrochemical Co., Ltd. - Shanghai Rd., Xinyijiangsu, China; Jiangsu Xinhe Agrochemical Co., Ltd. - 55, Jingjiu Rd., Econ. Develop. Zone, Xinyi Jiangsu, China; (Pydiflumetofen Técnico) Syngenta Crop Protection Münchwilen AG. - Breitenloh 5, Münchwilen, Switzerland; Syngenta Crop Protection Monthey S.A. - Rue de l'le-au-Bois, Monthey, Switzerland; Syngenta Nantong Crop Protection Co., Ltd. - 1 Zhongyang Rd., Nantong Econ. Tech. Develop. Area, Nantong, Jiangsu, China	氟唑菌酰胺羟胺 22.5 + 百菌清 500 g/L SC Pydiflumetofen 22.5 + chlorothalonil 500 g/L SC
SERQUIBIO	SERQUIBIOMETA (5125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Mahanarva fimbriolata</i> , <i>Zulia entreriana</i> , <i>Deois flavopicta</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Serquibio Biotecnologia Agrícola Ltda. - Prof. José de Assis Saes, 359, Santa Bárbara d'Oeste, SP, Brazil	<i>Metarhizium anisopliae</i> IBCB 425 300 g/L EC

SIMBIOSE	TRICHPROTECTION (5225)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Rhizoctonia solani</i> , <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Simbiose Ind. e Comércio de Fertilizantes e Insumos Microbiológicos Ltda. - Rod. BR 158, km 206, Santa Helena, Dist. Ind., Cruz Alta, RS, Brazil; Bioma Ind. Comércio e Distribuição Ltda. - Estrada Rural Adão Roik, 1636, Fazenda Rio Grande, PR, Brazil	<i>Trichoderma harzianum</i> CCT 7589 5 g/L SC
SYNGENTA	FANTOM (5325)	棉布, 蒜, 花生, 燕麦, 土豆, 甘薯, 茄子, 甜菜, 咖啡, 油菜籽, <i>Dioscorea</i> spp., 洋葱, 胡萝卜, 黑麦, 大麦, 豌豆, 豆, 豆子, 姜, 芝麻, 向日葵, 鹰嘴豆, 薯, 吉洛茄, 扁豆, 亚麻籽, <i>Ricinus communis</i> , 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 玉米, 粟, 芡菁, 胡椒, 胡椒, 秋葵, 萝卜, 大豆植株, 高粱, 番茄, 小麦, 小黑麦 Cotton, garlic, peanuts, oats, potato, sweet potato, yacon potato, eggplant, beets, coffee, canola, yams, onions, carrots, rye, barley, shallots, peas, beans, ginger, sesame, sunflower, chickpeas, yams, jilo, lentils, linseeds, castor beans, cassava, parsley, corn, millet, turnip, pepper, chili, okra, radish, soybean, sorghum, tomato, wheat, triticale	类别 4 - 轻微毒性 环境危害等级 I - 极度危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Profenofós Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'Île-au-Bois, Monthey, Switzerland; Shandong Keyuan Chem. Co., Ltd. - Yin Hai Ind. Park-Laizhou, Shandong, China; Qingdao Shuangshou Pesticide Group Ltd. - Dezhou Rd. 8, Jiaozhou, Shandong, China; (Profenofós Técnico BR) Deccan Fine Chemicals Pvt. Ltd. - Santa Monica Plant, Corlim, Goa Island, India; NACL Industries Ltd. - Plot 177, Allinagaram, Etcherla Mandal Sirikakulam Andhra Pradesh, India; (Profenofós Técnico QGD) Qingdao Shuangshou Pesticide Group Ltd. - Dezhou Rd. 8, Jiaozhou, Shandong, China; (Lambda-Cyhalothrin Técnico ICI) Syngenta Ltd. - Huddersfield Manufacturing Centre., 38, Huddersfield, West Yorkshire HD2 1 FF, England; (Lambda Cyhalothrin Técnico SYN) Youth Chem. Co., Ltd. - 3 Dalian Rd., Yangzhou Chem. Ind. Zone, Yizheng, Jiangsu, China; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; Bharat Rasayan Ltd. - 424, Amod Rd., Ind. Estate, Dahej, Bharuch, Gujarat, India	高效氯氟氰菊酯 15 + 丙溴磷 300 g/L EC Lambda-cyhalothrin 15 + profenofos 300 g/L EC
SYNGENTA	KONIK (5425)	土豆, 番茄 Potato, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Benzoato de Emamectina Técnico) Syngenta Nantong Crop Protection Ltd. - 1 Zhong Xing Rd., Nantong Econ. Tech. Develop. Zone, China; (Isocycloseram Técnico) Syngenta Crop Protection Monthey S.A. - Route de l'Île-au-Bois, 1870, Usine de Monthey, Switzerland; Syngenta Ltd. - Huddersfield Manufacturing Centre, A38, Leeds Rd., Huddersfield West Yorkshire, HD2 1FF, UK; Syngenta Crop Protection Münchwilen AG - Breitenloh 5, Münchwilen, Switzerland; Deccan Fine Chem Pvt. Ltd. - SEZ Unit, Kesavaram, Rajavaram, Venkatanagaram Post, Payakaraopeta, Mandal, Visakhapatnam, Andhra Pradesh, India	甲氨基阿维菌素苯甲酸盐 50 + 异环塞拉姆 200 g/L SC Emamectin benzoate 50 + isocycloseram 200 g/L SC
SIPCAM	TORINO SNB (5525)	花生, 灌溉稻米, 燕麦, 黑麦, 大麦, 豌豆, 豆, 玉米, 大豆植株, 高粱, 小麦, 小黑麦 Peanuts, irrigated rice, oats, rye, barley, peas, beans, corn, soybean, sorghum, wheat, triticale	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Tiofanato Metilico Técnico SUP) Anhui Guangxi Agrochemical Co., Ltd. - Caijiashan Pengcun, Xinhang Guangde, Anhui, China; Jiangsu Lanfeng Biochemical Co., Ltd. - Suhua Rd., Xinyi Econ. Tech. Develop. Zone, Xinyi, Jiangsu, China; (Fluazinam Técnico SNB) Taizhou Bailly Chem. Co., Ltd. - Zhonggang Rd., Taxing, Econ. Develop. Zone, Jiangsu, China	氟啶胺 52.5 + 甲基硫菌灵 350 g/L FS Fluazinam 52.5 + thiophanate-methyl 350 g/L FS

CHDS	PRIMORDIM V (5625)	棉布, 咖啡, 玉米, 大豆植株, 小麦 Cotton, coffee, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobin Técnico CHDS) Yongnong Biosciences Co., Ltd. - 3 Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China; (Ciproconazol Técnico CHDS) Ningbo Sunjoy Agrosience Co., Ltd. - 1165 Beihai Rd., Ningbo Chem. Ind. Zone, Zhenhai, Zhejiang, China	环丙唑醇 160 + 肟菌酯 375 g/L SC Cyproconazole 160 + trifloxystrobin 375 g/L SC
RAINBOW	ESIFON FULL (5725)	棉布, 菠萝, 水稻种植园, 咖啡, 蔗, 如图, 袖子, 大豆植株, 高粱, 葡萄 Cotton, pineapple, rice, coffee, sugarcane, figs, mango, soybean, sorghum, grapes	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Etefon Técnico Rainbow) Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	乙烯利 Ethephon 720 g/L SL
VITTIA	BVF2423 (5825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Macrophomina phaseolina</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Vittia S.A. - Av. Marginal Esquerda, 1000, Dist. Ind., São Joaquim da Barra, SP, Brazil; Vittia S.A. - Av. Marginal Esquerda, 2000, Dist. Ind., São Joaquim da Barra, SP, Brazil	<i>Trichoderma asperellum</i> BVF24 8 g/L OD
GAIA	GAIA CONTROL TRICH (5925)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Rhizoctonia solani</i> , <i>Fusarium oxysporum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	MB Enzymas Ltda. - Av. 7 de Setembro, 2083, Centro, Saltinho, SP, Brazil	<i>Trichoderma harzianum</i> IBLF1278 12, 5 + <i>Trichoderma harzianum</i> IBLF1282 12, 5 + <i>Trichoderma viride</i> IBLF1275 12, 5 + <i>Trichoderma viride</i> IBLF1276 12.5 g/L SC
SUMITOMO	PALIO (6025)	棉布, 大豆 Cotton, soybean	类别 3 - 中度有毒 环境危害等级 I - 极度危险 环境等级II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. I - Highly dangerous	(Danimen Técnico 900) Sumitomo Chem. Co., Ltd. - Oita Works 2200, Tsurusaki, Oita-Shi, Oita, Japan; Sumitomo Chem. India Ltd. - MIDC, Tarapur, Boisar, Thane, Maharashtra, India; (Epingle Técnico) Sumitomo Chem. Co., Ltd. - Misawa Works, Sabishirotai, Misawa, Misawa-shi, Misawa, Japan; Sumitomo Chem. India Ltd. - MIDC, Tarapur, Boisar, Thane, Maharashtra, India; Rudong Zhongyi Chem. Co.Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; (Tiger Técnico) Sumitomo Chem. Co., Ltd. - Misawa Works, Sabishirotai, Misawa, Misawa-shi, Misawa, Japan; Sumitomo Chem. India Ltd. - MIDC, Tarapur, Boisar, Thane, Maharashtra, India; Rudong Zhongyi Chem. Co.Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	甲氧菊酯 250 + 吡丙醚 42 g/L EC Fenpropathrin 250 + pyriproxyfen 42 g/L EC
ALLIERBRASIL	HERMAX (6125)	蔗, 玉米, 大豆植株, 小麦 Sugarcane, corn, soybean, wheat	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Acid Técnico) Swati Chlorides Provate Ltd. - 991 GDIC, Baroda Nandesari, Gujarat, India; Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. Laogang, Qidong, Jiangsu, China	2,4-滴 2,4-D 866 g/L SL
SM	GRANULUM (6225)	棉布, 燕麦, 土豆, 咖啡, 黑麦, 大麦, 豆, 粟, 玉米, 大豆植株, 高粱, 番茄, 小麦, 小黑麦 Cotton, oats, potato, coffee, rye, barley, beans, millet, corn, soybean, sorghum, tomato, wheat, triticale	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Lambda-Cyhalothrin Técnico Sulphur Mills) Sulphur Mills Ltd. - 1818, Panoli, Bharuch, Gujarat, India	高效氯氟氰菊酯 Lambda-cyhalothrin 240 g/kg WG
ALLIERBRASIL	GLIXINAN WG (6325)	棉布, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 油桃, 牧场, 梨, 桃, 松树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, nectarine, pasture, pear, peach, pinetree, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico Wynca) Zhenjiang Jiangnan Chem. Co., Ltd. - New International Chem. Ind. Park, Zhenjiang, Jiangsu, China	草铵膦 Glufosinate ammonium 757 g/kg WG
ALLIERBRASIL	WINFOSATE WG II (6425)	棉布, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 油桃, 牧场, 梨, 桃, 松树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, nectarine, pasture, pear, peach, pinetree, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico Wynca) Zhenjiang Jiangnan Chem. Co., Ltd. - New International Chem. Ind. Park, Zhenjiang, Jiangsu, China	草铵膦 Glufosinate ammonium 757 g/kg WG

ALLIERBRASIL	WINFOSATE WG I (6525)	棉布, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 油桃, 牧场, 梨, 桃, 松树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, nectarine, pasture, pear, peach, pinetree, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico Wynca) Zhenjiang Jiangnan Chem. Co., Ltd. - New International Chem. Ind. Park, Zhenjiang, Jiangsu, China	草铵膦 Glufosinate ammonium 757 g/kg WG
ALLIERBRASIL	HERMOST (6625)	蔗, 玉米, 大豆植株, 小麦 Sugarcane, corn, soybean, wheat	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Acid Técnico) Jiangsu Good Harvest Weien Agrochemical Co., Ltd. - Loagang, Qidong, Jiangsu, China; Swati Chem. Industries - 603, Siddharta Complex, R. C. Dutt Rd., Alkapuri, Baroda, Gujarat, India	2,4-滴 2,4-D 866 g/L SL
SERQUIBIO	SERQUIBIODERMA (6725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Serquibio Biotecnologia Agrícola Ltda. - Prof. José de Assis Saes, 359, Santa Bárbara d'Oeste, SP, Brazil	<i>Trichoderma harzianum</i> IB 1917 300 g/L EC
SOLUS	SILVER I (6825)	棉布, 玉米, 大豆 Cotton, corn, soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato Técnico Wynca) Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	草铵膦 Glufosinate ammonium 880 g/kg SG
ADAMA	DT-CE-MPP-460-23T (6925)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Mancozebe Técnico Indofil) Indofil Industries Ltd. - Azad Nagar, Sandoz Baug, off Ghodbunder Rd., Near Chitalsar, Thane, Maharashtra, India; Indofil Industries Ltd. - Sez Dahej Ltd., Sez Dahej, Bharuch, Taluka Vagra, Gujarat, India; (Mancozebe Técnico Sabero) Coromandel International Ltd. - Plot 2102, Valsad, Sarigam, Gujarat, India; (Mancozeb Técnico) Dow Agrosciences Ind. Ltda. - Av. Pres. Humberto de Alencar Castelo Branco, 3200, Jacareí, SP, Brazil; (Picoxistrobina Técnico Milenia) Adama Brasil S.A. - R. Pedro Antônio de Souza, 400, Parque Rui Barbosa, Londrina, PR, Brazil; (Prothioconazol Técnico Adama Brasil BR) Adama Brasil S.A. - Av. Júlio de Castilhos, 2085-Coqueiros-Taquari, RS, Brazil; (Prothioconazol Técnico Adama Brasil) Adama Makhteshim Ltd. - Neot, Hovav, Eco-Ind. Park, Beersheba, Israel	啮氧菌酯 29 + 丙硫菌唑 38 + 代森锰锌 400 g/L SE + prothioconazole 38 + mancozeb 400 g/L SE
TECNOMYL	EDGE (7025)	棉布, 柑橘, 豆, 西瓜, 瓜, 玫瑰丛, 大豆植株, 番茄 Cotton, citrus, beans, watermelon, melon, rosebush, soybean, tomato	类别 4 - 轻微毒性 环境危害等级 I - 极度危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Acetamipride Técnico Tecnomyl) Hebei Yetian Agrochemical Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China; Ningbo Sunjoy Agroscience Co., Ltd. - BeiHai Rd., Ningbo Chem. Ind. Zone, Xiepu, Zhenhai, Ningbo, Zhejiang, China; Jiangsu Fengshan Group Co., Ltd. - Wanggang Dafeng, Jiangsu, China; Hebei Veyong Bio-Chem. Co., Ltd. - 393, East Heping Rd., Shijiazhuang, Hebei, China; Jiangsu Yangnong Chem. Group Co., Ltd. - 39 Wenfeng Rd., Yangzhou, China; (Acetamiprid Técnico Tecnomyl II) Shandong Hailier Chem. CO., Ltd. - lingang Ind. Zone, Coastal Econ. Development Zone, Weifang, Shandong, China; (Piriproxfem Técnico Tecnomyl) Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	啶虫脒 200 + 吡丙醚 100 g/L OD Acetamiprid 200 + pyriproxyfen 100 g/L OD

TECNOMYL	FAVORITO (7125)	<p>菠萝, 南瓜, 西葫芦, 莴苣, 棉布, 蒜, 菊苣, 土豆, 茄子, 西兰花, 咖啡, 蔗, 洋葱, 柑橘, 卷心菜, 菜花, 菊花, 桉树, 豆, 烟草, 吉洛茄, 西瓜, 瓜, 黄瓜, 胡椒, 松树, 卷心菜, 大豆植株, 番茄, 葡萄</p> <p>Pineapple, pumpkin, zucchini, lettuce, cotton, garlic, endive, potato, eggplant, broccoli, coffee, sugarcane, onion, chicory, citrus, cabbage, cauliflower, chrysanthemum, termite, eucalyptus, euphorbia, beans, tobacco, gerbera, jilo, watermelon, melon, cucumber, pepper, pinetree, cabbage, soybean, tomato, grape</p>	<p>类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous</p>	<p>(Imidacloprido Técnico Hailir) Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China</p>	<p>吡虫啉 Imidacloprid 700 g/kg WG</p>
ADAMA	LINCE WG (7225)	<p>玉米 Corn</p>	<p>类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous</p>	<p>(Atrane Agricur Técnico) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, China; Adama Agan Ltd. - Northern Ind. Zone, Haashlag St., 262 Ashdod, Israel; (Atrazina Técnico Mil) Anhui Zhongshan Chem. Ind. Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi, Anhui, China; (Atrazina Técnico Adama) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei-Binzhou, Shandong, China; (Atrazin Técnico Milenia) Adama Brasil S.A. - R. Pedro Antônio de Souza, 400 Londrina, PR, Brazil; Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, China; (Atrazine Técnico Milenia) Adama Brasil S.A. - R. Pedro Antônio de Souza, 400 Londrina, PR, Brazil; Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, China; (Atrazine Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. Binhai economic Develop. Area, Weifang, Shandong, China; (Mesotriona Técnico Adama) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China; (Mesotriona Técnico Adama BR) Anhui Zhongshan Chem. Ind. Co., Ltd. - Xiangyu Chem. Ind. Park Dongzhi, Anhui, China; (Mesotriona Técnico Milenia) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay, Shangyu Econ. Tech. Develop. Area, Zhejiang, China</p>	<p>莠去津 750 + 硝磺草酮 75 g/kg WG Atrazine 750 + mesotrione 75 g/kg WG</p>
BIORISK	MAXIPIR (7325)	<p>灌溉稻, 桉树, 牧场 Irrigated rice, eucalyptus, pasture</p>	<p>类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous</p>	<p>(Maxipir Técnico) Max Rudong Chemicals Co., Ltd. - Yangkou Chem. Ind. Park, Rudong, Jiangsu, China</p>	<p>三氯吡氧乙酸丁氧基乙酯 Triclopyr-butyl 667 g/L EC</p>
FERBRU	SAFFRA 700 WG (7425)	<p>黑金合欢, 棉布, 水稻种植园, 土豆, 咖啡, 香蕉, 柑橘, 桉树, 豆, 向日葵, 垃圾, 蓖麻子, 袖子, 玉米, 牧场, 松树, 橡胶树, 大豆植株, 小麦 Black acacia, cotton, rice, banana, potato, coffee, sugarcane, citrus, eucalyptus, beans, sunflower, apple, castor bean, mango, corn, pasture, pinetree, rubber tree, soybean, wheat</p>	<p>类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous</p>	<p>(Saflufenacil Técnico FB) Chizhou Bioagriland Multichem Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi Chizhou, Anhui, China</p>	<p>苯嘧磺草胺 Saflufenacil 700 g/kg WG</p>



Synwill Co., Ltd. (formerly known as Zhejiang Hisun Chemical Co., Ltd.), is a professional supplier of crop protection products since 1998. With its three facilities located in Taizhou, Nantong and Yichang, Synwill supplies excellent pesticide formulation, technical products and chemical intermediates. Synwill has been cooperating with customers in more than 50 countries such as Brazil, Germany, India and Switzerland.

REGISTERED PRODUCTS

FIPRONIL 97% TC

FIPRONIL 800 g/kg WG

ACETAMIPRID 200 g/kg SP

IMIDACLOPRID 700 g/kg WG

AZOXYSTROBIN 250 g/L SC

PROTHIOCONAZOLE 98% TC

PROTHIOCONAZOLE 480 g/L SC

PRODUCTS IN DEVELOPMENT

CHLORANTRANILIPROLE 97% TC

CHLORANTRANILIPROLE 200 g/L SC

CHLORANTRANILIPROLE 100 g/L + LAMBDA-CYHALOTHRIN 50 g/L ZC

PROTHIOCONAZOLE 210.5 g/L + TEBUCONAZOLE 210.5 g/L SC

PROTHIOCONAZOLE 175 g/L + AZOXYSTROBIN 150 g/L SC

PYROXASULFONE 98% TC

PYROXASULFONE 500 g/L SC

FIPRONIL 250 g/L FS

ETHIPROLE 96% TC

ETHIPROLE 200 g/L SC

CYANTRANILIPROLE 97% TC



Contact Person: Ms. Liya
Mobile/Wechat: +86-15067611929
Email: liya.shao@synwill.cn



第12 号法案 2025年4月7日 - 发布于2025年4月9日 - 制定产品注册批件
Act No. 12 from 4/7/25 - Published on 4/9/25 - Formulated product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	建议使用 Use Recommendation	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
CHDS	NOCAUTE (7525)	棉布, 茄子, 咖啡, 柑橘, 豆, gébera, 垃圾, 西瓜, 瓜, 黄瓜, 卷心菜, 玫瑰丛, 大豆植株, 番茄, 葡萄 Cotton, eggplant, coffee, citrus, beans, gerbera, apple, watermelon, melon, cucumber, cabbage, rosebush, soybean, tomato, grapes	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Pyriproxyfen Técnico CHDS) Rudong Zhongyi Chem. Co., Ltd. - Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	吡丙醚 Pyriproxyfen 100 g/L EC
ALBAUGH	TRIFLOXISTROBINA WG ALBAUGH 01 (7625)	柑橘, 垃圾 Citrus, apple	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobina Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	肟菌酯 Trifloxystrobin 500 g/kg WG
CCAB	BIFENTRINA CCAB 100 EC (7725)	棉布, 水稻种植园, 土豆, 蔗, 大麦, 柑橘, 菊花, 豆, 烟草, 木瓜, 袖子, 瓜, 玉米, 玫瑰丛, 大豆植株, 番茄, 小麦, 葡萄 Cotton, rice, potato, sugarcane, barley, citrus, chrysanthemum, beans, tobacco, papaya, mango, melon, corn, rosebush, soybean, tomato, wheat, grapes	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Bifenthrin Técnico CCAB) Bharat Rasayan Ltd. - 2 km Madina- -Mokhra Rd., Mokhra, Rohtak, Haryana Haryana, India; Meghmani Organics Ltd. - GIDC, Ind. Estate, Ankleshwar, Baruch, Gujarat, India	联苯菊酯 Bifenthrin 100 g/L EC
YONON	AMINOPYRALID + 2,4-D 360 SL YONON (7825)	牧场 Pasture	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Aminopyralid Técnico AT) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ., Tech. Develop. Zone, Shangyu, Zhejiang, China; Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China; (2,4-D Técnico DT) Shandong Keyuan Chem. Co., Ltd. - Yinhai Ind. Park 261413Laizhou, Shandong, China	2,4-滴 320 + 氨基吡啶酸 40 g/L SL 2,4-D 320 + aminopyralid 40 g/L SL
ALLIERBRASIL	BONAFIDE 500 WG (7925)	甜菜, 针叶樱桃, 胡萝卜, 大蒜, 菊苣, 黑莓, 土豆, 茄子, 咖啡, 洋葱, 胡萝卜, 菊苣, 菊花, 菠菜, 豆, 覆盆子, 吉洛茄, 瓜, 西瓜, 草莓, 芥末, 胡椒, 胡椒, 秋葵, 玫瑰丛, 紫花刺, 番茄 Chard, <i>Malpighia emarginata</i> , lettuce, garlic, chicory, blackberry, potato, eggplant, coffee, onion, carrot, chicory, chrysanthemum, spinach, beans, raspberry, jiló, melon, watermelon, strawberry, mustaRd., chili pepper, bell pepper, okra, rosebush, <i>Spondias purpurea</i> , tomato	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Boscalida Técnico Sharda) Jingbo Agrochem. Tech. Co., Ltd. - Econ. Develop. Zone, Boxing, Shandong, China	啶酰菌胺 Boscalid 500 g/kg WG
ALLIERBRASIL	HAST (8025)	蔗, 玉米, 大豆植株, 小麦 Sugarcane, corn, soybean, wheat	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Acid Técnico) Jiangsu Good Harvest Weien Agrochemical Co., Ltd. - Loangang, Qidong, Jiangsu, China; Swati Chem. Industries - 603, Siddharta Complex, R. C. Dutt Rd., Alkapuri, Baroda, Gujarat, India	2,4-滴 2,4-D 866 g/L SL
SYNGENTA	AXIAL EC (8125)	大麦, 大豆植株, 小麦 Barley, soybean, wheat	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Pinoxaden Técnico) Syngenta Ltd. - Earls Rd., Stirlingshire FK3 8XG, Grangemouth Manufacturing Centre, Grangemouth, Scotland, UK	唑啉草酯 Pinoxaden 50 g/L EC
CTVA	ZETIGO (8225)	棉布 Cotton	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Adavelt Técnico) Corteva Agriscience LLC - 701 Washington St., Midland, MI, USA; Corteva Agriscience Italia S.r.l. - Strada Statale 11, km 190, 2, Mozzanica, Bérgamo, Italy; Corteva Agriscien- ce Spain, S.L. - Valle de Tamón, Carreño, Asturias, Spain; Deccan Fine Chemicals Pvt. Ltd. - Kesava- ram, Rajavaram, Venkatanagaram Post, Payakaraopeta Mandal, Visakhapatnam, Andhra Pradesh, India; Saltigo GmbH - Chempark Leverkusen, Germany	氟吡啶甲酰胺 Florylpicoxamid 100 g/L EC
SOLUBIO	SOLU VELEZENSIS (8325)	任何受到这种农业害虫侵扰的 农作物 Any crop with <i>Pratylenchus brachyurus</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Solubio Tecnologias Agrícolas Ltda. - Rod. GO 184 km 9, Zona Rural, Jataí, GO, Brazil	<i>Bacillus methylotrophicus</i> S2908 BAC B11 987.7 g/L SC

SUMITOMO	PROLIANT PLUS (8425)	大豆植株 Soybean	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	(Ácido Giberélico) AbbVie Inc. - 1401 Sheridan Rd., North Chicago, IL, USA; Jiangsu Fengyuan Bioengineering Co. Ltd. - 6 Hongqi Rd., Sheyang, Jiangsu, China; Jiangxi New Reyphon Biochemical Co., Ltd. - 263 Cheng Nan Ind. Zone, Xin'Gan, Jiangxi, China; Jiangxi New Reyphon Biochemical Co., Ltd. - Middle Zone of Salt, Industry Park, Xin'Gan, Jiangxi, China; Zhejiang Qianjiang Biochemical Co. Ltd. - 7F 598, Xishan Rd., Haining Zhejiang, China; (Ácido abscísico) Sichuan Lomon Bio Tech. Co., Ltd. - Mei Shan Econ. Develop. Zone, East Mei Shan, Sichuan, China	诱抗素 31.2 + 赤霉酸 400 g/kg SG abscisic acid 31.2 + gibberellic acid 400 g/kg SG
PERTERRA	DIQUAT 200 SL PERTERRA (8525)	棉布, 土豆, 咖啡, 柑橘, <i>Duboisia</i> spp., 豆, 向日葵, 玉米, 大豆 Cotton, potato, coffee, citrus, <i>Duboisia</i> spp., beans, sunflower, corn, soybean	T类别 2 - 剧毒产品 环境等级II - 非常危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Diquat Técnico NGC) Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun, Nanjing, Jiangsu, China	敌草快 Diquat dibromide 374 g/L SL
BIORISK	AHATE 90SP AGROGILL (8625)	棉布, 棉布 (种子), 花生, 土豆, 柑橘, 豆, 瓜, 玉米, 大豆植株, 大豆 (种子), 番茄 (工业), 番茄 (葡萄) Cotton, cotton (seeds), peanut, potato, citrus, beans, melon, corn, soybean, soybean (seeds), tomato (processing), tomato (ground)	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Acefato Técnico Agrogill) Jiangsu Lanfeng Biochemical Co., Ltd. - Suhua Rd., Xinyi Econ. Tech. Develop. Zone, Xinyi, Jiangsu, China	乙酰甲胺磷 Acephate 900 g/kg SP
GÊNICA	DULIA PRO (8725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Fusarium oxysporum</i> , <i>Pratylenchus brachyurum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Gênica Inovação Biotecnológica S.A. - Antonio Degaspari, 1514, Água Santa, Piracicaba, SP, Brazil	<i>Bacillus amyloliquefaciens</i> BA30 10 + <i>Bacillus licheniformis</i> GNC004A 20 + <i>Bacillus subtilis</i> BSS 100 + <i>Bacillus subtilis</i> BS34 65 + <i>Bacillus velezensis</i> GNC004C 50 + <i>Priestia megaterium</i> PM60 2 g/L SC
SYNGENTA	MIRAVIS AEON (8825)	燕麦, 黑麦, 大麦, 小麦, 小黑麦 Oats, rye, barley, wheat, triticale	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Azoxistrobin Técnico) Syngenta Ltd. - Earls Rd., Grangemouth Manufacturing Centre, Grangemouth, Stirlingshire-FK3 8XG, UK; Saltigo GmbH - Chempark Leverkusen - Leverkusen-51369, Germany (Propiconazole Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'Île-au-Bois, Monthey, Switzerland; NAEL Industries Ltd. - Plot 177, Arinama, Akkivalasa, Allinagaram Post, Etcherla Mandal, Srikakulam-532 403, Andhra Pradesh, India; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Pydiflumetofen Técnico) Syngenta Crop Protection Münchwilen AG - Breitenloh 5, Münchwilen, Switzerland; Syngenta Crop Protection Monthey S.A. - Rue de l'Île-au-Bois, Monthey, Switzerland; Syngenta Nantong Crop Protection Co., Ltd. - 1 Zhongyang Rd. Nantong Econ. & Tech. Develop. Area Nantong, Jiangsu, China	啉菌酯 100 + 氟唑菌酰胺 75 + 丙环唑 125 g/L SE Azoxystrobin 100 + pydiflumetofen 75 + propiconazole 125 g/L SE
YONON	TRIFLOXYSTROBIN WG YNG (8925)	柑橘, 垃圾 Citrus, apple	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobin Técnico YNG) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd. East, Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China	肟菌酯 Trifloxystrobin 500 g/kg WG
YONON	TRIFLOXYSTROBIN YONON (9025)	柑橘, 垃圾 Citrus, apple	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobin Técnico YNG) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ. Tech. Develop. Zone, Shangyu, Zhejiang, China	肟菌酯 Trifloxystrobin 500 g/kg WG

NORTOX	ISOXAFLUTOL FLORESTAL NORTOX (9125)	桉树, 松树 Eucalyptus, pine	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Isoxaflutol Técnico Nortox II) Jiangsu Flag Chem. Ind. Co., Ltd. - 309 Changfenghe Rd., Nanjing Chem. Ind. Park, Luhe Nanjing, Jiangsu, China; Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China; (Isoxaflutol Técnico Nortox III) Hebei Sanlen Agrochemical Co., Ltd. - Douyu Ind. Park, Luancheng 051431, Shijiazhuang, China	异噁唑草酮 Isoxaflutole 750 g/kg WG
NORTOX	DIFENOCONAZOL C NORTOX (9225)	蔗, 粟, 玉米, 大豆植株, 高粱 Sugarcane, millet, corn, soybean, sorghum	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Difenoconazole Técnico Nortox) Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi, Jiangsu, China; (Difenoconazole Técnico Nortox IV) Tagros Chemicals, India Ltd. - A-41; 2, SIPCOT Ind. Complex, Pachayankuppam, Cuddalore, Tamilnadu, India; (Ciproconazole Técnico Nortox) Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; Jiangsu SevenContinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang Jiangsu, China; (Ciproconazole Técnico Nortox II) Zhejiang Bosst CropScience Co., Ltd. - Hangzhou Bay Cross Sea Bridge New Area, Haiyan Zhejiang, China	环丙唑醇 150 + 苯醚甲环唑 250 g/L EC Cyproconazole 150 + difenoconazole 250 g/L EC
NORTOX	CLOMAZONE NORTOX 360 CS (9325)	棉布, 水稻种植园, 灌溉稻米, 土豆, 蔗, 桉树, 烟草, 木薯 Cotton, rice, irrigated rice, potato, sugarcane, eucalyptus, tobacco, cassava	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Clomazone Técnico Nortox) Shandong Cynda Chem. Co., Ltd. - Econ. Develop. Area, Boxing, China; (Clomazone Técnico Nortox BR) Jiangsu Changxing Agrochemical Co., Ltd. - Puto, Jiangdu, Jiangsu, China	异噁唑草酮 Clomazone 360 g/L CS
NORTOX	LAMBDA-CIALOTRINA NORTOX (9425)	牛油果, 菠萝, 南瓜, 西葫芦, 蒜, 棉布, 土豆, 甘薯, 茄子, 甜菜, 可可, 咖啡, 油菜籽, 薯蓣, 洋葱, 佛手瓜, 柑橘, 库布阿苏, 豌豆, 豇豆, 姜, 芝麻, 向日葵, 鹰嘴豆, 瓜拉那, 薯, 吉洛茄, 猕猴桃, 扁豆, 亚麻籽, 木瓜, 木薯, 秘鲁胡萝卜, 袖子, 百香果, 小黄瓜, 西瓜, 瓜, 玉米, 萝卜, 黄瓜, 胡椒, 胡椒, 秋葵, 萝卜, 石榴, 大豆植株, 番茄 Avocado, pineapple, pumpkin, zucchini, garlic, atemoya, cotton, potato, sweet potato, yacon potato, eggplant, beet, cocoa, coffee, canola, yam (<i>Dioscorea</i> spp.), onion, chayote, citrus, cupuassu, pea, cowpea, ginger, sesame, sunflower, chickpea, guarana, yam (inhame), jiló, kiwi, lentil, flaxseed, papaya, cassava, arracacha, mango, passion fruit, gherkin, watermelon, melon, corn, turnip, cucumber, pepper, bell pepper, okra, radish, pomegranate, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Lambda-Cialotrina Técnica Nortox) Bharat Rasayan Ltd. - 1501, Vikram Tower, Rajendra Place, New Delhi, India	高效氯氟氰菊酯 Lambda-cyhalothrin 250 g/L CS
NORTOX	CLETODIM OLEUM NORTOX (9525)	菠萝, 棉布, 蒜, 花生, 土豆, 甘薯, 茄子, <i>Dioscorea</i> spp., 咖啡, 洋葱, 胡萝卜, 柑橘, 豆, 烟草, 姜, 向日葵, 薯, 吉洛茄, 垃圾, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 玉米, 胡椒, 胡椒, 秋葵, 大豆植株, 番茄, 小麦, 葡萄 Pineapple, cotton, garlic, peanut, potato, sweet potato, yacon potato, eggplant, yam, coffee, onion, carrot, citrus, bean, tobacco, ginger, sunflower, jiló, apple, cassava, arracacha, watermelon, corn, pepper, bell pepper, okra, soybean, tomato, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Cletodim Técnico Nortox) Shandong Cynda Chem. Co., Ltd. - Econ. Develop. Area, Boxing, Shandong, China; (Cletodim Pré-mistura Nortox) Shandong Cynda Chemicals Co., Ltd. Econ. Develop. Area, Boxing, Shandong, China; Liaoning Cynda Chem. Co., Ltd. - 417, Hanjiang Rd., Comprehensive Ind. Park, Econ. Develop. Zone, Huludao, Liaoning, China; Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China; Jiangsu Yunfan Chem. Co., Ltd. - 168 Jiangsu Rd., Binjiang Fine Chem. Ind. Park, Qidong, Jiangsu, China	烯草酮 Cletodim 240 g/L EC

ADAMA	RIMON SUPRA BR (9625)	<p>南瓜, 西葫芦, 棉布, 李子, 花生, 黑莓, 灌溉稻米, 燕麦, 橄榄, 土豆, 西兰花, 咖啡, 蔗糖, 黑麦, 大麦, 佛手瓜, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜, 豌豆, 豆, 覆盆子, 鹰嘴豆, 扁豆, 垃圾, 榲桲, 小黄瓜, 瓜, 西瓜, 小米, 玉米, 蓝莓, 草莓, 油桃, 梨, 黄瓜, 梨, 桃, 樱桃, 卷心菜, 大豆植株, 高粱, 番茄, 小麦, 小黑麦</p> <p>Pumpkin, zucchini, cotton, plum, peanut, blackberry, irrigated rice, oats, olive, potato, broccoli, coffee, sugarcane, rye, barley, chayote, kale, Chinese cabbage, Brussels sprouts, cauliflower, pea, bean, raspberry, chickpea, lentil, apple, quince, gherkin, melon, watermelon, pearl millet, corn, blueberry, strawberry, nectarine, loquat, cucumber, pear, peach, Surinam cherry, cabbage, soybean, sorghum, tomato, wheat, triticale</p>	<p>类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous</p>	<p>(Rimon Agricur Técnico) Makh-teshim Chem. Works Ltd. - Ramat Hovav, Ind. Zone, Beersheba, Israel</p>	<p>氟酰胺 Novaluron 100 g/L SC</p>
NORTOX	TITOTALONIL NORTOX (9725)	<p>咖啡, 豆 Coffee, bean</p>	<p>类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous</p>	<p>(Clorotalonil Técnico Nortox) Jiangsu Weunite Fine Chem. Co., Ltd. - Jinger Rd., Ind. Chem. Park, Xinyi, Jiangsu, China; (Clorotalonil Técnico Nortox II) Jiangsu Xinhe Agrochemical Co., Ltd. No 19 Xingang Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China; Jiangsu Xinhe Agrochemical Co., Ltd. - Jingjiu, 55, Jingjiu Rd., Econ. Develop. Zone, Xinyi, Zhangdian, Econ. Develop. Zone, Zibo, Shandong, China; Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China; (Tiofanato Metil Técnico Nortox) Ningxia Ruitai Tech. Co., Ltd. - Zhongwei Ind. Park, Zhongwei, Ningxia, China; Jiangsu Lanfeng Biochemical Co., Ltd. - Suhua Rd., Xinyi EcoTech; Develop. Zone, Xinyi, Jiangsu, China</p>	<p>百菌清 600 + 甲基硫菌灵 240 g/kg WG Chlorothalonil 600 + thiofanate-methyl 240 g/kg WG</p>
NORTOX	PROTIOCONAZOL T NORTOX (9825)	<p>棉布, 豆, 玉米, 大豆植株, 小麦 Cotton, bean, corn, soybean, wheat</p>	<p>类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous</p>	<p>(Protioconazole Técnico Nortox) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park Binhai, Jiangsu, China; (Protioconazole Técnico Nortox II) Ningxia Yifan Biotechnology Co., Ltd. - 6, Guangfu Rd., NewChem. Material Park, Ningdong Energy Chem. Ind. Base Ningxia, China; (Protioconazole Técnico Nortox III) Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; (Protioconazole Técnico Nortox V) Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Econ. Chem. Ind. Park, Xiangshui, Yancheng, Jiangsu, China; (Trifloxistrobin Técnico Nortox III) Yongnong Biosciences Co., Ltd. - 3 Weiqi Rd., Hangzhou GulfFine Chem. Zone, Shangyu, Zhejiang, China</p>	<p>丙硫菌唑175 + 肟菌酯 150 g/L SC Prothioconazole 175 + trifloxystrobin 150 g/L SC</p>
NORTOX	PROTIOCONAZOL NORTOX (9925)	<p>棉布, 豆, 大豆 Cotton, bean, soybean</p>	<p>类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous</p>	<p>(Protioconazole Técnico Nortox) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park Binhai, Jiangsu, China; (Protioconazole Técnico Nortox II) Ningxia Yifan Biotechnology Co., Ltd. - 6, Guangfu Rd., NewChem. Material Park, Ningdong Energy Chem. Ind. Base Ningxia, China; (Protioconazole Técnico Nortox III) Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; (Protioconazole Técnico Nortox V) Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Econ. Chem. Ind. Park, Xiangshui, Yancheng, Jiangsu, China</p>	<p>丙硫菌唑 Prothioconazole 250 g/L EC</p>

NORTOX	OXICLORETO DE COBRE C NORTOX (10025)	土豆, 豆, 大豆植株, 番茄 Potato, bean, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Clorotalonil Técnico Nortox) Jiangsu Weunite Fine Chem. Co., Ltd. - Jinger Rd., Ind. Chem. Park, Xinyi, Jiangsu, China; (Clorotalonil Técnico Nortox II) Jiangsu Xinhe Agrochemical Co., Ltd. - 19, Xingang Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China; Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China; Jiangsu Xinhe Agrochemical Co., Ltd. - Jingjiu, 55, Jingjiu Rd., Econ. Develop. Zone, Xinyi, Zhangdian, Econ. Develop. Zone, Zibo, Shandong, China	王铜 420 + 百菌清 400 g/kg WG Copper oxychloride 420 + chlorothalonil 400 g/kg WG
NORTOX	MANCOZEB NORTOX SC (10125)	米, 香蕉, 土豆, 柑橘, 豆, 垃圾, 大豆植株, 玫瑰丛, 番茄, 小麦, 葡萄 Rice, banana, potato, citrus, bean, apple, soybean, rosebush, tomato, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mancozeb Técnico Nortox) Limin Chem. Co., Ltd. - 31 Xintan Rd., Ind. Develop. Zone, of Xinyi, Xinyi, Jiangsu, China; (Mancozeb Técnico Nortox II) Hebei Shuangji Chem. Co., Ltd. - East Suburb, Xinji, Hebei, China; (Mancozeb Técnico Indofil) Indofil Industries Ltd. - Azad Nagar, Sandoz Baug, Off ghodbunder Rd., Near Chitalsar, Manpada, Thane, India	代森锰锌 Mancozeb 600 g/L SC
NORTOX	FLUMIOXAZIN I NORTOX (10225)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Flumioxazin Técnico Nortox) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China; (Imazetapir Técnico Nortox) Shandong Cynda Chem. Co., Ltd. - Econ. Develop. Zone, Boxing, Shandong, China; Zibo Nab Agrochem. Ltd. - North of National High, Tec Ind. Develop. Zone, Zibo, Shandong, China; Nortox S.A. - Rod. Melo Peixoto, BR 369, km 197, Aricanduva, Arapongas, PR, Brazil (Imazetapir Técnico Nortox BR) Jiangsu Flag Chem. Ind. Co., Ltd. - 309 Changfenghe Rd., Nanjing Chem. Ind. Park, Nanjing, China	氟噻草酮 100 + 咪唑乙烟酸 200 g/L SC Flumioxazin 100 + imazethapyr 200 g/L SC
NORTOX	BIFENTRINA NORTOX (10325)	棉布, 土豆, 蔗, 柑橘, 豆, 烟草, 玉米, 牧场, 大豆植株, 番茄, 小麦 Cotton, potato, sugarcane, citrus, bean, tobacco, corn, pasture, soybean, tomato, wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Bifentrina Técnica Nortox) Bharat Rasayan Ltd. - 2 km Madina-Mokhra Rd., Mokhra, Rohtak(haryana), India; Aimco Pesticides Ltd. - B11, MIDC Ind. Area, Lote Parshuram, Awashi, Ratnagiri, Maharashtra, 9, India	联苯菊酯 Bifenthrin 100 g/L EC
NORTOX	ATRAZINA NORTOX SC (10425)	蔗, 玉米, 高粱 Sugarcane, corn, sorghum	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Atrazina Técnica Nortox) Nortox S.A. - Rod. BR 369, km 197 Arapongas, PR, Brazil; Shandong Dehao Chem. Co., Ltd. - Linggang Ind. Park, Binhai Econ. Develop. Area, Weifang Shangong, China; Zhejiang Zhongshan Chem. Ind. Group Co., Ltd. - Zhongshan, Xiaopu, Changxing, Zhejiang, China; Hebei Shanli Chem. Co., Ltd. - 18th Team, Zhongjie Farm, Cangzhou, Hebei, China; (Atrazina Técnica Nortox BR) Shandong Binnong Tech. Co., Ltd. - 518 Yongxin Rd., Binzhou, Shandong, China; Zhejiang Zhongshan Chem. Ind. Group Co., Ltd. - Zhongshan, Xiaopu, Changxing, Zhejiang, China	莠去津 Atrazina 500 g/L SC
YONON	DIQUAT 200 SL YONON (10525)	土豆, 柑橘, 豆, 大豆 Potato, citrus, bean, soybean	类别 3 - 中度有毒 环境等级II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Diquat Técnico YN) Zhejiang Funong Biotech Co., Ltd. - Lantian Yongqiang, Wenzhou, Zhejiang, China	敌草快 Diquat dibromide 200 g/L SL
BALLAGRO	BF0724 (10625)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Dalbulus maidis</i> , <i>Tetranychus urticae</i> , <i>Hypothenemus hampei</i> , <i>Gonipterus scutellatus</i> , <i>Coccus viridis</i> , <i>Diaphorina citri</i> , <i>Sphenophorus levis</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Ballagro Agro Tecnologia Ltda. - Estrada Municipal Carlos Gebim, 2353, Laranja Azeda, Bom Jesus dos Perdões, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66* 300 g/kg WP
BALLAGRO	BF0824 (10725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i> , <i>Rhizoctonia solani</i> , <i>Macrophomina phaseolina</i> , <i>Pratylenchus zeae</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Ballagro Agro Tecnologia Ltda. - Estrada Municipal Carlos Gebim, 2353, Laranja Azeda, Bom Jesus dos Perdões, SP, Brazil	<i>Trichoderma harzianum</i> IBLF006* 300 g/kg WP

ALLIERBRASIL	RENOME WG (10825)	棉布, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 油桃, 牧场, 梨, 桃, 松树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, plum, rice, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, nectarine, pasture, pear, peach, pinetree, soybean, GMO soybean, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico GHA) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Loagang, Qidong, Jiangsu, China	草甘膦铵盐 Glyphosate ammonium 792.5 g/kg WG
TRADECORP	MESOTRIONA ASCENZA SC (10925)	蔗, 玉米 Sugarcane, corn	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Mesotriona Ascenza Técnico) Anhui Fengle Agrochemical Co., Ltd. - 8 Fanwa Rd., West Qilitang, Helei, China; Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. Tech. Develop. Area, Zhejiang, China; Zhejiang Udragon Bioscience Co., Ltd. - 1, Fangjiadai Rd., Halyan Econ. Develop. Zone, Halyan, Zhejiang, China	硝磺草酮 Mesotrione 480 g/L SC
FMC	SOFERO FALL FEROMÔNIO (11025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Spodoptera frugiperda</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Chemnova AS - Thyborønvej 78, DK-7673 Harbøre, Denmark	Z - 9 - 十四烯基乙酸酯 Z-9-tetradecenyl acetate 200 g/L CS
INNOVAK	SELECTO XL (11125)	棉布 Cotton	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Innovak Global SA de CV - Blvd. Vicente Lombardo Toledano 6615, Col. La Concordia, Chihuahua, Mexico	糖氨基嘌呤 Kinetin 2 g/L SC
FERBRU	CARPIDORA (11225)	棉布, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 垃圾, 玉米, 油桃, 牧场, 梨, 桃, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, plum, rice, cocoa, coffee, sugarcane, citrus, apple, corn, nectarine, pasture, pear, peach, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico FW) Jingma Chemicals Co., Ltd. - 50 Baota Rd., Longyou, Zhejiang, China; (Glifosato Técnico FB) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China	草甘膦铵盐 Glyphosate ammonium 792.5 g/L WG
RAINBOW	PEAKSTAR (11325)	棉布, 花生, 燕麦, 香蕉, 可可, 咖啡, 蔗, 大麦, 向日葵, 木薯, 玉米, 大豆植株, 高粱, 小麦 Cotton, peanut, oats, cocoa, coffee, sugarcane, barley, sunflower, cassava, corn, soybean, sorghum, wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Pyraclostrobin Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong China; (Epoconazole Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong China	氟环唑 50 + 吡唑醚菌酯 133 g/L SE Epoconazole 50 + pyraclostrobin 133 g/L SE
BASF	KILYMUS (11425)	水稻种植园 Rice	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Revysol Técnico) BASF Corporation-Hannibal Plant, 3150 highway, Palmyra, MO, USA; BASF Española S.L. - Carretera Nacional 340, km 1156, Terragona, Cataluña, Spain (Triciclazol Técnico 950) Kumiai Chem. Ind. Co., Ltd. - 1800, Nakanogo, Fuji-Shi, Shizuoka, Japan; NAEL Industries Ltd. - Plot 177-Arinama Akkivalasa, Allinagar Etcheria Mandal, Srikakulam-Andhra Pradesh, India; Deccan Fine Chemicals Ltd. - Survey 80-83, Kesavaram, Venkatanagar Post, Payakaraopeta Mandal, Vishakapatnam, Andhra Pradesh, India; Jiangsu Changqing Agrochemical Co., Ltd. - 8, Sanjiang Rd., Jiangdu Econ. Develop. Zone, Yangzhou, Jiangsu, China	甲芬曲氟康唑 100 + 三环唑 250 g/L SC Mefentrifluconazole 100 + tricyclazole 250 g/L SC
BRA	XENON ME (11525)	牧场 Pasture	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Picloram Técnico BRA) Zhejiang Funong Biotech Co., Ltd. - Lantian, Yongqiang, Wenzhou, China; (Fluroxipir-Meptilico Técnico BRA) Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China	氨基吡啶酸 129.42 + 氟吡啶氧乙酸异辛酯 115 g/L ME Picloram 129.42 + fluroxypyr-meptyl 115 g/L ME

CHDS	OCA (11625)	棉布, 柑橘, 卷心菜, 菜花, 垃圾, 桃, 卷心菜, 大豆植株, 番茄 Cotton, citrus, kale, cauliflower, apple, peach, cabbage, soybean, tomato	类别 3 - 中度有毒 环境等级II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Malathion Técnico Prentiss) Lianyungang Avilive Chemicals Co., Ltd. - Dui Gou Gang, Chem. Ind. Zone, Lian Yun Gang, Jiangsu, China	马拉硫磷 Malathion 1000 g/L EC
HELM	HDB 259 (11725)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Flumioxazina B Técnico Helm) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China; (Flumioxazin Técnico Provencs) Shangyu Nutri-chem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. Tech. Develop. Area, Zhejiang, China; (Sulfentrazone OL Técnico Helm) Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Luzhou, Sichuan China; (Sulfentrazone T Técnico Helm) Tagros Chemicals India Pvt. Ltd. - SIPCOT Ind. Complex Pachayankuppam, Cuddalore Tamil Nadu, India; (Sulfentrazone Técnico Proventis) Jiangxi Heyi Chem. Co., Ltd. - Longcheng Pengze, Jiujiang, Jiangxi, China; (Sulfentrazone A Técnico Helm) Jiangsu Agrochem Laboratory Co., Ltd. - 1218 North Changjiang Rd., Hightech Zone, Changzhou, Jiangsu, China	氟噻草酮 150 + 甲磺草胺 622 g/kg WG Flumioxazin 150 + sulfentrazone 622 g/kg WG
ANDERMATT	MADEX TWIN (11825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Grapholita molesta</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Andermatt Biocontrol Suisse AG. - Stahlermatten 6, Grossdietwil, Switzerland	<i>Cydia pomonella</i> granulovirus GV-0014 0.7 g/L SC
TIDE	NEPSO (11925)	菠萝, 棉布, 蒜, 花生, 灌溉稻米, 燕麦, 土豆, 甘薯, 茄子, 甜菜, 咖啡, 腰果, 蔗, 油菜籽, <i>Diospyros kaki</i> , <i>Dioscorea</i> spp., <i>Avrerrhoa carambola</i> , 洋葱, 胡萝卜, 黑麦, 大麦, 柑橘, 豌豆, 豆, 豇豆, 如烟, 烟草, 姜, 薯, 吉洛茄, 芝麻, 向日葵, 番石榴, 鹰嘴豆, 扁豆, 亚麻籽, 垃圾, <i>Ricinus communis</i> , 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 玉米, 茺菁, 胡椒, 胡椒, 秋葵, 萝卜, 大豆植株, 番茄, 小麦, 小黑麦, 葡萄 Pineapple, cotton, garlic, peanut, irrigated rice, oats, potato, sweet potato, yacon, eggplant, beetroot, coffee, cashew, sugarcane, canola, persimmon, taro, star fruit, onion, carrot, rye, barley, citrus, peas, beans, cowpea, fig, tobacco, ginger, yam, jiló, sesame, sunflower, guava, chickpea, lentil, flaxseed, apple, castor bean, cassava, arracacha, watermelon, corn, turnip, chili pepper, bell pepper, okra, radish, soybean, tomato, wheat, triticale, grapes	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Cletodim QI Técnico Tide) Qiaochang Modern Agricrop Co., Ltd. - South of Yongxin Rd., Bicheng, Binzhou, Shandong, China	烯草酮 Cletodim 240 g/L EC
UPL	UPL 1039 FP (12025)	南瓜, 西葫芦, 棉布, 花生, 灌溉稻米, 燕麦, 土豆, 西兰花, 咖啡, 蔗, 黑麦, 大麦, 佛手瓜, 柑橘, 卷心菜, 抱子甘蓝, 菜花, 豌豆, 豆, 豆子, 鹰嘴豆, 扁豆, 垃圾, 西瓜, 瓜, 粟, 玉米, 黄瓜, 卷心菜, 大豆植株, 高粱, 番茄, 小麦, 小黑麦 Pumpkin, zucchini, cotton, peanut, irrigated rice, upland rice, oats, potato, broccoli, coffee, sugarcane, rye, barley, chayote, citrus, kale, brussels sprouts, cauliflower, peas, beans, chickpea, lentil, apple, watermelon, melon, millet, corn, cucumber, cabbage, soybean, sorghum, tomato, wheat, triticale	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Chlorantraniliprole Técnico) FMC Corporation - Highway 43 North, Axis, Alabama, USA Corteva Agriscience Spain, S.L. - Valle de Tamón, Carreño, Asturias, Spain. FMC Shanghai Agricultural Sciences Co., Ltd. - 39, Shungong Rd. Shanghai Chem. Ind. Park	氯虫苯甲酰胺 105 + 甲氧虫酰肼 420 g/L SC Chlorantraniliprole 105 + methoxyfenozide 420 g/L SC
PILARQUIM	PILAREG (12125)	大豆植株 Soybean	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Lufenurom Técnico Pilarquim) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China	虱螨脲 Lufenurom 105 g/L SC



The market access company

AgriConnection is a agricompany specialized in building relationship and direct sales. We connect Brazilian agriculture to the world's input industries.

Activate now the fastest-growing agricultural market access network in Brazil.

We are the market access company that connects customers to global industries, offering a large portfolio of crop protection, nutrition, fertilizers and biologicals products. **Connect now and activate the new way of making business in Brazil.**



AgriConnection@2025

Connect to the new



agricconnection



agricconnection.com.br/en

第13 号法案 2025年4月9日 - 发布于2025年4月15日 - 技术产品及预混料的农药登记审批
Act No. 13 from 4/9/25 - Published on 4/15/25 - Technical product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	笔记 Note	原药生产商 Manufacturer	产品 Product
BIO SPRINGER	CEREVISANE TÉCNICO (TC04125)	未分类 环境III级 - 危险产品 No classification Env. clas. III - Dangerous	Bio Springer S.A. - 103 Rue Jean Jaurès Maisons-Alfort, France	<i>Saccharomyces cerevisiae</i>
OURO FINO	HALOXIFOPE-P-METÍLICO TÉCNICO OURO FINO (TC04225)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun-Nanjing, Jiangsu, China; Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	高效氟吡甲禾灵 Haloxypop-P-methyl
TECNOMYL	DICAMBA TÉCNICO TECNOMYL (TC04325)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Gharda Chemicals Ltd. - D-1/2, MIDC Lote Parshuram, Ratnagiri Taluka Khed, Maharashtra, India; Jiangsu Lanfeng Biochemical Co., Ltd. - Suhua Rd. Xinyi Ecoe Tech. Develop. Zone, Xinyi, Jiangsu, China; Cropnosys India Pvt Ltd. - Phase IV Estate, Valsad, Vapi, Gujarat, India	麦草畏 Dicamba
TECNOMYL	HALOXIFOP METÍLICO TÉCNICO TECNOMYL II (TC04425)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun-Nanjing, Jiangsu, China	高效氟吡甲禾灵 Haloxypop-P-methyl
TECNOMYL	DIFENOCONAZOL TÉCNICO TECNOMYL (TC04525)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China	苯醚甲环唑 Difenoconazole
TECNOMYL	AMINOPYRALIDE TÉCNICO TECNOMYL (TC04625)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Avilive Chem. Co., Ltd. - 335 Jiangnan Rd., Hengdian Dongyang, Zhejiang, China	氯氨吡啶酸 Aminopyralid
TECNOMYL	ETHIPROLE TÉCNICO TECNOMYL (TC04725)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Tuoqiu Agrochemical Co., Ltd. - Kaital Rd., Coastal Ind. Park, Binhai Econ. Develop. Zone, Jiangsu, China	乙虫腓 Ethiprole
OURO FINO	DIFENOCONAZOL TÉCNICO OURO FINO (TC04825)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China	苯醚甲环唑 Difenoconazole
OURO FINO	DIFENOCONAZOL TÉCNICO OF (TC04925)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Chengyang Crop Science Co., Ltd. - 83 Guan Qu Nan Lu, Nanjing Chem. Ind. Park Jiangbei New, Nanjing, Jiangsu, China	苯醚甲环唑 Difenoconazole
PROREGISTROS	CHLORANTRANILIPROLE TÉCNICO SCH (TC05025)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China	氯虫苯甲酰胺 Chlorantraniliprole
PROREGISTROS	CHLORANTRANILIPROLE TÉCNICO LC I (TC05125)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China	氯虫苯甲酰胺 Chlorantraniliprole
SYNCROM	AMINOPYRALID TÉCNICO SML (TC05225)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Avilive Chem. Co., Ltd. - 335 Jiangnan Rd., Hengdian Dongyang, Zhejiang, China	氯氨吡啶酸 Aminopyralid
CHDS	AMINOPYRALIDE TÉCNICO CHDS (TC05325)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Avilive Chem. Co., Ltd. - 335 Jiangnan Rd., Hengdian Dongyang, Zhejiang, China	氯氨吡啶酸 Aminopyralid
CHDS	FENPROPI MORFE TÉCNICO CHDS (TC05425)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	丁苯吗啉 Fenpropimorph
CHDS	MANCOZEB TÉCNICO CHDS II (TC05525)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi, Jiangsu, China	代森锰锌 Mancozeb
ALTA	FENPROPI MORFE TÉCNICO ALTA (TC05625)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	丁苯吗啉 Fenpropimorph
ALTA	HALOXIFOPE-P-METÍLICO TÉCNICO ALTA II (TC05725)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	高效氟吡甲禾灵 Haloxypop-P-methyl
CROPCHEM	DICLOSULAM TECNICO CROPCHEM (TC05825)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China; Inner Mongolia Join Dream Fine Chem. Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China	双氯磺草胺 Diclosulam

CROPCHEM	FENPROPI MORFE TÉCNICO CROPCHEM (TC05925)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	丁苯吗啉 Fenpropimorph
CROPCHEM	FLUROXIPIR TÉCNICO CROPCHEM II (TC06025)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Luba Chem. Co., Ltd. - Loujia, Tangwang, Licheng Jinan, Shandong, China	氟氟吡氧乙酸异 辛酯 Fluroxypyr-meptyl
CROPCHEM	HALOXIFOPE TÉCNICO CROPCHEM II (TC06125)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Binnong Tech. Co., Ltd. 518, Yongxin Rd., Binbei Binzhou, Shandong, China	高效氟吡甲禾灵 Haloxypop-P-methyl
PROREGISTROS	PROTHIOCONAZOLE TECHNICAL WYNCA (TC06225)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Ningxia Wynca Tech. Co., Ltd. - Plot 3204, Ind. Estate, Taisha Ind. Park, Pingluo, Ningxia, China	丙硫菌唑 Prothioconazole
MONSANTO	DICAMBA TÉCNICO MONSANTO II (TC06325)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Monsanto Co. - River Rd. Luling, Louisiana 7070, USA	麦草畏 Dicamba
SYNGENTA	NICOSULFURON TÉCNICO SYN (TC06425)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Changqing Agrochemical Co., Ltd. - 8 Sanjiang Rd., Jiangdu Econ. Develop. Zone, Yangzhou, Jiangsu, China	烟嘧磺隆 Nicosulfuron
SYNCROM	FENPROPI MORPH TECNICO EA (TC06525)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Lion Agrevo Co., Ltd. - Forth Yangkou Rd., Chem. Ind. Park, Yangkou Coastal Econ. Develop. Zone, Rudong, Nantong, Jiangsu, China	丁苯吗啉 Fenpropimorph
NELLY	PYRIMETHANIL TECHNICAL SD (TC06625)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Jingbo Agrochem. Tech. Co., Ltd. - Econ. Develop. Zone, Boxing-Shandong, China	嘧霉胺 Pyrimethanil
RAINBOW	SPIRODICLOFEN TÉCNICO RAINBOW (TC06725)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Shadong, Weifan, China	螺螨酯 Spirodiclofen
ALTA	DICLOSULAM TÉCNICO ALTA (TC06825)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China	双氯磺草胺 Diclosulam
PILARQUIM	DICAMBA TÉCNICO PILARQUIM (TC06925)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	麦草畏 Dicamba
NORTOX	DICAMBA TÉCNICO NORTOX III (TC07025)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	麦草畏 Dicamba
ALTA	AZOXISTROBINA TÉCNICO ALTA III (TC07125)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Hebei Veyong Bio-Chem. Co., Ltd. - 6, Middle Huagong Rd., Circulation Chem. Ind. Park Shijiazhuang, Hebei, China; Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha, Chem. Zone, Zhangiang, China	啞菌酯 Azoxystrobin
TIDE	AMINOPIRALIDE TÉCNICO TIDE (TC07225)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Avilive Chem. Co., Ltd. - 335 Jiangnan Rd., Hengdian Dongyang, Zhejiang, China	氟吡吡啶酸 Aminopyralid
AGROALLIANZ	DIFENOCONAZOLE TÉCNICO FB (TC07325)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China	苯醚甲环唑 Difenoconazole
ALBAUGH	TEBUCONAZOLE TÉCNICO ROTAM II (TC07425)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Sword Agrochemical Co., Ltd. - Binhai Econ. Develop. Zone, Coastal Ind. Park-Bin Hai, Jiangsu, China	戊唑醇 Tebuconazole
RAINBOW	FLONICAMIDA TÉCNICO RAINBOW (TC07525)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Qingdao Rainbow Chem. Co., Ltd. - Xinhe Eco Chem. Science, Tech. Industry Base Qingdao, Shandong, China	氟啶虫酰胺 Flonicamid
NORTOX	HALOXIFOP TÉCNICO NORTOX (TC07625)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	高效氟吡甲禾灵 Haloxypop-P-methyl
NORTOX	FIPRONIL TÉCNICO NORTOX III (TC07725)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Avilive Chem. Co., Ltd. - 99 Zhengda Rd., Econ. Develop. Zone, Linyi, Shandong, China	氟虫腓 Fipronil

NORTOX	FENPROPIMORFE TÉCNICO NORTOX (TC07825)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park, Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	丁苯吗啉 Fenpropimorph
TECNOMYL	DICLOSULAM TECNICO TECNOMYL (TC07925)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Inner Mongolia Join Dream Fine Chem. Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China	双氯磺草胺 Diclosulam
HEMANI	V ACETAMIPRID TÉCNICO (TC08025)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Hemani Industries Ltd. - GIDC, Ind. Estate, Dahej, Vagra Bharuch, Gujarat, India	啉虫脒 Acetamiprid
BIORISK	MANCOZEB TÉCNICO LIMIN (TC08125)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi, Jiangsu, China	代森锰锌 Mancozeb
HELM	FENPROPIMORFE F TÉCNICO HELM (TC08225)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park, Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	丁苯吗啉 Fenpropimorph
CTVA	REKLEMEL TÉCNICO (TC08325)	未分类 环境III级 - 危险产品 No classification Env. clas. III - Dangerous	Corteva Agriscience LLC - 701 Washington St. Midland, MI, USA; CABB Oy - Kemirantie 1, Kokkola, Finland; Jiangsu Jiannong ABA Agrochemical Co., Ltd. - Huanghai Rd., Yanhai Ind. Park, Binhai, Jiangsu, China; CABB AG - Düngerstrasse 81, Pratteln, Switzerland	氟唑吡啶 Fluazaindolizine
SYNGENTA	ISOPYRAZAM TÉCNICO (TC08425)	未分类 环境III级 - 危险产品 No classification Env. clas. III - Dangerous	Syngenta Nantong Crop Protection Co., Ltd. - 1 Zhongyang Rd., Nantong Econ. Tech. Develop. Area, Nantong, Jiangsu, China; Deccan Fine Chemicals Pvt Ltd. - Ind. Estate, Bharuch, Gujarat, India; Syngenta Crop Protection Monthey S.A. Ltd. - Route de l'Île-au-Bois, 1870 Monthey, Switzerland. Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China	吡啶啉菌胺 Isopyrazam
MONSANTO	ROUNDUP MEA PREMIX (TC08525)	未分类 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	Syngenta Crop Protection Monthey S.A. - BR 369, km 197, Aricanduva, Arapongas, PR, Brazil; Shandong Cynda Chemicals Co., Ltd. - Rue de l'Île-au-Bois, Monthey, Switzerland	草甘膦 Glyphosate



HIGH CHEM
COMPANY LIMITED

COMPANY PROFILE

HIGH CHEM COMPANY LIMITED, is a professional enterprise for agrochemicals business, covers R&D, products registration, manufacturing, formulating, and marketing.

With over 25 years of experience in overseas markets, we have extensive expertise in working with global clients, to provide products registration, technology support, quality control, contract manufacturing, market survey, and logistics services.

Now we are engaging in registration work in Brazil and other Latin American countries, to enhance our marketing ability in related countries.

UPCOMING REGISTRATIONS IN BRAZIL

Herbicides

Aminopyralid 240 g/L SL
Glufosinate Ammonium 880 g/Kg SG
s-Metolachlor 960 g/L EC
Pyroxasulfone TC, 500 g/L SC
Saflufenacil TC, 700 g/Kg WG
Tembotrione 420 g/L SC

Insecticides

Bifenthrin 400 g/Kg + Acetamiprid
400 g/Kg WDG
Chlorantraniliprole 600 g/L SC
Chlorfenapyr 720 g/L SC
Ethiprole 600 g/L SC
Lambda Cyhalothrin 250 g/L CS
Methomyl 900 g/Kg SP

Fungicides

Cyprodinil 750g/Kg WG
Difenoconazole 500 g/L SC
Prothioconazole 500 g/L SC
Tebuconazole 430 g/L SC
Tricyclazole TC, 750 g/L SC


Company address: Room 201, Unit 1, Building 12,
Rose City Block, Rong Qiao Central Garden, 29 West
Fuchunjiang Street, Jianye District, Nanjing, P.R. China

南京益高化工有限公司 HIGH CHEM COMPANY LIMITED
Tel: +86-25-83204100 ext 8066 Fax: +86-25-83713458
Contact: Ms. Tang qiuxia (Wendy), Mr. Qiu Jiaren
Email: tangqiuxia@hchem.com.cn qiujiaeren@hchem.com.cn
Website: www.hchem.com.cn

第15 号法案 2025年5月8日 - 发布于2025年5月12日 - 技术产品及预混料的农药登记审批
Act No. 15 from 5/8/25 - Published on 5/12/25 - Technical product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	笔记 Note	原药生产商 Manufacturer	产品 Product
YONON	CHLORFENAPYR TÉCNICO CT (TC08625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ., Tech. Develop. Zone, Shangyu, Zhejiang, China	虫螨腈 Chlorfenapyr
ALBAUGH	TRIFLOXISTROBINA TÉCNICO ALBAUGH 03 (TC08725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	肟菌酯 Trifloxystrobin
SYNGENTA	FENPROPIDIN TÉCNICO (TC08825)	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	DSM Nutritional Products AG. - Lalden, Visp, Canton Valais, Switzerland; BASF SE - Carl-Bosch, Str.38, Ludwigshafen, Germany	苯锈啉 Fenpropidin
SYNCROM	TRIFLOXYSTROBIN TÉCNICO UDRAGON (TC08925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	肟菌酯 Trifloxystrobin
PERTERRA	MANCOZEB TÉCNICO PERTERRA (TC09025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi, Jiangsu, China	代森锰锌 Mancozeb
LEMMA	DIFENOCONAZOLE TÉCNICO SC (TC09125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China	苯醚甲环唑 Difenoconazole
ANASAC	VAKERO TÉCNICO (TC09225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China	双氯磺草胺 Diclosulam
LEMMA	PROTHIOCONAZOLE TÉCNICO SY (TC09325)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Synwill Yichang Chem. co., Ltd. - 77, Tianjiahe Av., Baiyang Ind. Park, Yichang High-tech Zone, Hubei, China	丙硫菌唑 Prothioconazole
RAINBOW	FLUBENDIAMIDA TÉCNICO RAINBOW (TC09425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Qingdao Rainbow Chem. Co., Ltd. - Xinhe Eco Chem. Science, technology Ind. Base, Qingdao, Shandong, China	氟苯虫酰胺 Flubendiamide
PROVENTIS	LACTOFEM TÉCNICO PROVENTIS (TC09525)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shangyu Nutrichem Co., Ltd. - 9 Weijiu Rd., Hangzhou Gulf Fine Chem. Zone, Hangzhou, Zhejiang, China	乳氟禾草灵 Lactofen
CCAB	LACTOFEN TÉCNICO CCAB (TC09625)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shangyu Nutrichem Co., Ltd. - 9 Weijiu Rd., Hangzhou Gulf Fine Chem. Zone, Hangzhou, Zhejiang, China	乳氟禾草灵 Lactofen
ALTA	PICOXISTROBINA TÉCNICO ALTA (TC09725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	啶氧菌酯 Picoxystrobin
IHARABRAS	AMINOPYRALID TÉCNICO IHARA III (TC09825)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Avilive Chem. Co., Ltd. - 335 Jiangnan Rd., Hengdian Dongyang, Zhejiang, China	氟氨吡啶酸 Aminopyralid
IHARABRAS	DIFENOCONAZOL TÉCNICO IHARA III (TC09925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang,	苯醚甲环唑 Difenoconazole

ALTA	DIFENOCONAZOL TÉCNICO ALTA (TC10025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; Tagros Chemicals India Ltd. - A-41; 2, SIPCOT Ind. Complex, Pachayankuppam, Cuddalore, Tamilnadu, India	苯醚甲环唑 Difenoconazole
ADAMA	DIFENOCONAZOL TÉCNICO ADA BR (TC10125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd. Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	苯醚甲环唑 Difenoconazole
ADAMA	CLORFENAPIR TÉCNICO ADAMA 4 (TC10225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ. Tech. Develop. Zone, Shangyu, Zhejiang, China	虫螨腈 Chlorfenapyr
SUMITOMO	FLUROXIPIR-MEPTÍLICO TÉCNICO SUMITOMO BR (TC10325)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Sumitomo Chem. India Ltd. - 62 Ruvapari Rd., Bhavnagar, Gujarat, India	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl
ADAMA	MANCOZEBE TÉCNICO ADAMA (TC10425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi, Jiangsu, China	代森锰锌 Mancozeb
BIORISK	BOSCALID TÉCNICO AGROGILL (TC10525)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Nantong Jiahe Chemical Co., Ltd. - Qinglong Gang Chem. District, Haimen, Jiangsu, China	啞酰菌胺 Boscalid



Fruto
Agrointeligência

EXPERTISE AND INNOVATION

Explore Agribusiness with Intelligence

Confidence and a deep understanding of the market you want to enter can significantly impact your success

FRUTO Agrointeligência is your ally to access markets with precision. We map the entire agribusiness chain, bringing the best information, ideal partners, and customers who need your product.

We provide a 360° view of the agribusiness landscape and accelerate your entry with specific and strategic information about the market niche you want to operate in.

Transform challenges into opportunities. With FRUTO, you have the right vision and data to make assertive decisions.

Our personalized approach ensures that your product stands out in the market. We operate under strict non-disclosure agreements and follow the best practices in conduct and data protection.



STAND OUT FROM COMPETITORS

第17号法案 2025年5月16日 - 发布于2025年5月20日 - 制定产品注册批件 Act No. 17 from 5/16/25 - Published on 5/20/25 - Formulated product registration approvals					
登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	建议使用 Use Recommendation	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
RAINBOW	LASTING CS (12225)	牛油果, 菠萝, 南瓜, 西葫芦, 蒜, 棉布, 花生, 燕麦, 土豆, 甘薯, 茄子, 甜菜, 可可, 咖啡, 油菜籽, <i>Dioscorea</i> spp., 洋葱, 黑麦, 大麦, 佛手瓜, 柑橘, 库布阿苏, 豌豆, 豇豆, 豇豆, 姜, 芝麻, 向日葵, 鹰嘴豆, 薯, 吉洛茄, 猕猴桃, 扁豆, 亚麻籽, 木瓜, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 袖子, 百香果, <i>Cucumis anguria</i> , 西瓜, 瓜, 玉米, 茼蒿, 黄瓜, 胡椒, 胡椒, 秋葵, 萝卜, 大豆植株, 番茄, 小麦, 小黑麦 Avocado, pineapple, pumpkin, zucchini, garlic, atemoya, cotton, peanuts, oats, potato, sweet potato, yacon potato, eggplant, beets, cocoa, coffee, canola, yam, onion, rye, barley, chayote, citrus, cupuaçu, peas, beans, cowpeas, ginger, sesame, sunflower, chickpeas, guarana, yams, jiló, kiwi, lentils, linseed, papaya, cassava, mango, passion fruit, gherkin, watermelon, melon, corn, turnip, cucumber, pepper, paprika, okra, radish, pomegranate, soybean, tomato, wheat, triticale	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Lambda-cialotrina Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	高效氟氟菊酯 Lambda-cyhalothrin 250 g/L CS
CROPCHEM	PERSEUS DUO (12325)	咖啡, 柑橘类水果 Coffee, citrus	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Abamectina Técnico Cropchem) Inner Mongolia New Veyong Bio-chemical Co., Ltd. - Dalate-Wangaizhao, Inner Mongolia, China; (Abamectina Técnico Sumitomo) Inner Mongolia New Veyong Bui-chemical Co., Ltd. - Dalate, Wangaizhao, Inner Mongolia, China; (Espiroidiclofeno Técnico Sumitomo) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China; (Espiroidiclofeno Técnico Cropchem) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shangyu Zhejiang, China; (Espiroidiclofeno Técnico SRC-Cropchem) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian Shijiazhuang Hebei, China	阿维菌素 + 螺螨酯 Abamectin 70 + spiroidiclofen 400 g/L SC
BAYER	CONVINTRO (12425)	大豆 soybean	类别 4 - 轻微毒性 环境危害等级 I - 极度危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Brodal Técnico) Briar Chemicals Ltd. - Sweet Briar Rd., Norwich, Norfolk, UK; (Sencor Técnico USA) Bayer CropScience LP - 8400 Hawthorn Rd. Kansas, MO, USA; Jiangsu Sword Agrochemical Co., Ltd. - Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China	吡氟酰草胺 200 + 啶草酮 400 g/L SC Diflufenican 200 + metribuzin 400 g/L SC
BAYER	HUSSAR TECH (12525)	大麦, 小麦 Barley, wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Brodal Técnico) Briar Chemicals Ltd. - Sweet Briar Rd., Norwich, Norfolk, UK; (Iodosulfuron Técnico) Bayer AG - Industriepark Höchst, Frankfurt, Germany; Arkada AG - Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China	吡氟酰草胺 150 + 甲基磺隆钠盐 10 G/L OD Diflufenican 150 + iodosulfuron-methyl-sodium 10 G/L OD
PROREGISTROS	GLUFOSINATO 200 SL LIER (12625)	阿萨伊, 莴苣, 棉花, 转基因棉花, 燕麦, 香蕉, 马铃薯, 咖啡, 甘蔗, 巴西坚果, 黑麦, 大麦, 柑橘, 椰子, 油棕 (<i>Elaeis guineensis</i>), 豌豆, 桉树, 菜豆, 豇豆, 蚕豆, 木豆, 绿豆, 长豇豆, 鹰嘴豆, 扁豆, 澳洲坚果, 玉米, 转基因玉米, 油桃, 碧根果, 桃, 巴西松子, 巴西棕榈, 卷心菜, 大豆, 转基因大豆, 小麦, 小黑麦和葡萄 Açaí, lettuce, cotton, GMO cotton, oats, banana, potato, coffee, sugarcane, Brazil nuts, rye, barley, citrus, coconut, oil palm, pea, eucalyptus, beans, cowpea, lima bean, pigeon pea, mung bean, snap bean, chickpea, lentil, apple, macadamia, corn, maize gmo, nectarine, pecan, peach, pine nut, peach palm, cabbage, soybean, GMO soybean, wheat, triticale, grape	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinate-Ammonium Técnico Lier) Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China	草铵膦 Glufosinate ammonium 200 g /L SL
AGRO-LEAD	ALKAZAR (12725)	米, 蔗, 桉树, 牧场 Rice, sugarcane, eucalyptus, pasture	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Picloram Técnico YN) Zhejiang Funong Biotech Co., Ltd. - Lantian Yongqiang, Wenzhou, China; (2,4-D Acid Técnico Agrolead) Shandong Keyuan Chem. Co., Ltd. - Yinhai Ind. Park, Laizhou, Shandong, China	氨基吡啶酸 112 + 2,4-滴 422 g/L SL Picloram 112 + 2,4-D 422 g/L SL

TECNOMYL	HAMPTON (12825)	棉布, 灌溉稻米, 土豆, 咖啡, 蔗, 柑橘, 木薯, 粟, 玉米, 大豆植株, 高粱 Cotton, irrigated rice, potato, coffee, sugarcane, citrus, cassava, millet, corn, soybean, sorghum	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Carfentrazona-Etílica Tradecorp Técnico) Jiangsu Repon Agrochemical Co., Ltd. - 18, Haibin 2 Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; Yancheng Huihuang Chem. Co., Ltd. - Zhongshuan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Prk, Jiangsu, China	唑草酮 Carfentrazone-ethyl 400 g/L EC
BAYER	BRODAL (12925)	大豆植株 Soybean	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Brodal Técnico) Briar Chemicals Ltd. - Sweet Briar Rd., Norwich, Norfolk, UK	吡氟酰草胺 Diflufenican 500 g/L SC
IHARABRAS	SEIV (13025)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Metomino Técnico) Iharabras S.A., Ind.s Químicas-Av. Liberdade, 1701-Cajuru do Sul, Sorocaba, SP, Brazil; PI Industries Ltd. - Plot 237, Panoli, Bharuch, Gujarat, India; Jiangsu Agrochem Laboratory Co., Ltd. - 1218 North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China; Huaian Glory Chem. Co., Ltd. - 2, Guoqiao Rd., Huaian Salt Chem. Ind. Park, Hongze, Huaian, Jiangsu, China; Junsei Chem. Co., Ltd. - Aza Houtubo Hitana Nakagou-Machi, Ibaraki, Japan; Jiangsu BVCO Chem. Co., Ltd. - Weier Rd., Aoyang Ind. Park, Funing, Jiangsu, China; Osaka Organic Chem. Ind. Ltd. - 1600-1, Matsumoto-Machi, Hakusan, Ishikawa, Japan; (Proline Técnico) Bayer AG - ChemPark Dormagen, Germany; Bayer CropScience LP - 8400 Hawthorn Rd., Kansas, MO, USA; Saltigo GmbH - Chempark Leverkusen, Germany; (Protioconazol Técnico Adama Brazil) Adama Makhteshim Ltd. - Neot Hovav, Eco-Ind. Park Beersheba, Israel; (Protioconazol Técnico Adama BR) Adama Brasil S.A. - Av. Júlio de Castilhos, 2085, Taquari, RS, Brazil	甲氧嘧啶 200 + 丙硫菌唑 200 g/L SC Metominostrobin 200 + prothioconazole 200 g/L SC
CROPCHEM	AVNER 500 SC (13125)	棉布, 咖啡, 豆, 大豆植株, 番茄 Cotton, coffee, beans, soybean, tomato	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Diafentiurum Técnico Nortox) Yancheng Lyve Chem. Co., Ltd. - 9 Weiyi Rd., Funing Aoyang Chem. Ind. Park, Yancheng, Jiangsu, China; (Diafentiurum Técnico Hy-green) Yancheng South Chemicals Co., Ltd. - Chen Jiagang Chemicals, of Xiangshui, Yancheng, Jiangsu, China	丙硫菌唑 Diafentiuron 500 g/L SC
BIORISK	EIRU (13225)	棉布, 转基因棉花, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 转基因玉米, 油桃, 牧场, 梨, 桃, 松树, 橡胶树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, GMO cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, GMO corn, nectarine, pasture, pear, peach, pinetree, rubber tree, soybean, GMO soybean, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico SH) Nantong Jiangshan Agrochem. Limited Liability Co. - 53 Yaogang Rd. Nantong, Jiangsu, China; (Glifosato XW Técnico) Hubei Trisun Chemicals Co., Ltd. - Group 3, Changjiang, Xiaoting, Yichang, Hubei, China	草甘膦铵盐 Glyphosate ammonium 792.5 g/kg WG
BIORISK	CHALTU (13325)	棉布, 转基因棉花, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 转基因玉米, 油桃, 牧场, 梨, 桃, 松树, 橡胶树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, GMO cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, GMO corn, nectarine, pasture, pear, peach, pinetree, rubber tree, soybean, GMO soybean, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico SH) Nantong Jiangshan Agrochem. Limited Liability Co. - 53 Yaogang Rd. Nantong, Jiangsu, China; (Glifosato XW Técnico) Hubei Trisun Chemicals Co., Ltd. - Group 3, Changjiang, Xiaoting, Yichang, Hubei, China	草甘膦铵盐 Glyphosate ammonium 792.5 g/kg WG
PERTERRA	2,4-D C 806 SL PERTERRA (13425)	米, 咖啡, 蔗, 玉米, 牧场, 大豆植株, 小麦 Rice, coffee, sugarcane, corn, pasture, soybean, wheat	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Técnico Agrisor) Cac Nantong Chem. Co., Ltd. - 4th Huanghai Rd. Yangkou Chem. Ind. Park, Rudong, Nantong, Jiangsu, China; Jiangxi Tianyu Chem. Co., Ltd. - Yanhua Rd., Xingan Salt Chem. Ind. Park, Xingan, Jiangxi, China	2,4-滴 2,4-D 806 g/L SL
CAC	2,4-D + PICLORAM CAC (13525)	水稻种植园, 蔗, 桉树, 牧场 Rice, sugarcane, eucalyptus, pasture	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Picloram Técnico Agrisor) Jiangxi Tianyu Chem. Co., Ltd. - Yanhua Rd.-Xingan Salt Chem. Ind. Park, Xingan, Jiangxi, China; (2,4-D Técnico Agrisor) CAC Nantong Chem. Co., Ltd. - 4th Huanghai Rd., Yangkou Chem. Ind. Park, Rudong, Nantong, Jiangsu, China; Jiangxi Tianyu Chem. Co., Ltd. - Yanhua Rd., Xingan Salt Chem. Ind. Park, Xingan, Jiangxi, China	氨基吡啶酸 103.6 + 2,4-滴 402 g/L SL Picloram 103.6 + 2,4-D 402 g/L SL
BIOMA	VIR PROTECTION 2 (13625)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Spodoptera frugiperda</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Bioma Ind. Comércio e Distribuição Ltda. - Estrada Rural Adão Roik, 1636, Fazenda Rio Grande, PR, Brazil; Simbiose Ind. e Comércio de Fertilizantes e Insumos Microbiológicos Ltda. - Rod. BR 158, km 206, Dist. Ind., Cruz Alta, RS, Brazil	<i>Spodoptera frugiperda</i> multiple nucleopolyhedrovirus 18 g/kg WP

HELM	KANOPUS (13725)	棉布, 蒜, 土豆, 洋葱, 柑橘, 卷心菜, 菊花, 桉树, 豆, 木瓜, 百香果, 瓜, 西瓜, 玉米, 草莓, 胡椒, 卷心菜, 玫瑰丛, 大豆植株, 番茄. Cotton, garlic, potato, onions, citrus, cabbage, chrysanthemum, eucalyptus, beans, papaya, passion fruit, melon, watermelon, corn, strawberries, peppers, cabbage, roses, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Chlorfenapyr S Técnico Helm) Shandong Weifang Shuangxing Pesticide Co., Ltd. - Weifang Binhai Develop. Zone, Yansi 403, Weifang, Shandong, China	虫螨腈 Chlorfenapyr 240 g/L SC
ISK	SINNEMA (13825)	蔗 Sugarcane	类别 3 - 中度有毒 环境等级II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Fosthiazate Técnico Isk) Sanjian India Ltd. - 2, ground floor, Matulya Centre, Senapati Bapat Marg, Mumbai, Maharashtra, India	噻唑磷 Fosthiazate 500 g/L EC
ISK	MARFIK (13925)	棉布, 玉米, 大豆 Cotton, corn, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Cyclanilprole Técnico ISK) Ishihara Sangyo Kaiasha, Co., Ltd. - 1 Ishihara-Cho, Yokkaichi-Mie, Japan; LG Life Sciences Ltd. - 19, Ijin-ro, Onsan-eup, Ulju-gun, Ulsan; (Atabron Técnico ISK) Ishihara Sangyo Kaisha, Ltd. - 3-15, Edobori 1-Chone-Nishiku, Osaka, Japan; Ishihara Sangyo Kaisha, Ltd. - 1, Ishihara-Cho, Yokkichi-Mie, Japan; UPL Ltd. - Gopipura, Via Baska Taluka, Halol, Panchmal, Gujarat, India	环氨酰胺 12.5 + 氟吡啶 50 g/L EC Cyclanilprole 12.5 + clorfluazuron 50 g/L EC
INDIGO	BIOTRINSIC N465 WP (14025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Heterodera glycines</i> , <i>Pratylenchus brachyurus</i> , <i>Meloidogyne incognita</i> , <i>Fusarium solani</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Waseen, Inc - 5711 W, Douglas Av., Milwaukee, WI, 53218, USA; Indigo Ag, Inc. - 500 Rutherford Ave., Charles, MA, USA; Biogrow Brazil Ltda. - Alameda Itahim, 555B, Joapiranga, Valinhos, SP, Brazil; Microsynergies LLC - 6661, Sidney Place, Glendale, Wisconsin, USA	<i>Pseudomonas glycinis</i> SYM34326 10 g/kg
APOENA	BV-BIO SC (14125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia Tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Apoena Biosoluções do Brasil Eireli - Solimões, 121, Galpão 3, Campanário, Diadema, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66* 50 g/L SC
AGRO-LEAD	ALCHEMY (14225)	棉布, 灌溉稻米, 燕麦, 蔗, 大麦, 桉树, 向日葵, 玉米, 大豆植株, 小麦 Cotton, irrigated rice, oats, sugarcane, barley, eucalyptus, sunflower, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Azoxistrobina Técnico Agrolead) Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha, Chem. Zone, Zhangjiang, Jiangsu, China; (Ciproconazol Técnico Agrolead) Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China	啞菌酯 200 + 环丙唑醇 80 g/L EC Azoxytobin 200 + cyproconazole 80 g/L SC
VITTIA	CB6642524 WP (14325)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Deois flavopicta</i> , <i>Euschistus heros</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Vittia S.A. - Av. Marginal Esquerda, 1000, Dist. Ind., São Joaquim da Barra, SP, Brazil; Vittia S.A. - Av. Marginal Esquerda, 2000, Dist. Ind., São Joaquim da Barra, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66* 2 + <i>Metarhizium anisopliae</i> IBCB 425* 2 g/kg WP
TRADECORP	PALISAD (14425)	甜菜, 豆瓣菜, 蒜, 菊苣, 花生, 燕麦, 土豆, 西兰花, 洋葱, 黑麦, 大麦, 青葱, 菊苣, 柑橘, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜, 豌豆, 菠菜, 甜叶菊, 豆子, 鹰嘴豆, 扁豆, 西瓜, 瓜, 大豆, 芥末, 卷心菜, 芝麻菜, 大豆高粱, 小麦, 小黑麦 Chard, watercress, garlic, endive, peanuts, oats, potato, broccoli, onion, rye, barley, shallot, chicory, citrus, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, peas, Spinach, stevia, beans, chickpeas, lentils, watermelon, melon, millet, mustard, cabbage, arugula, soybean, sorghum, wheat, triticale	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Veronese Ind. de Produtos Químicos Ltda. - Vereador Mário Pezzi, 318, Caxias do Sul, RS, Brazil	鞣酸 Tannic acid 41.72 g/L ME
DILLON	TRICHODEL (14525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Dillon Biotecnologia Ltda. Estrada Olimpico Miotto, 262, Ana Rech, Caxias do Sul, RS, Brazil	<i>Trichoderma harzianum</i> IB 19/17 6.66 g/L SC

UPL	UPL 2112 FP (14625)	木瓜, 袖子, 瓜, 大豆 Papaya, mango, melon, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Mancozeb Técnico UPL BR) Uniphos Colombia Plant Ltd. - Via 40, 85, Barranquilla, Atlántico, Colombia; (Mancozeb Técnico UPL) United Phosphorus Ltd. Unit, 5, Plot 750, Jhagadia, Bharuch, Gujarat, India; (Picoxistrobina Técnica) Corteva Agriscience Spain, S, L, Valle de Tamón Nubledo, Tamón, Carreño, Asturias, Spain; Corteva Agriscience France S.A.S. - 82 Rue de Wittesheim Cedex, BP 9, F-68701, Cernay Cedex, France; Deccan Fine Chemicals Pvt Ltd. - PB 142, Ankleshwar, Bharuch, Gujarat, India; (Tebuconazole Técnico UPL) UPL Ltd. - Plot 3-11, Vapi, Valsad, Gujarat, India; (Tebuconazole Técnico UPL BR) Jiangsu Sevencontinent Green Chem. Co., Ltd. - Chengbei Rd., 28, North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; (Tebuconazole Técnico UPL Brazil) Jiangsu Sevencontinent Green Chem. Co., Ltd. - Chengbei Rd., 28, North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; (Tebuconazole Técnico Volcano) Anhui Huaxing Chem. Ind. Co., Ltd. - Wujiang, Hexian, Maanshan, Anhui, China; Shanghai Shennong Biochemical Co., Ltd. - 89 Fanhua Rd., Shongjiang, Shanghai, China	代森锰锌 400 + 啉氧菌酯 26.66 + 戊唑醇 33.33 g/L SC Mancozeb 400 + picoxystrobin 26.66 + tebuconazole 33.33 g/L SC
SOLATUS	SLT 05 (14725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Alabama argillacea</i> , <i>Spodoptera frugiperda</i> , <i>Anticarsia gemmatalis</i> , <i>Chrysodeixis includens</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Solatus Biotecnologia e Insumos Ltda. - João Theodoro Lima, 100, Dist. Ind. Adib Ras, Jardinópolis, SP, Brazil	<i>Bacillus thuringiensis</i> kurstaki HD-1 6.3 g/L SC
RIZOBACTER	RIBRA FM 0123 (14825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Rizobacter Argentina S.A. - Av. Dr. Arturo Frondizi, 1150, Parque Ind., C, P, B2702AME, Pergamino, Argentina	<i>Trichoderma afroharzianum</i> TH2R199 537 g/L SC
TOTAL	BTP 066-20 SC-AB (14925)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Chrysodeixis includens</i> , <i>Plutella xylostella</i> , <i>Spodoptera frugiperda</i> , <i>Ecdytolopha aurantiana</i> , <i>Helicoverpa armigera</i> , <i>Tuta absoluta</i> , <i>Diatraea saccharalis</i> , <i>Pseudaletia sequax</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Total Biotecnologia Ind. e Comércio S.A. - Emílio Romani, 1190, CIC, Curitiba, PR, Brazil	<i>Bacillus thuringiensis</i> CNPSo3915 400 + <i>Bacillus thuringiensis</i> CNPSo4081 400 g/L SC
YONON	PROTHIOCONAZOLE + TRIFLOXYSTROBIN 325 SC YONON (15025)	棉布, 豆, 玉米, 大豆植株, 小麦 Cotton, beans, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Prothioconazole Técnico PT) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ., Tech. Develop. Zone, Shangyu, Zhejiang, China; (Trifloxystrobin Técnico YNG) Yongnong Biosciences Co., Ltd. - 3 Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China	丙硫菌唑 175 + 肟菌酯 150 g/L SC Prothioconazole 175 + trifloxystrobin 150 g/L SC
BIOCAZ	BIOCAZ POWER (15125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Mahanarva frimbriolata</i> , <i>Zulia entreriana</i> , <i>Deois flavopicta</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Oligos Biotecnologia Fabricação de Defensivos Agrícolas Ltda. - Pedro Martins, 370, Mini Dist. Ind. Adail Vitorazzo, São José do Rio Preto, SP, Brazil	<i>Metarhizium anisopliae</i> IBCB 425 200 g/kg WP
BIOCAZ	BIOCAZ CONTROL (15225)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Oligos Biotecnologia Fabricação de Defensivos Agrícolas Ltda. - Pedro Martins, 370, Mini Dist. Ind. Adail Vitorazzo, São José do Rio Preto, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 200 g/kg WP
AGROFRESH	ACTIMIST PYR (15325)	苹果 Apple	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Pyrimethanyl Técnico) Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi Jiangsu, China; Bayer Cropscience AG - Alte Heerstr, Dormagen, Germany	啉霉胺 Pyrimethanil 160 g/L HN

PROPHYTO	REDSHIELD 750 WG (15425)	牛油果, 菠萝, 南瓜, 西葫芦, 巴西莓, 针叶樱桃, 蒜, 李子, 黑莓, 花生, 番荔枝, 橄榄, 香蕉, 土豆, 甘薯, 茄子, 甜菜, 可可, 咖啡, 腰果, 柿子, 山药, 杨桃, 巴西坚果, 洋葱, 胡萝卜, 青葱, 佛手瓜, 柑橘, 丁香, 库布阿苏, 豆, 豆, 无花果, 覆盆子, 烟草, 姜, 番石榴, 瓜拉纳, 薯, 吉洛茄, 猕猴桃, 垃圾, 澳洲坚果, 木瓜, 木薯, 欧芹防风草, 袖子, 百果香, 榅桲, 小黄瓜, 西瓜, 瓜, 蓝莓, 草莓, 芜菁, 油桃, 枸杞, 黄瓜, 梨, 桃子, 胡椒, 胡椒, 樱桃, 观赏植物, 桃子棕榈, 秋葵, 萝卜, 石榴, 玫瑰丛, 橡胶树, 螃蟹, 大豆植株, 番茄, 葡萄 Avocado, pineapple, pumpkin, zucchini, açai, <i>Malpighia emarginata</i> , garlic, plum, blackberry, peanut, annonaceae, olive, banana, potato, sweet potato, yacon potato, eggplant, beetroot, cocoa, coffee, cashew, persimmon, yam, <i>Averrhoa carambola</i> , Brazil nuts, onion, carrot, shallot, chayote, citrus, clove, cupuaçu, beans, snap beans, figs, raspberries, tobacco, ginger, guava, guaraná, yam, jiló, kiwi, apple, macadamia, papaya, cassava, mango, passion fruit, quince, gherkin, watermelon, melon, blueberry, strawberry, turnip, nectarine, medlar, cucumber, pear, peach, pepper, pepper, <i>Eugenia uniflora</i> , ornamental plants, peach palm, okra, radish, pomegranate, rosebush, rubber tree, crab, soybean, tomato, grape	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	Nordox AS - Ostensjoveien 13, 0661 Oslo, Norway	氧化亚铜 Cuprous oxide 860 g/kg WG
AGRO-LEAD	NATEPROSP (15525)	棉布, 转基因棉花, 蔗, 玉米, 转基因玉米, 大豆植株, 转基因大豆植株, 小麦 Cotton, GMO cotton, sugarcane, corn, GMO corn, soybean, GMO soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Dicamba Técnico Agrolead) Weifang Sino-agri Union Chem. Co., Ltd. - Lingang Ind. Park, Binhai Econ. Develop. Area, Weifang, Shandong, China	麦草畏 Dicamba 480 g/L SL
CCAB	TRINEXAPAC CCAB 250 EC (15625)	蔗, 大麦, 小麦 Sugarcane, barley, wheat	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Trinexapac Técnico CCAB) Adama Huifeng Ltd. - Weier Rd., South of Ocean Econ. Develop. Zone, Dafeng, Jiangsu, China	抗倒酯 Trinexapac-ethyl 250 g/L EC
BRIILLIANCE	CLETODIM 360 EC BRIILLIANCE (15725)	菠萝, 棉布, 蒜, 花生, 灌溉稻米, 燕麦, 土豆, 甘薯, 茄子, 甜菜, 咖啡, 蔗, 油菜籽, <i>Dioscorea</i> spp., 洋葱, 胡萝卜, 黑麦, 大麦, 豌豆, 豆, 豇豆, 烟草, 姜, 芝麻, 向日葵, 鹰嘴豆, 薯, 吉洛茄, 扁豆, 亚麻籽, 垃圾, <i>Ricinus communis</i> , 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 玉米, 芜菁, 胡椒, 胡椒, 秋葵, 萝卜, 大豆植株, 番茄, 小麦, 小黑麦, 葡萄 Pineapple, cotton, garlic, peanuts, irrigated rice, oats, potato, sweet potato, yacon potato, eggplant, beets, coffee, sugarcane, canola, yams, onions, carrots, rye, barley, peas, beans, cowpeas, tobacco, ginger, sesame, sunflower, chickpeas, yams, jilo, lentils, linseeds, apple, castor beans, cassava, parsley cassava, watermelon, corn, turnips, peppers, peppers, okra, radishes, soybean, tomato, wheat, triticale, grapes	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Clethodim Técnico Brilliance II) Liaoning Cynda Chem. Co., Ltd. - 417, Hanjiang Rd., Comprehensive Ind. Park, Econ. Develop. Zone, Huludao, Liaoning, China	烯草酮 Clethodim 360 g/L EC
BIORISK	RUBY (15825)	棉布, 土豆, 茄子, 咖啡, 菊花, 豆, 黄瓜, 观赏植物, 玫瑰丛, 大豆植株, 番茄 Cotton, potato, eggplant, coffee, chrysanthemum, beans, cucumber, ornamental plants, roses, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Diafentiurom Técnico GSP) GSP Crop Science Ltd. - Plot 1, GIDC Estate, Nandesari, Baroda, Gujarat, India	丁酰脲 Diafenthiuron 500 g/L SC
BIORISK	CHETTAK GOLD (15925)	棉布, 花生, 土豆, 柑橘, 豆, 玉米, 大豆植株, 番茄 Cotton, peanuts, potato, citrus, beans, corn, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico GSP) GSP Crop Science Ltd. - Plot 100-103, GVMM Ind. Estate, Odhav, Ahmedabad, Gujarat, India	乙酰甲胺磷 Acephate 970 g/kg SG

CHDS	FORS III (16025)	牛油果, 菠萝, 甜菜, 西洋菜, 萝卜, 菊苣, 棉布, 蒜, 花生, 灌溉稻米, 燕麦, 土豆, 茄子, 西兰花, 咖啡, 洋葱, 青葱, 黑麦, 大麦, 菊苣, 柑橘, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜, 菠菜, 甜叶菊, 榕树, 豌豆, 豆, 豇豆, 蚕豆, 木豆, 绿豆, 菜豆, 鹰嘴豆, 吉洛茄, 扁豆, 木瓜, 袖子, 西瓜, 瓜, 粟, 玉米, 芥末, 牧场, 胡椒, 胡椒, 秋葵, 卷心菜, 芝麻菜, 大豆植株, 高粱, 番茄, 小麦, 小黑麦, Avocado, pineapple, chard, watercress, lettuce, endive, cotton, garlic, peanuts, irrigated rice, oats, potato, eggplant, broccoli, coffee, onion, shallot, rye, barley, chicory, citrus, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, Spinach, stevia, eucalyptus, peas, beans, cowpea, lima beans, pigeon peas, mung beans, snap beans, chickpeas, jilo, lentils, papaya, mango, watermelon, melon, millet, corn, mustard, pasture, pepper, paprika, okra, cabbage, arugula, soybean, sorghum, tomato, wheat, triticale	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acetamiprido Técnico Macroseeds) Ningbo Sunjoy Agrosience Co., Ltd. - Benhai Rd., Chem. Ind. Zone, of Ningbo-Ningbo, Zhejiang, China; (Bifenthrin Técnico Bharat) Bharat Rasayan Ltd. - 2 km Madina-Mokhra Rd., Mokhra, Rohtak, Haryana, India	啉虫脒 250 + 联苯菊酯 250 g/kg WG Acetamiprid 250 + bifenthrin 250 g/kg WG
SUMITOMO	SELENE (16125)	咖啡, 柑橘类水果 Coffee, citrus	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Abamectina Técnico Sumitomo) Inner Mongolia New Veyong Bio-Chem. Co., Ltd. - Dalate, Wangaizhao, Inner Mongolia, China; (Spirodiclofeno Técnico Sumitomo) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China	阿维菌素 70 + 螺螨酯 400 g/L SC Abamectin 70 + spiroticlofen 400 g/L SC
SUPERBAC	SBAC4 (16225)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Pratylenchus brachyurus</i> , <i>Heterodera glycines</i> , <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Superbac Biotecnology Solutions S.A. - Rod. PR 444 km 32, Gleba Ribeirão Vitória, Mandaguari, PR, Brazil	<i>Bacillus amyloliquefaciens</i> BAC105 25 + <i>Bacillus subtilis</i> BAC116 25 g/kg WP
SUPERBAC	SBAC8 (16325)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne incognita</i> , <i>Pratylenchus brachyurus</i> , <i>Pratylenchus zeae</i> , <i>Heterodera glycines</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Superbac Biotecnology Solutions S.A. - Rod. PR 444, km 32, Gleba Ribeirão Vitória, Mandaguari, PR, Brazil	<i>Bacillus amyloliquefaciens</i> BAC105 25 + <i>Bacillus subtilis</i> BAC097 25 g/kg WP
SUPERBAC	SBAC10 (16425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne incognita</i> , <i>Pratylenchus brachyurus</i> , <i>Pratylenchus zeae</i> , <i>Heterodera glycines</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Superbac Biotecnology Solutions S.A. - Rod. PR 444, km 32, Gleba Ribeirão Vitória, Mandaguari, PR, Brazil	<i>Bacillus amyloliquefaciens</i> BAC105 6.25 + <i>Bacillus licheniformis</i> BAC112 6.25 + <i>Bacillus subtilis</i> BAC004 6.25 + <i>Bacillus velezensis</i> BAC079 6.25 g/L SC
FMC	VANTACOR (16525)	棉布, 花生, 蔗, 豌豆, 豆, 豆子, 鹰嘴豆, 扁豆, 粟, 玉米, 大豆植株, 高粱 Cotton, peanuts, sugarcane, peas, beans, chickpeas, lentils, millet, corn, soybean, sorghum	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Chlorantraniliprole Técnico) Corteva Agriscience Spain S, L, Valle de Tamon Nubledo, Tamon, Carreño, Asturias, Spain; FMC Shanghai Agricultural Sciences Co., Ltd. - 39, Shungong Rd., Shanghai Chem. Ind. Park, Shanghai, China	氯虫苯甲酰胺 Chlorantraniliprole 600 g/L SC
RAINBOW	ADICONSTAR (16625)	牛油果, 南瓜, 西葫芦, 莴苣, 棉布, 蒜, 李子, 花生, antúrio, 灌溉稻米, 燕麦, 土豆, begônia, 茄子, 甜菜, 咖啡, 腰果, <i>Diospyros kaki</i> , 洋葱, 胡萝卜, 大麦, 柑橘, 菊花, 桉树, 豌豆, 豆, 如图, gébera, 向日葵, 番石榴, kalanchoé, lisianthus, 木瓜, 袖子, 百香果, 瓜, 西瓜, 玉米, 草莓, 油桃, 黄瓜, 桃, 胡椒, 玫瑰丛, 大豆植株, 番茄, 小麦, 葡萄 Avocado, pumpkin, zucchini, lettuce, cotton, garlic, plum, peanuts, anthurium, irrigated rice, oats, potato, begonia, eggplant, beetroot, coffee, cashew, persimmon, onion, carrot, barley, citrus, chrysanthemum, eucalyptus, pea, beans, fig, gerbera, sunflower, guava, kalanchoé, lisianthus, papaya, mango, passion fruit, melon, watermelon, corn, strawberry, nectarine, cucumber, peach, pepper, rosebush, soybean, tomato, wheat, grape	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Azoxistrobina Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Difenoconazol Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	啉菌酯 200 + 苯醚甲环唑 12 g/L SC Azoxystrobin 200 + difenoconazole 12 g/L SC
MASSEN	P& (16725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Tuta absoluta</i> , <i>Plutella xylostella</i> , <i>Ecdytoplopha aurantiana</i> , <i>Spodoptera eridania</i> , <i>Spodoptera frugiperda</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Agrivale Brasil Ind. e Comércio de Produtos Agrícolas S.A. - Av. Horst Frederico João Heer, 1420, Indaiatuba, SP, Brazil	<i>Bacillus thuringiensis</i> , CPQBA 040-11 DRM 11 981 g/L SC

BIORISK	NOVA 100 EC (16825)	Abobrinha, 棉布, 土豆, 咖啡, 蔗, 柑橘, 豆, 垃圾, 瓜, 玉米, 桃, 黄瓜, 卷心菜, 大豆植株, 番茄, 小麦 Zucchini, cotton, potato, coffee, sugarcane, citrus, beans, apple, melon, corn, peaches, cucumbers, cabbage, soybean, tomato, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Novaluron Técnico Nova) Jiangsu Flag Chem. Ind. Co., Ltd. - 309 Changfenghe Rd., Nanjing Chem. Ind. Park, Nanjing, Jiangsu, China	氟酰胺 Novaluron 100g/L EC
RAINBOW	KINGPRIDO XTRA (16925)	菠萝, 南瓜, 西葫芦, 莴苣, 棉布, 蒜, 菊苣, 土豆, 茄子, 西兰花, 咖啡, 蔗, 洋葱, chicória, 柑橘, 卷心菜, 菜花, 菊花, cupim-de-monte, 桉树, euphorbia, 豆, 烟草, gérbere, 吉洛茄, 西瓜, 瓜, 黄瓜, 胡椒, 松树, 卷心菜, 番茄, 葡萄 Pineapple, pumpkin, zucchini, lettuce, cotton, garlic, endive, potato, eggplant, broccoli, coffee, sugarcane, onion, chicory, citrus, cabbage, cauliflower, chrysanthemum, termite, eucalyptus, euphorbia, beans, tobacco, gerbera, jilo, watermelon, melon, cucumber, pepper, pinetree, cabbage, tomato, grapes	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Imidacloprido Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	吡虫啉 Imidacloprid 700 g/kg WG
NORTOX	DIMETOMORFE NORTOX (17025)	南瓜, 西葫芦, 蒜, 土豆, 洋葱, 佛手瓜, 黄瓜, 番茄, 葡萄 Pumpkin, zucchini, garlic, potato, onion, chayote, cucumber, tomato, grape	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Dimetomorfe Técnico Nortox II) Shandong Cynda Chem. Co., Ltd. - Econ. Develop. Area, Boxing Binzhou, Shandong China	烯酰吗啉 Dimethomorph 500 g/L SC
AGROALLIANZ	PREDECESSOR (17125)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Imazetapir Sapec Técnico) Jiangsu Flag Chem. Ind. Co., Ltd. - 309 Changfenghe Rd., Nanjing Chem. Ind. Park, Nanjing, China; (Imazethapyr Técnico Solus) Shandong Cynda Chem. Co., Ltd. - Econ. Develop. Area, Boxing, Shandong, China; (Flumioxazin Técnico FB) Yifan Biotechnology Group Co., Ltd. - 555 Changan Rd., Yaoxi Sub, Longwan, Wenzhou, Zhejiang, China; (Diclosulam Técnico FB) Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China	双氯磺草胺 65 + 氟噻草酮 145 + 咪唑乙烟酸 200 g/L SC Diclosulam 65 + flumioxazine 145 + imazethapyr 200 g/L SC
NORTOX	PROTIOCONAZOL NORTOX 480 SC (17225)	花生, 棉布, 豌豆, 豆, 豆子, 鹰嘴豆, 扁豆, 玉米, 粟, 大豆植株, 高粱 Peanuts, cotton, peas, beans, chickpeas, lentils, corn, millet, soybean, sorghum	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Prothioconazole Técnico Nortox) Yancheng HuiHuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park Binhai, Jiangsu, China; (Prothioconazole Técnico Nortox II) Ningxia Yifan Biotechnology Co., Ltd. - 6, Guangfu Rd., New Chem. Material Park, Ningdong Energy Chem. Ind. Base Ningxia, China; (Prothioconazole Técnico Nortox III) Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; (Prothioconazole Técnico Nortox V) Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Ecological Chem. Ind. Park, Xiangshui, Yancheng, Jiangsu, China	丙硫菌唑 Prothioconazole 480 g/L SC
SUMITOMO	SCLA 330401 (17325)	牧场 Pasture	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Fluroxipir-Meptilico Técnico Sumitomo) Hebei Wanquan Lihua Chemicals Co., Ltd. - Kongjiazhuang, Wanquan, Hebei, China; (Picloram Técnico Sumitomo) Nufarm Australia Ltd. - 103 Pipe Rd., Laverton North Victoria, Australia; (Triclopir-Butotilico Técnico Sumitomo) Hebei Wanquan Lihua Chemicals Co., Ltd. - Kongjiazhuang, Wanquan, Hebei, China	氟氧吡啶氧乙酸异辛酯 160 + 氟氧吡啶酸 405 + 三氯吡啶氧乙酸丁氧基乙酯 240 g/L EC Fluroxypyr-meptyl 160 + picloram 405 + triclopyr-butotyl 240 g/L EC
CROPChem	TRIGGER MAX (17425)	棉布, 花生, 蒜, 土豆, 洋葱, 卷心菜, 豌豆, 鹰嘴豆, 扁豆, 桉树, 豆, 豆子, 烟草, 木瓜, 百香果, 瓜, 西瓜, 玉米, 粟, 高粱, 草莓, 卷心菜, 观赏植物, 胡椒, 大豆植株, 番茄 Cotton, peanuts, garlic, potato, onions, cabbage, peas, chickpeas, lentils, eucalyptus, beans, tobacco, papaya, passion fruit, melon, watermelon, corn, millet, sorghum, strawberries, cabbage, ornamental plants, peppers, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Clorfenapir Técnico Cropchem) Shandong Weifang Shuangxing Pesticide Co., Ltd. - Weifang Binhai Develop. Zone, Yansi 403, Weifang, Shandong, China;	虫螨腈 Chlorfenapyr 720 g/L SC
NORTOX	PROFENOFÓS NORTOX (17525)	棉布 Cotton	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Profenofós Técnico Nortox) Sumitomo Chem., India Ltd. - 62 Ruvapari Rd. Bhavnagar, Gujarat, India; Weihai Hanfu Biochemical Medicine Co., Ltd. - Fengtaiding, Rushan Zhai, Rushan, Shandong, China	丙溴磷 Profenofos 500 g/L EC
VSF	EXTERNUS (17625)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Myzus persicae</i> , <i>Schizaphis graminum</i> , <i>Macrosiphum euphorbiae</i> , <i>Macrosiphum rosae</i> , <i>Rhodobium porosum</i> , <i>Aphis gossypii</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	VSF Agricultura Sustentável e Comércio Ltda. - Fazenda Lote, Núcleo II, sala 1, Projeto Senador Nilo Coelho, Zona Rural, Petrolina, PE, Brazil	<i>Chrysoperla externa</i> 200 活体昆虫 live insects

YONON	NOCAUTE 100 EC (17725)	棉布, 茄子, 咖啡, 柑橘, 豆, 非洲菊, 垃圾, 西瓜, 瓜, 黄瓜, 卷心菜, 玫瑰丛, 大豆植株, 番茄, 葡萄 Cotton, eggplant, coffee, citrus, beans, gerbera, apple, watermelon, melon, cucumber, cabbage, rosebush, soybean, tomato, grapes	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Piriproxyfen Técnico CHDS) Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	吡丙醚 Pyriproxyfen 100 g/L EC
GÊNICA	GNC004C (17825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Fusarium oxysporum</i> , <i>Pratylenchus brachyurus</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Gênica Inovação Biotecnológica S.A. - Degaspari, 1514, Água Santa, Piracicaba, SP, Brazil	<i>Bacillus amyloliquefaciens</i> BA30 10 + <i>Bacillus licheniformis</i> GNC004A 20 + <i>Bacillus subtilis</i> BS34 30 + <i>Bacillus velezensis</i> GNC004C 50 + <i>Bacillus pumilus</i> BPU 10 g/L SC
TZ	ISARYD FR 25 (17925)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Dalbulus maidis</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	TZ Biotec Ltda. - Av. Dra Nadir Aguiar, 1805, Centro de Negócios, sala 4, Jardim Dr. Paulo Gomes Romeo, Ribeirão Preto, SP, Brazil	<i>Cordyceps javanica</i> CCT 5818 1 毫升/瓶 ml/flask
NITRO QUÍMICA	NT 5-24 (18025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Dalbulus maidis</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Companhia Nitro Química Brasileira - Av. Marginal João Olézio Marques, 3563, Chácaras Recreio Planalto-Sertãozinho, SP, Brazil	<i>Bacillus amyloliquefaciens</i> CCT 8104 190 + <i>Bacillus subtilis</i> CCT 8100 190 + <i>Bacillus subtilis</i> ATCC 6051 190 + <i>Bacillus licheniformis</i> ATCC 14580 190 + <i>Bacillus megaterium</i> CCT 8101 190 g/L SC
BINOVA	AGNEXMMON PRO (18125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Agrivalle Brasil Ind. e Comércio de Produtos Agrícolas S.A. - Av. Horst Frederico João Heer, 1420, Europark Comercial, Indaiatuba, SP, Brazil; Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil; Companhia Nitro Química Brasileira - Av. Marginal João Olézio Marques, 3563, Chácaras Recreio Planalto, Sertãozinho, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 100 g/L SC
BIOTA	BEAU (18225)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Biota Innovations Ind. e Comércio de Bioprodutos Ltda. - Pedro Barbassa, 517, Recreio dos Bandeirantes, Uberaba, MG, Brazil	<i>Beauveria bassiana</i> IBCB 66 50 g/kg WP
SM	PYRIGRAN (18325)	棉布, 花生, 燕麦, 土豆, 咖啡, 黑麦, 大麦, 柑橘, 豌豆, 豆, 豇豆, 鹰嘴豆, 扁豆, 垃圾, 粟, 玉米, 牧场, 大豆植株, 高粱, 番茄, 小麦, 小黑麦 Cotton, peanuts, oats, potato, coffee, rye, barley, citrus, peas, beans, cowpeas, chickpeas, lentils, apple, millet, corn, pasture, soybean, sorghum, vining tomato, wheat, triticale	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Clorpirifós Técnico Sulphur Mills) Gharda Chem. Ltd. - 2729 MIDC, Thane, Dombivli, Maharashtra, India	毒死蜱 Chlorpyrifos 750 g/kg WG
SERQUIBIO	BIOPROCTEGEH (18425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Corynespora cassiicola</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Serquibio Biotecnologia Agrícola Ltda. - Professor José de Assis Sáes, 359, Dist. Ind., Santa Bárbara D'Oeste, SP, Brazil	<i>Bacillus subtilis</i> CCT8004 100 + <i>Bacillus pumilus</i> CCT8005 100 + <i>Bacillus velezensis</i> CCT8003 100 + <i>Trichoderma harzianum</i> CCT8009 100 g/L EC
SERQUIBIO	BIOSOLLUS (18525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne javanica</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Serquibio Biotecnologia Agrícola Ltda. - Prof. José de Assis Sáes, 359, Dist. Ind., Santa Bárbara D'Oeste, SP, Brazil	<i>Bacillus subtilis</i> CCT8004 100 + <i>Bacillus pumilus</i> CCT8005 100 + <i>Bacillus velezensis</i> CCT8003 100 + <i>Trichoderma harzianum</i> CCT8009 100 g/L EC
CROPChem	SALANDER 250 EC (18625)	棉布, 豆, 大豆 Cotton, beans, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Protiocanazol Técnico Cropchem) Ningxia Yifan Biotechnology Co., Ltd. - 6, Guangfu Rd., New Chem. Material Park, Ningdong Energy Chem. Ind. Base, Ningxia, China; (Protiocanazol Técnico Cropchem II) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China; Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China	丙硫菌唑 Prothioconazole 250 g/L EC

AGRIVALLE	TURIN (18725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Plutella xylostella</i> , <i>Spodoptera frugiperda</i> , <i>Spodoptera</i> <i>eridania</i> , <i>Ecdytolopa aurantiana</i> , <i>Tuta</i> <i>absoluta</i>	类别 5 - 产品不可能引 起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Agrivalle Brasil Ind. e Comércio de Produtos Agrícolas S.A. - Av. Horst Frederico João Heer, 1420, Indaiatuba, SP, Brazil	<i>Bacillus thuringiensis</i> CPQBA 040-11 drm 11 981 g/L SC
TECNOMY	PROSOY DUO (18825)	棉布,豆,玉米,大豆 Cotton, beans, corn, soybean	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Protiocanazol Técnico Tecnomyl) Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Ecological Chem. Ind. Park, Xiangshui, Yancheng, Jiangsu, China; Hebei Veyong Bio-Chem. Co. - 6 Middle Huangong Rd., Circulation Chem. Ind. Park, Shijiazhuang, Hebei, China; (Picoxistrobina Técnico Tecnomyl) Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	啶菌酯 150 + 丙 硫菌唑 175 g/L SC Picoxystrobin 150 + prothioconazole 175 g/L SC
IHARABRAS	MIGIWA (18925)	马萨 Apple	类别 5 - 产品不可能引 起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Kinprolol Técnico) Nippon Soda Co., Ltd. - 300 Mukaino-Honmachi, Takaoka, Toyama, Japan	伊普氟诺喹 Ipflufenquin 200 g/L SC
SUMITOMO	OPTERASPECTRA (19025)	棉布,豆,大豆 Cotton, beans, soybean	类别 4 - 轻微毒性 环境危害等级 I - 极 度危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Clorantraniliprole Técnico Sumitomo) Guangan Lier Chem. Co., Ltd. - Xinqiao Ind. Park, Econ. Technical Develop. Zone, Guangan, Sichuan, China; (Diafenthiuron Técnico Sumitomo) Yancheng South Chem. Co., Ltd. - Chenjiang Chem. Ind., Xiangshui, Yangcheng, Jiangsu, China	氯虫苯甲酰胺 25 + 丁醚脲 500 g/L SC Chlorantraniliprole 25 + diafenthiuron 500 g/L SC
TECNOMYL	PROSOY TRIO (19125)	玉米,大豆 Corn, soybean	类别 5 - 产品不可能引 起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Mancozeb Técnico Indofil) Indofil Industries Ltd. - Azad Nagar, Sandoz Baug, Ghodbunder Rd., Near Chitalsar, Manpaba, Thane, India; Indofil Industries Ltd. - Plot Z7-1Z8, Sez Dahej Ltd., Sez Dahej, Taluka, Vagra, Bharuch, Gujarat, India; (Mancozeb Técnico Sabero) Sabero Organics Gujarat Limite - Plot 2102, Bulsar, Sarigan, India; (Protiocanazol Técnico Tecnomyl) Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; Hebei Veyong Bio-Chem. Co., Ltd. - 6 Middle Huangong Rd., Circulation Chem. Ind. Park, Shijiazhuang, Hebei, China; (Picoxistrobina Técnico Tecnomyl) Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	代森锰锌 400 + 丙硫 菌唑 28 + 啶菌酯 24 g/L SC Mancozeb 400 + prothioconazole 28 + picoxystrobin 24 g/L SC
SUPERBAC	SBAC3 (19225)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Spodoptera frugiperda</i> , <i>Spodoptera eridania</i> , <i>Helicoverpa</i> <i>armigera</i> , <i>Anticarsia gemmatalis</i> , <i>Chrysodeixis includens</i> , <i>Tuta absoluta</i>	类别 5 - 产品不可能引 起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Superbac Biotechnology Solutions S.A. - Rod. PR 444 km 32, Gleba Ribeirão Vitoria, Mandaguari, PR, Brazil	<i>Bacillus thuringiensis</i> BAC092 50 g/kg
BIOMA	TRICH PROTECTION WP (19325)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Fusarium solani</i> , <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引 起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Bioma Ind. Comércio e Distribuição Ltda. - Estrada Rural Adão Roik, 1636, Fazenda Rio Grande, PR, Brazil; Simbiose Ind. e Comércio de Fertilizantes e Insumos Microbiológicos Ltda. - Rod. BR 158, km 206, Dist. Ind., Cruz Alta, RS, Brazil	<i>Trichoderma</i> <i>harzianum</i> + CBMAI 2357 300 g/kg WP
ALAMOS	FLUMIOXAZIN 480 SC ALAMOS (19425)	棉布,土豆,咖啡,蔗,洋葱,柑橘,桉树, 豆,向日葵,垃圾,木薯,玉米,松树,大豆 植株,高粱,小麦 Cotton, potato, coffee, sugarcane, onion, citrus, eucalyptus, beans, sunflower, apple, cassava, corn, pinetree, soybean, sorghum, wheat	类别 5 - 产品不可能引 起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Flumioxazin Técnico Alamos) Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China	氟噻草酮 Flumioxazin 480 g/L SC
BIOMA	LOOPER PROTECTION 2 (19525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Chrysodeixis includens</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Simbiose Ind. e Comércio de Fertilizantes e Insumos Microbiológicos Ltda. - BR 158 km 206, Dist. Ind., Cruz Alta, RS, Brazil; Bioma Ind. Comércio e Distribuição Ltda. - Estrada Rural Adão Roik, 1636, Fazenda Rio Grande, PR, Brazil	<i>Chrysodeixis</i> <i>includens</i> multiple nucleopolyhedrovirus 40 g/kg WP

第26号法案 2025年6月24日 - 发布于2025年6月30日 - 技术产品及预混料的农药登记审批
Act No. 26 from 6/24/25 - Published on 6/30/25 - Technical product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	笔记 Note	原药生产商 Manufacturer	产品 Product
IHARABRAS	FLUROXIPIR TÉCNICO IHARA I (TC10625)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China	氟氧吡氧乙酸异辛酯 Fluroxypyr-meptyl
IHARABRAS	FLUROXIPIR TÉCNICO IHARA II (TC10725)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Sumitomo Chem., India Ltd. - 62 Ruvapari Rd., Bhavnagar, Gujarat, India	氟氧吡氧乙酸异辛酯 Fluroxypyr-meptyl
NORTOX	DICLOSULAM TECNICO NORTOX (TC10825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China	双氯磺草胺 Diclosulam
INDOFIL	MESOTRIONE TÉCNICO INDOFIL (TC10925)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Crimsun Organics Pvt. Ltd. - SIPCOT Ind. Complex, Kudikadu, Cuddalore, Tamil Nadu, India	硝磺草酮 Mesotrione
CCAB	FENPROPIMORFE TÉCNICO CCAB (TC11025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park, Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	丁苯吗啉 Fenpropimorph
ALLIERBRASIL	AGROTHIAZOX TÉCNICO (TC11125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hangzhou Dakang New Materials Co., Ltd. - 53, 3 Rd., Econ. Tech. Develop. Zone, Hangzhou, Zhejiang, China	噻嗪酮 Hexythiazox
OURO FINO	PICOXISTROBINA TÉCNICO OF I (TC11225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Coromandel International Ltd. - Plot 3204, Ind. Estate, Gujarat Ankleshwar, Bharuch, India	啶菌酯 Picoxystrobin
PROREGISTROS	FORWARD PYRACLOSTROBIN TÉCNICO (TC11325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Miraculous Crop Science Co., Ltd. - Bayin Aobao Ind. Park, Alxa Econ. Develop. Zone, Alxa League, Inner Mongolia, China	吡唑醚菌酯 Pyraclostrobin
ALLIERBRASIL	FORWARD GLUFOSINATE TÉCNICO (TC11425)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Inner Mongolia Miraculous Crop Science Co., Ltd. - Bayin Aobao Ind. Park, Alxa Econ. Develop. Zone, Alxa League, Inner Mongolia, China	草铵膦 Glufosinate ammonium
BIORISK	DIAFENTHIURON TÉCNICO HAILIR (TC11525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Qingdao Hengning Biotechnology Co., Ltd. - 12, Haipu North Rd., Xinhe Ecological Chem. Tech. Ind. Base Pingdu, Qingdao, Shandong, China	丁醚脲 Diafenthiuron
ZHONGHSAN	S-METOLACHLOR TÉCNICO ZS (TC11625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Xiangshui Zhongshan Bioscience Co., Ltd. - Dahle Rd., Xiangshui Ecological Chem. Ind. Park, Xiangshui Yancheng, Jiangsu, China	精异丙甲草胺 S-metolachlor
NUTRIEN	S-METOLAOLORO TÉCNICO LOVELAND (TC11725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Xiangshui Zhongshan Bioscience Co., Ltd. - Dahle Rd., Xiangshui Ecological Chem. Ind. Park, Xiangshui Yancheng, Jiangsu, China	精异丙甲草胺 S-metolachlor
PROREGISTROS	FORWARD GLYPHOSATE TÉCNICO (TC11825)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Guang'an Chengxin Chem. Co., Ltd. - Main of Xin Gao Energy, Chem. Ind., Guang an Econ. Develop. Zone, Guangan, Sichuan, 638019, China	草甘膦 Glyphosate
STOCKTON- AGRIMOR	FLUDIOXONIL TÉCNICO STOCKTON (TC11925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	咯菌腈 Fludioxonil
SYNCROM	FLUDIOXONIL TÉCNICO UDRAGON (TC12025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	咯菌腈 Fludioxonil
PROREGISTROS	DICAMBA TÉCNICO WYNCA (TC12125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	麦草畏 Dicamba
OXON	CLOROTALONIL TÉCNICO OXON II (TC12225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangyin Suli Chem. Co., Ltd. - 7, Runhua Rd., Ligang, Jiangyin, Jiangsu, China	百菌清 Chlorothalonil
TECNOMYL	DIAFENTHIURON TÉCNICO TECNOMYL III (TC12325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Qingdao Hengning Biotechnology Co., Ltd. - 12, Haipu North Rd., Xinhe Ecological Chem. Tech. Ind. Base Pingdu, Qingdao, Shandong, China	丁醚脲 Diafenthiuron

TECNOMYL	ISOXAFLUTOLE TÉCNICO TECNOMYL LI (TC12425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Wuxi Jiabao Pesticide; Pharmaceutical Co., Ltd. - Ind. Zone, Songshan Anzhen Xishan Wuxi Jiangsu, China	异噁唑草酮 Isoxaflutole
GLOBACHEM	FLUAZINAM TÉCNICO STOCKTON (TC12525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue Taian, Shandong, China	氟啶胺 Fluazinam
RAINBOW	PACLOBUTRAZOL TÉCNICO RAINBOW (TC12625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	多效唑 Paclobutrazol
PROREGISTROS	FORWARD AZOXYSTROBIN TÉCNICO II (TC12725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Miraculous Crop Science Co., Ltd. - Bayin Aobao Ind. Park, Alxa Econ. Develop. Zone, Alxa League, Inner Mongolia, China	啞菌酯 Azoxystrobin
HEMANI	V BIFENTRINA TÉCNICO (TC12825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hemani Industries Ltd. - GIDC, Ind. Estate, Dahej, Vagra Bharuch, Gujarat, India	联苯菊酯 Bifenthrin
PROREGISTROS	PICOXYSTROBIN TÉCNICO GREENCHEM (TC12925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Fopia Chemicals Co., Ltd. - 1, Zhongshan Rd., Coastal Ind. Park, Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	啞菌酯 Picoxystrobin
PROREGISTROS	CHLOROTHALONIL TÉCNICO SULONIL (TC13025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Suli Chemicals Co., Ltd. - Dunhou Rd., Internacional Chem. Park Ningdong Energy, Chem. Base, Ningdong, Ningxia, China	百菌清 Chlorothalonil
PROREGISTROS	PYRACLOSTROBIN TÉCNICO WYNCA (TC13125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	吡啶醚菌酯 Pyraclostrobin
RAINBOW	LUFENUROM TÉCNICO RAINBOW (TC13225)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	虱螨脲 Lufenuron
COROMANDEL	PIMETROZINA TÉCNICO COROMANDEL (TC13325)	等效毒理学概况 环境等级IV - 低危险性 Tox. clas. - Equivalent Env. clas. IV - Slightly dangerous	Coromandel International Ltd. - Plot 3204, Ind. Estate, Ankleshwar, Bharuch, Gujarat, India	吡蚜酮 Pymetrozine
RAINBOW	METRIBUZIM TÉCNICO RAINBOW (TC13425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Weifang Rainbow Chem. Co., Ltd. Binhai Econ. Develop. Area, Weifang, Shandong, China	噻草酮 Metribuzin
ZHONGHSAN	DIQUAT TÉCNICO ZS (TC13525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ., Tech. Develop. Zone, Shangyu, Zhejiang, China	敌草快 Diquat dibromide
BIORISK.	OXYFLUORFEN TÉCNICO XINLONG (TC13625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Capital Ind. Construction Tech. Co., Ltd. - South of Xinyongshen Rd., Binbei, Bincheng, Binzhou, Shandong, Binzhou, Shandong, China	乙氧氟草醚 Oxyfluorfen
SYNGENTA	TYMIRIUM TÉCNICO (TC13725)	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	Syngenta Crop Protecti Monthey S.A. - Rue de l'le-au-Bois, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Münchwilen, Switzerland; Syngenta Ltd. - Grangemouth Manufacturing Centre, Earls Rd. FK3 8XG, Grangemouth, UK	环丁氟仑 Cyclobutrifluram
ZHONGHSAN	2,4-D TÉCNICO ZS II (TC13825)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Anhui Zhongshan Chem. Industry Co., Ltd. - Xiangyu Chem. Industry Park, Dongzhi Anhui, China	2,4-滴 2,4-D
BASF	ISOXAFLUTOLE TÉCNICO BASF (TC13925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	CABB Oy. - Kemirane 1, 67900, Kokkola, Finland	异噁唑草酮 Isoxaflutole
BIORISK	PARIJAT MESOTRIONA TÉCNICO (TC14025)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Crimsun Organics Pvt. Ltd. - SIPCOT Ind. Complex, Kudikadu, Cuddalore, Tamil Nadu, India	磺草酮 Mesotrione
BIORISK	DIFENOCONAZOLE TÉCNICO HAILIR (TC14125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Qingdao Hengning Biotechnology Co., Ltd. - 12, Haipu North Rd., Xinhe Ecological Chem. Tech. Ind. Base Pingdu, Qingdao, Shandong, China	苯醚甲环唑 Difenoconazole

OXIQUÍMICA	DIFENOCONAZOL TÉCNICO OXIQUÍMICA (TC14225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Qingdao Hengning Biotechnology Co., Ltd. - 12, Haipu North Rd., Xinhe Ecological Chem. Tech. Ind. Base Pingdu, Qingdao, Shandong, China	苯醚甲环唑 Difenoconazole
IHARABRAS	DIFENOCONAZOL TÉCNICO IHARA II (TC14325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Qingdao Hengning Biotechnology Co., Ltd. - 12, Haipu North Rd., Xinhe Ecological Chem. Tech. Ind. Base Pingdu, Qingdao, Shandong, China	苯醚甲环唑 Difenoconazole
AGROBEATS	ISOXAFLUTOLE TÉCNICO ABT (TC14425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Wuxi Jiabao Pesticide; Pharmaceutical Co., Ltd. - Ind. Zone, Songshan, Anzhen, Xishan Wuxi, Jiangsu, China	异噁唑草酮 Isoxaflutole
CROPHEM	ISOXAFLUTOLE TÉCNICO CROPHEM IV (TC14525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Wuxi Jiabao Pesticide; Pharmaceutical Co., Ltd. - Ind. Zone, Songshan, Anzhen, Xishan Wuxi, Jiangsu, China	异噁唑草酮 Isoxaflutole
AGRO-LEAD	FLUAZINAM TÉCNICO AGROLEAD (TC14625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue Taian, Shandong, China	氟吡啶胺 Fluazinam
SOLAGRO	FLUAZINAM TÉCNICO SAU (TC14725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin Vilage, Fan, Daiyue Taian, Shandong, China	氟吡啶胺 Fluazinam
NORTOX	S-METOLACLORO TÉCNICO NORTOX III (TC14825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Xiangshui Zhongshan Bioscience Co., Ltd. - Dahle Rd., Xiangshui Ecological Chem. Ind. Park, Xiangshui Yancheng, Jiangsu, China	精异丙甲草胺 S-metolachlor
CROPHEM	METRIBUZIM TÉCNICO CROPHEM III (TC14925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Henglong Crop Protection Co., Ltd. - Lianyungang Chem. Industry Park, Duigougang, Guannan, Lianyungang, Jiangsu, China	噁草酮 Metribuzin
BIORISK	HALOXYFOP-P-METHYL TÉCNICO BINNONG (TC15025)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	高效氟吡甲禾灵 Haloxypop-P-methyl
BIORISK	TEBUCONAZOLE TÉCNICO GSP (TC15125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	GSP Crop Science Pvt. Ltd. - Nandesari, Baroda, Gujarat, India	戊唑醇 Tebuconazole
CROPHEM	S-METOLACLORO TÉCNICO CROPHEM III (TC15225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal, Econ. Zone, Rudong, Nantong, Jiangsu, China	精异丙甲草胺 S-metolachlor
TAGROS	MIMICOR TÉCNICO (TC15325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Tagros Chemicals India Pvt. Ltd. - A-41; 2, SIPCOT Ind. Complex, Pachayankuppam, Cuddalore, Tamil Nadu, India	吡丙醚 Piriproxifem
COROMANDEL	PICOXISTROBINA TÉCNICO COROMANDEL (TC15425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Coromandel International Ltd. - Plot 3204, Ind. Estate, Gujarat Ankleshwar, Bharuch, India	啉氧菌酯 Picoxystrobin
SINON	GLUFOSINATO DE AMÔNIO TÉCNICO SINON II (TC15525)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Inner Mongolia Miraculous Crop Science Co., Ltd. - Bayin Aobao Ind. Park, Alxa Econ. Develop. Zone, Alxa League, Inner Mongolia, China	草铵膦 Glufosinate ammonium
NORTOX	DIAFENTIURON TÉCNICO NORTOX IV (TC15625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Qingdao Hengning Biotech. Co., Ltd. - 12, Haipu North Rd., Xinhe Ecological Chem. Tech. Ind. Base Pingdu, Qingdao, Shandong, China	丁醚脲 Diafenthiuron
NORTOX	DIFLUFENICAM TÉCNICO NORTOX (TC15725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	吡氟酰草胺 Diflufenican
CROPHEM	DIFLUFENICAM TÉCNICO CROPHEM II (TC15825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiagsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	吡氟酰草胺 Diflufenican
RAINBOW	PENOX SULAM TÉCNICO RAINBOW (TC15925)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	五氟磺草胺 Penoxsulam
CROPHEM	TEBUCONAZOLE TECNICO CROPHEM III (TC16025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Bharat Rasayan Ltd. - Plot 424, Amond Rd., Dahej Bharuch, Gujarat, China	戊唑醇 Tebuconazole
BIORISK	TEBUCONAZOLE TÉCNICO BHARAT (TC16125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Bharat Rasayan Limited. - 42/4, Amond Road, GIDC, Dahej, Bharuch, Gujarat, China	戊唑醇 Tebuconazole

CAC 2026

UFI
Approved
International
Event

26th China International Agrochemical & Crop Protection Exhibition

TopProtection **FSHOW** **CACE** **AgTech**

17-19 March, 2026

Shanghai

National Exhibition and
Convention Center (Shanghai)



160,000 m²
Exhibition Space

130+
Countries & Regions



100,000+
Attendance



2,200+
Exhibitors



14
Conferences



农化的世界 世界的农化
Where the agrochemical world meets



CCPIT Sub-Council of Chemical Industry



CAC SHOW



www.cacshow.com



CAC Guide



WeChat



Registration



Beijing EraChem Exhibition Service Company

第28 号法案 2025年6月27日 - 发布于2025年6月30日 - 制定产品注册批件

Act No. 28 from 6/27/25 - Published on 6/30/25 - Formulated product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	建议使用 Use Recommendation	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
SYNCROM	SAMANCO (19625)	棉布, 玉米, 大豆 Cotton, corn, soybean	I类 2 - 剧毒产品 环境等级II - 非常危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Clorotalonil Técnico Agrisor) Jiangsu Xinhe Agrochemical Co., Ltd. - 55, Xingang Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China; (Cyproconazole Técnico ZY) Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; (Trifloxystrobin Técnico YNG) Yongnong Biosciences Co., Ltd. - 3 Weiqi Rd., Hangzhou Gulf Econ., Tech. Develop. Zone, Shangyu, Zhejiang, China	百菌清 580 + 环丙唑 醇 12.8 + 肟菌酯 30 g/L SC Chlorothalonil 580 + cyproconazole 12.8 + trifloxystrobin 30 g/L SC
LEMMA	ATRAZINA 900 WG BINNONG (19725)	蔗, 玉米, 转基因玉米, 高粱 Sugarcane, corn, GMO corn, sorghum	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Atrazina Técnico Binnong) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	莠去津 Atrazina 900 g/kg WG
GÊNICA	GNC008 (19825)	任何受到这种农业害虫侵扰的农 作物 Any crop with <i>Fusarium oxysporum</i> , <i>Pratylenchus brachyurus</i>	类别 5 - 产品不可能引起 严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Gênica Inovação Biotecnológica S.A. - Antonio Degaspari, 1514, Parte B, Água Santa, Piracicaba, SP, Brazil	<i>Bacillus licheniformis</i> , GNC004A 2 + <i>Bacillus subtilis</i> BS34 2 + <i>Purpureocillium lilacinum</i> 2 + <i>Trichoderma asperellum</i> CBMAI 1622 2 g/kg WP
RAINBOW	ARRANTOOL (19925)	牧场 Pasture	类别 4 - 轻微毒性 环境等级III - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; Agrow Allied Ventures Pvt. Ltd. - Keshwana Ind. Area, Kothputli Jaipur, Rajasthan, India; (Aminopirralide Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	2,4-滴 596.9 + 氯氨吡 啶酸 76.9 g/L SL 2,4-D 596.9 + aminopyralid 76.9 g/L SL
ALLIERBRASIL	PLAYPLUS WG (20025)	棉布, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 油 桃, 牧场, 梨, 桃, 松树, 大豆植株, 转 基因大豆植株, 小麦, 葡萄 Cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, nectarine, pasture, pear, peach, pinetree, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起 严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico GHA) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Loagang, Qidong, Jiangsu, China	草甘膦铵盐 Glyphosate ammonium 792.5 g/kg WG
ALLIERBRASIL	WYNSATEWG (20125)	棉布, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 油 桃, 牧场, 梨, 桃, 松树, 大豆植株, 转 基因大豆植株, 小麦, 葡萄 Cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, nectarine, pasture, pear, peach, pinetree, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起 严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico Wynca) Zhenjiang Jiangnan Chem. Co., Ltd. - New International Chem. Ind. Park, Zhenjiang, Jiangsu, China	草甘膦铵盐 Glyphosate ammonium 757 g/kg WG
LEMMA	SPIRODICLOFEN 240 GL SC (20225)	咖啡, 柑橘, 椰子, 垃圾, 木瓜, 橡胶 树, 番茄 Coffee, citrus, coconut, apple, papaya, rubber tree, tomato	类别 5 - 产品不可能引起 严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Spirodiclofen Técnico Sino-Agri) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian Shijiazhuang Hebei, China	螺螨酯 Spirodiclofen 240 g/L SC
LEMMA	ATRAZINE 500 GL SC (20325)	蔗, 玉米, 高粱 Sugarcane, corn, sorghum	类别 5 - 产品不可能引起 严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Atrazine Técnico Sino-Agri) Shandong Dehao Chem. Co., Ltd. - Lingang Chem. Park Binhai Eco Weifang, China; Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	莠去津 Atrazina 500 g/L SC
LEMMA	AZOXYSTROBIN 250 GL SC (20425)	棉布, 水稻种植园, 燕麦, 香蕉, 大麦, 大豆植株, 小麦 Cotton, rice, oats, bananas, barley, soybean, wheat	类别 5 - 产品不可能引起 严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Azoxystrobin Técnico Sino-Agri) Hebei Veyong Bio-Chem. Co., Ltd. - 6, Middle Huagong Rd., Circulation Chem. Ind. Park, Shijiazhuang, Hebei, China	啉菌酯 Azoxystrobin 250 g/L SC
BIOPAR	MB CONTROL (20525)	任何受到这种农业害虫侵扰的农 作物 Any crop with <i>Deois flavopicta</i> , <i>Euschistus heros</i>	类别 5 - 产品不可能引起 严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Biopar Produtos Biológicos do Paraná Ltda. - Área Rural, Estr. J. AD. Bombard, Linha Caça e Pesca, Toledo, PR, Brazil	<i>Beauveria bassiana</i> IBCB 66 10 + <i>Metarhizium anisopliae</i> IBCB 425 10 g/L SC
LEMMA	AZOXYSTROBIN SINO-AGRI 250 GL SC (20625)	棉布, 水稻种植园, 燕麦, 香蕉, 大麦, 大豆植株, 小麦 Cotton, rice, oats, bananas, barley, soybean, wheat	类别 5 - 产品不可能引起 严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Azoxystrobin Técnico Sino-Agri) Hebei Veyong Bio-Chem. Co., Ltd. - 6, Middle Huagong Rd., Circulation Chem. Ind. Park, Shijiazhuang, Hebei, China	啉菌酯 Azoxystrobin 250 g/L SC

YONON	PROTHIOCONAZOLE 250 EC YONON (20725)	棉布, 豆, 大豆 Cotton, beans, soybean	类别 5 - 产品不可能引起 严重损坏 环境等级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Prothioconazole Técnico PT) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ., Tech. Develop. Zone, Shangyu, Zhejiang, China	丙硫菌唑 Prothioconazole 250 g/L EC
LEMMA	EASY SPIR (20825)	任何受到这种农业害虫侵扰的农 作物 Any crop with <i>Deois flavopicta</i> , <i>Euschistus heros</i>	类别 5 - 产品不可能引起 严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Agrobiológica Sustentabilidade S.A. - Av. Emilio Marconato, 1000, Galpão G30, Jaguariúna, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 150 + <i>Metarhizium anisopliae</i> IBCB 425 150 g/L SC
LEMMA	CITROPYR 40 SC (20925)	柑橘类水果 Citrus	类别 5 - 产品不可能引起 严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Pyrimethanil Técnico) Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi, Jiangsu, China; Bayer AG - Alte Heerstrasse, D-Chempark Dormagen-Dormagen, Germany	啉霉胺 Pyrimethanil 400 g/L SC
TECNOMYL	PROSOY T (21025)	棉布, 豆, 玉米, 大豆植株, 小麦 Cotton, beans, corn, soybean, wheat	类别 5 - 产品不可能引起 严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Prothioconazol Técnico Tecnomyl) Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Econ. Chem. Ind. Park, Xiangshui, Yancheng, Jiangsu, China; Hebei Veyong Bio-Chem. Co., Ltd. - 6, Middle Huangong Rd., Circulation Chem. Ind. Park, Shijiazhuang, Hebei, China; (Prothioconazol Técnico Adama BR) Adama Brasil S.A. - Av. Júlio de Cas Lhos, 2085, Taquari, RS, Brazil; (Trifloxistrobina Técnico CAC) CAC Nantong Chem. Co., Ltd. - 4th Huanghai Rd., Yangkou Chem. Ind. Park, Nantong, Jiangsu, China	丙硫菌唑 175 + 腈 菌酯 150 g/L SC Prothioconazole 175 + trifloxystrobin 150 g/L SC
CROPCHEM	BIFENTRINA 100 EC CROPCHEM (21125)	棉布, 土豆, 蔗, 柑橘, 菊花, 豆, 烟草, 木瓜, 袖子, 瓜, 玫瑰丛, 大豆植株, 番茄, 葡萄 Cotton, potato, sugarcane, citrus, chrysanthemum, beans, tobacco, papaya, mango, melon, rosebush, soybean, tomato, grapes	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Bifentrina Técnico BR-Cropchem) Bharat Rasayan Ltd. - 2 km, Madian-mokhra Rd., Mokhra, Rohtak, Haryana, India; Ms Hemani Industries Ltd. - GIDC, Ind. Estate, Dahej, Vagra, Bharuch, Gujarat, India; Aimco Pesticides Ltd. - B11 MIDC Ind. Area, Lote Parshuram, 9, Awashi, Ratnagiri, Maharashtra, India; Heranba Industries Ltd. - Kanchanganga, Factory Lane, Borivali, Mumbai, India; Insecticide India Ltd. - E-442, RIICO Ind. Area, Chopanki, Bhiwadi, Rajasthan, India; (Bifentrina Técnico HB-Cropchem) Jiangsu Huangma Agrochemical Co., Ltd. - Duigougang, Guannan, Lianyungang, Jiangsu, China; Agrow Allied Ventures Pvt Ltd. - 701-704 Enkay Tower, Udyog Vihar-V, Gurugram, Haryana, India	联苯菊酯 Bifenthrin 100 g/L EC
CHDS	MOOD (21225)	棉布, 土豆, 蔗, 柑橘, 菊花, 豆, 烟草, 木瓜, 袖子, 瓜, 玉米, 玫瑰丛, 大豆 植株, 番茄, 小麦, 葡萄 Cotton, potato, sugarcane, citrus, chrysanthemum, beans, tobacco, papaya, mango, melon, corn, rosebush, soybean, tomato, wheat, grapes	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Bifentrina Técnico CHDS) Meghmani Organics Ltd. - Ankleshwar, Bharuch, Gujarat, India	联苯菊酯 Bifenthrin 100 g/L EC
PROREGISTROS	HEX-DIRON 600 WG (21325)	蔗 Sugarcane	类别 5 - 产品不可能引起 严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Dirom Técnico Wynca) Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, 75340, Pingluo, Ningxia, China; (Hexazinone Technical Wynca) Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China; Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	敌草隆 468 + 环嗪酮 132 g/kg WG Diuron 468 + hexazinone 132 g/kg WG
LEVEN	METARHIZIUM LEVEN 03 WP (21425)	任何受到这种农业害虫侵扰的农 作物 Any crop with <i>Mahanarva</i> <i>frimbriolata</i> , <i>Zulia entreriana</i> , <i>Deois</i> <i>flavopicta</i>	类别 5 - 产品不可能引起 严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Leven Ind. e Comércio de Produtos para Agricultura Ltda. - Minervino de Campos Pedroso, 451, Parque Ind. Carlos Tonanni, Jaboticabal, SP, Brazil; Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil	<i>Metarhizium anisopliae</i> IBCB 425 400 g/kg WP
LEVEN	METARHIZIUM LEVEN 01 WP (21525)	任何受到这种农业害虫侵扰的农 作物 Any crop with <i>Mahanarva</i> <i>frimbriolata</i> , <i>Zulia entreriana</i> , <i>Deois</i> <i>flavopicta</i>	类别 5 - 产品不可能引起 严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Leven Ind. e Comércio de Produtos para Agricultura Ltda. - Minervino de Campos Pedroso, 451, complemento 431, Parque Ind. Carlos Tonanni, Jaboticabal, SP, Brazil; Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil	<i>Metarhizium anisopliae</i> IBCB 425 40 g/kg WP
LEVEN	BEAUVERIA LEVEN 03 WP (21625)	任何受到这种农业害虫侵扰的农 作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus</i> <i>urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus</i> <i>hampei</i>	类别 5 - 产品不可能引起 严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Leven Ind. e Comércio de Produtos para Agricultura Ltda. - Minervino de Campos Pedroso, 451, complemento 431, Parque Ind. Carlos Tonanni, Jaboticabal, SP, Brazil; Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 75 g/kg WP

LEVEN	BEAUVERIA LEVEN L01 WP (21725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Leven Ind. e Comércio de Produtos para Agricultura Ltda. - Minervino de Campos Pedroso, 451, complemento 431, Parque Ind. Carlos Tonanni, Jaboticabal, SP, Brazil; Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 50 g/kg WP
INDÚSTRIA QUÍMICA GUERRA	G BIO TRIX (21825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Ind. Química Guerra Ltda. - Rod. PR 493, Via do Conhecimento km 3, 3700, Fraron, Pato Branco, PR, Brazil	<i>Trichoderma harzianum</i> IB 1917 100 g/kg WP
INDÚSTRIA QUÍMICA GUERRA	G BIO STERMINARE (21925)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Ind. Química Guerra Ltda. - Rod. PR 493, Via do Conhecimento km 3, 3700, Fraron, Pato Branco, PR, Brazil	<i>Beauveria bassiana</i> IBCB 66 100 g/kg WP
TOTAL	BTP 068-20SC-AB (22025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Ecdytolopa aurantiana</i> , <i>Plutella xylostella</i> , <i>Chrysodeixis includens</i> , <i>Helicoverpa armigera</i> , <i>Spodoptera frugiperda</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Total Biotecnologia Ind. e Comércio S.A. - Emilio Romani, 1190, CIC, Curitiba, PR, Brazil; Tacto Biotecnologia e Agropecuária Ltda. - Av. Adília Barbosa Neves, 3350, Portão, Arujá, SP, Brazil	<i>Bacillus thuringiensis</i> CCTB22, CCTB23, CCTB25 850 g/L SC
TOTAL	BTP 169-21 EW (22125)	玉米 Corn	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Total Biotecnologia Ind. e Comércio S.A. - 99, Emilio Romani, 1190, CIC, Curitiba, PR, Brazil	罗勒提取物 Basil extract 309.8 g/L EW
RAINBOW	KILLIGAN (22225)	棉布, 蒜, 花生, 土豆, 洋葱, 柑橘, 卷心菜, 桉树, 豆, 木瓜, 百香果, 瓜, 西瓜, 玉米, 草莓, 观赏植物, 胡椒, 卷心菜, 大豆植株, 番茄 Cotton, garlic, peanuts, potato, onions, citrus, kale, eucalyptus, beans, papaya, passion fruit, melon, watermelon, corn, strawberries, ornamental plants, peppers, cabbage, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Clorfenapir Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	虫螨腈 Chlorfenapyr 240 g/L SC
RAINBOW	GRASIDIM PLUS (22325)	棉布, 咖啡, 柑橘, 豆, 大豆 Cotton, coffee, citrus, beans, soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Cletodim Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Haloxifop-P-Methyl Técnico Rainbow) Shandong Luba Chem. Co., Ltd. - Loujia, Tangwang, Licheng, Jinan, Shandong, China; Ningxia Rainbow Chem. Co., Ltd. - Taisha Ind. Park, Pingluo Ningxia, China	烯草酮 240 + 高效氟吡甲禾灵 123.6 g/L EC Clethodim 240 + haloxifop-P-methyl 123.6 g/L EC
SIMBIOSE	EFICAZ (22425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Fusarium moniliforme</i> , <i>Fusarium pallidoroseum</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Simbiose Ind. e Comércio de Fertilizantes e Insumos Microbiológicos Ltda. - Rod. BR 158, km 206, Dist. Ind., Cruz Alta, RS, Brazil; Bioma Ind. Comércio e Distribuição Ltda. - Estrada Rural Adão Roik, 1636, Fazenda Rio Grande, PR, Brazil	<i>Bacillus velezensis</i> BRM046334 271.2 + <i>PaeniBacillus ottowii</i> BRM05345 271.2 g/L SC
ALLIERBRASIL	ALPES 970 SG (22525)	棉布, 花生, 土豆, 柑橘, 豆, 瓜, 玉米, 大豆植株, 番茄 Cotton, peanuts, potato, citrus, beans, melon, corn, soybean, industrial tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico Solus) Nantong Weilike Chem. Co., Ltd. - Forth Yangkou Rd., Chem. Ind. Park Yangkou Coastal Econ. Develop. Zone, Rudong Jiangsu, China; Jiangsu Lanfeng Biochemical Co., Ltd. - Sushua Rd., Xinyi Econ. Tech. Develop. Zone, Jiangsu, China	乙酰甲胺磷 Acephate 970 g/kg SG
SIMBIOSE	SIMBI 28 (22625)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Simbiose Ind. e Comércio de Fertilizantes e Insumos Microbiológicos Ltda. - BR 158, km 206, Santa Helena, Dist. industrial, Cruz Alta, RS, Brazil	<i>Trichoderma asperellum</i> BRM-29104 + BRM-295760 350 g/kg WP
MITSUMI	SFMNPV 003 LC (22725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Spodoptera frugiperda</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Certis U.S.A. LLC - 720 5th St., Wasco, California, USA	<i>Spodoptera frugiperda</i> multiple nucleopolyhedrovirus 564.7 g/L SC
BIO	ISONET-T (22825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Tuta absoluta</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Shin-Etsu Chem. Co., Ltd. - Nishifukushima 28-1, Kubiki-ku, Joetsu-shi, Niigata, Japan	3,8-十四碳三烯基乙酸酯 77 + 3,8,11-十四碳三烯基乙酸酯 707 g/kg GE 3,8-tetradecatrienyl acetate 77 + 3,8,11-tetradecatrienyl acetate 707 g/kg GE

BIORISK	S-METOLACHLOR AGROGILL 960EC (22925)	棉布, 蔗, 油菜籽, 豆, 向日葵, 木薯, 玉米, 大豆植株, 葡萄 Cotton, sugarcane, canola, beans, sunflower, cassava, corn, soybean, grapes	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(S-metolachlor Técnico Agrogill) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - Yongxin Rd., Binbei, Binzhou, Shandong, China	精异丙甲草胺 S-metolachlor 960 g/L EC
SYNGENTA	VULTER (23025)	棉布, 花生, 燕麦, 蔗, 黑麦, 大麦, 豌豆, 豆, 豇豆, 蚕豆, 绿豆, 鹰嘴豆, 扁豆, 粟, 玉米, 大豆植株, 高粱, 小麦, 小黑麦 Cotton, peanuts, poultry, sugarcane, rye, barley, peas, beans, cowpeas, lima beans, mung beans, other species, chickpeas, lentils, millet, corn, soybean, sorghum, wheat, triticale	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Benzoato de Emamectina Técnico) Syngenta Nantong Crop Protection Co., Ltd. - 1 Zhang Yang Rd., Econ. Tech. Develop. Area, Nantong, Jiangsu, China; Inner Mongolia New Veyong Bio-Chem. Co., Ltd. - Wangaizhao Dalte, Inner Mongolia, China; Qilu Synna Pharmaceutical Co., Ltd. - 28, Licheng Ave., Linyi, Dezhou, Shandong, China; (Isocycloseram Técnico) Syngenta Ltd.-Huddersfield Manufacturing Centre, A38, Leeds Rd., Huddersfield, West Yorkshire HD2 1FF, UK; Syngenta Crop Protection Monthey S.A. - Rue de l'Île au Bois, Monthey, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Münchwilen, Switzerland; Deccan Fine Chem Pvt. Ltd. - SEZ Unit, Kesavaram, Rajavaram, Venkatanagaram Post, Payakaraopeta, Mandal, Visakhapatnam, Andhra Pradesh, India	甲氨基阿维菌素苯甲酸盐 50 + 异环塞拉姆 200 g/L SC Emamectin benzoate 50 + isocycloseram 200 g/L SC
PROREGISTROS	MESOSURE (23125)	蔗, 粟, 玉米 Sugarcane, millet, corn	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mesotriona Técnico ZS) Anhui Zhongshan Chem. Ind. Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi Anhui, China	硝磺草酮 Mesotrione 480 g/L SC
PROREGISTROS	MESO UP (23225)	蔗, 粟, 玉米 Sugarcane, millet, corn	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mesotriona Técnico NA) Anhui Zhongshan Chem. Ind. Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi, Anhui, China	硝磺草酮 Mesotrione 480 g/L SC
TOTAL	BTP 170-21 (23325)	香蕉, 草莓, 玫瑰丛 Banana, strawberry, rosebush	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Total Biotecnologia Ind. e Comércio S.A. - Emilio Romani, 1190, CIC, Curitiba, PR, Brazil	<i>Melaleuca alternifolia</i> 摘录 extract 309.62 g/L EW
STOLLER	RRE-03 (23425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne javanica</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Rizoflora Biotecnologia Ltda. - Av. Oráida Mendes de Castro, Parque Tecnológico, Novo Silvestre, Viçosa, MG, Brazil; Arbore Ind. e Comércio de Fertilizantes Ltda. - Estrada Municipal do Moraes, km 1, 5, Fundos, Socorro, SP, Brazil; Stoller do Brasil Ltda. - Estrada Municipal CMS-470, 300, Itapavussu. Cosmópolis, SP, Brazil	<i>Pochonia chlamydosporia</i> PC10 280 g/kg WP
FIRST	QUESTBEAUVE DRY (23525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 75 g/kg WP
BIOSÍNTESE	BIOMB (23625)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Deois flavopicta</i> , <i>Euschistus heros</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Biossíntese Agriscience Ltda. - Estrada Vicinal Virgilio Scavazza, S-Chácara Bela Vista, Batatais, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 50 + <i>Metarhizium anisopliae</i> IBCB 425 50 g/L SC
ANASAC	CIGARAL 600 FS (23725)	棉布, 花生, 水稻种植园, 燕麦, 大麦, 豆, 玉米, 大豆植株, 小麦 Cotton, peanuts, rice, oats, barley, beans, corn, soybean, wheat	类别 4 - 轻微毒性 环境等级III - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Cigaral Técnico) Hisun Chemical Company - 46 Waysha Rd., Jiaojiang, Taizhou, Zhejiang, China	吡虫啉 Imidacloprid 600 g/L FS
ALLIERBRASIL	DIU-GAR 800 (23825)	菠萝, alfafa, 棉布, 香蕉, 可可, 咖啡, 蔗, 柑橘, 橡胶树, 葡萄藤 Pineapple, alfalfa, cotton, banana, cocoa, coffee, sugarcane, citrus, rubber tree, vine	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Diurum Técnico Wynca) Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China; China	敌草隆 Diuron 800 g/kg WG
ALLIERBRASIL	DIURON 800 NX (23925)	菠萝, alfafa, 棉布, 香蕉, 可可, 咖啡, 蔗, 柑橘, 橡胶树, 葡萄藤 Pineapple, alfalfa, cotton, banana, cocoa, coffee, sugarcane, citrus, rubber tree, vine	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Diurum Técnico Wynca) Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	敌草隆 Diuron 800 g/kg WG

BIOTA	HARZIT (24025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Biota Innovations Ind. e Com. de Bioprodutos Ltda. - Pedro Barbassa, 517, Recreio dos Bandeirantes, Uberaba, MG, Brazil	<i>Trichoderma harzianum</i> IB 1917 300 g/kg WP
LEMMA	FIPRONIL WOOD 800 WG (24125)	土豆, 蔗, 玉米 Potato, sugarcane, corn	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Fipronil Técnico Sino-Agri) Zhejiang Funong Biotech Co., Ltd. - Lantian Yongqiang, Wenzhou, China	氟虫腴 Fipronil 800 g/kg WG
LEMMA	FLUMIOXAZIN 480 SC BINNONG (24225)	棉布, 土豆, 咖啡, 蔗, 洋葱, 柑橘, 桉树, 豆, 向日葵, 玉米, 松树, 大豆植株, 高粱, 小麦 Cotton, potato, coffee, sugarcane, onion, citrus, eucalyptus, beans, sunflower, corn, pinetree, soybean, sorghum, wheat	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Flumioxazin Técnico Binnong) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	氟噻草酮 Flumioxazin 480 g/L SC
ANASAC	BUDBREAK 52SL (24325)	苹果, 桃, 葡萄 Apple, peach, grape	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Budbreak Técnico) Ningxia Darong Chemicals Metallurgy Co., Ltd. - North of Jinlong St., West of Xihuan Rd., High Tech Ind. Develop. Zone, Shizuishan, Ningxia, China	单氰胺 Cyanamide 520 g/L SL
SYNGENTA	MIRAVIS TRIO WG (24425)	花生, 燕麦, 黑麦, 大麦, 豌豆, 豇豆, 蚕豆, 鹰嘴豆, 扁豆, 粟, 玉米, 大豆植株, 高粱, 小麦, 小黑麦 Peanuts, oats, rye, barley, peas, cowpeas, fava beans, chickpeas, lentils, millet, corn, soybean, sorghum, wheat, triticale	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Pydiflumetofen Técnico) Syngenta Crop Protection Münchwilen AG - Breitenloh 5, Münchwilen, Switzerland; Syngenta Crop Protection Monthey S.A. - Rue de l'Île-au-Bois, Usine de Monthey, Switzerland; Syngenta Nantong Crop Protection Ltd. - 1 Zhong Xing Rd., Nantong Econ. Tech. Develop. Zone, Nantong, China; (Benzovindiflupir Técnico) Syngenta Crop Protection Münchwilen AG - Breitenloh 5 Münchwilen, Switzerland; Syngenta Crop Protection Monthey S.A. - Rue de l'Île-au-Bois, Usine de Monthey, Switzerland; Syngenta Nantong Crop Protection Ltd. - 1 Zhong Xing Rd., Nantong Econ. Tech. Develop. Zone, Nantong, China; Deccan Fine Chemicals Pvt. Ltd. - Ind. Estate, Ankleshwar, Ankleshwar, Bharuch, Gujarat, India; (Ciproconazol Técnico Syn) Bayer CropScience Schweiz AG - Rothausstrasse 61, Muttentz, Switzerland; Saltigo GmbH - Operations ChemPark Leverkusen, Germany; Deccan Fine Chemicals Pvt. Ltd. - Survey 80-83, Kesavaram, Venkatanagaram Post, Payakaraopeta Mandal, Vishakapatnam, Andhra Pradesh, India	苯并烯氟菌唑 90 + 氟唑菌酰胺 90 + 环丙唑醇 180 g/kg WG Benzovindiflupyr 90 + pydiflumetofen 90 + cyproconazole 180 g/kg WG
KOPPERT	MACAN (24525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Corynespora cassiicola</i> , <i>Septoria glycines</i> , <i>Cercospora kikuchii</i> , <i>Phakopsora pachyrhizi</i> , <i>Cercospora zeae-maydis</i> , <i>Phaeosphaeria maydis</i> , <i>Puccinia sorghi</i> , <i>Physopella zaeae</i> , <i>Puccinia polysora</i> , <i>Colletotrichum falcatum</i> , <i>Cercospora longipes</i> , <i>Puccinia kuehnii</i> , <i>Puccinia melanocephala</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Koppert B.V. - Veilingweg 14, 2650 BE, 155, Berkel, Rodenrijs, Netherlands; Koppert do Brasil Holding S.A. - Via Vicente Verdi, 528, Anexo 588, Dist. Ind., Charqueada, SP, Brazil; Koppert do Brasil Holding S.A. - Rod. Margarida da Graça Martins, SP 135, km 17, Estrada Tupi, Água Seca, Piracicaba, SP, Brazil; Noble Bioproducts B.V. - Deventerstraat 7, 7575 EM, Oldenzaal, Netherlands	<i>Bacillus velezensis</i> CECT8237 968.99 g/L SC
HELM	MODAN (24625)	蔗, 大麦, 小麦 Sugarcane, barley, wheat	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Trinexapac JH Técnico Helm) Jiangsu Huifeng Bio Agricrop Co., Ltd. - Weier Rd., South of Ocean Econ. Develop. Zone, Dafeng, Yancheng, China; (Trinexapac V Técnico Helm) Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; Youth Chem. Co., Ltd. - 3 Dalian Rd., Yangzhou Ind. Zone, Jiangsu, China	抗倒酯 Trinexapac-ethyl 250 g/L EC

HELM	HDB 259A (24725)	大豆植株 Soybean	类别 5 - 产品不可能引起 严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Sulfentrazone OL Técnico Helm) Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Luzhou, Sichuan, China; (Sulfentrazone T Técnico Helm) Tagros Chemicals India Pvt. Ltd. - SIPCOT Ind., Pacha yankuppam, Cuddalore, Tamil Nadu, India; Sulfentrazone Técnico Proventis) Jiangxi Heyi Chem. Co., Ltd. - Longcheng, Pengze, Jiangxi, China; (Sulfentrazone A Técnico Helm) Jiangsu Agrochem Laboratory Co., Ltd. - 1218 North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China; (Flumioxazina B Técnico Helm) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd.-Binzhou, China; (Flumioxazin Técnico Proventis) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. Tech. Develop. Area, Zhejiang, China	氟噻草酮 150 + 甲磺草胺 622 g/ kg WG Flumioxazin 150 + sulfentrazone 622 g/kg WG
CROPChem	PROTIOCONAZOL + TRIFLOXISTROBINA CROPChem (24825)	棉布, 豆, 玉米, 大豆植株, 小麦 Cotton, beans, corn, soybean, wheat	类别 5 - 产品不可能引起 严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Protioconazol Técnico CropChem) Jiangsu Yunfan Chemicals Co., Ltd. - 168, Jiangsu Rd., Binjiang Fine Chem. Ind. Park, Jiangsu, China; (Protioconazol Técnico CropChem II) Yancheng HuiHuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China; Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, China; (Trifloxistrobina Técnico CropChem) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ., Tech. Develop. Zone, Shangyu, Zhejiang, China	丙硫菌唑 175 + 肟 菌酯 150 g/L SC Prothioconazole 175 + trifloxystrobin 150 g/L SC
GLOBALChem	ATOL TRIO (24925)	玉米 Corn	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(S-Metolachlor Técnico Binnong) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - Yongxin Rd., Binbei, Binzhou, Shandong, China; (Atrazina Técnico ZS) Zhejiang Zhongshan Chem. Ind. Group Co., Ltd. - Zhongshan, Xiaopu, Changxing, Zhejiang, China; Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Ecological Chem. Ind. Park, Xiangshui, Yancheng, Jiangsu, China; (Atrazina Técnico Binnong) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China; (Mesotrione Técnico Binnong) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	莠去津 200 + 硝磺草 酮 40 + 精异丙甲草胺 290 g/L SE Atrazine 200 + mesotrione 40 + S-metolachlor 290 g/L SE
AGRO-LEAD	LEONE (25025)	棉布, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 豆, 烟草, 垃圾, 木瓜, 玉米, 油桃, 牧场, 梨, 桃, 松树, 橡胶树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, beans, tobacco, apple, papaya, corn, nectarine, pasture, pear, peach, pinetree, rubber tree, soybean, GMO soybean, wheat, grapes	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Pilarato Técnico) Pilarquim BR Comercial Ltda. - 1500 Hang-Tang Rd. Jin- Hui, Feng Xian Shanghai, China	草甘膦 Glyphosate 356 g/L SL
FIRST	QUESTMETA DRY (25125)	任何受到这种农业害虫侵扰的农 作物 Any crop with <i>Mahanarva fimbriolata</i> , <i>Zulia entreriana</i> , <i>Deois flavipicta</i>	类别 5 - 产品不可能引起 严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil	<i>Metarhizium anisopliae</i> IBCB 425 400 g/kg WP
RAINBOW	POLESTAR (25225)	棉布, 咖啡, 大麦, 向日葵, 玉米, 大 豆植株, 小麦 Cotton, coffee, barley, sunflower, corn, soybean, wheat	类别 5 - 产品不可能引起 严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobina Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Ciproconazol Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	环丙唑醇 160 + 肟菌酯 375 g/L SC Cyproconazole 160 + trifloxystrobin 375 g/L SC
ANASAC	CIGARAL WG (25325)	菠萝, 莴苣, 棉花, 大蒜, 葡萄, 西兰 花, 甘蔗, 洋葱, 柑橘, 卷心菜, 菜花, 菊花, 桉树, 大戟属植物(<i>Euphorbia spp.</i>), 烟草, 非洲菊, 甜瓜, 玉米, 松 树, 大豆和番茄 Pineapple, lettuce, cotton, garlic, endive, broccoli, sugarcane, onion, chicory, citrus, cabbage, cauliflower, chrysanthemum, termite, eucalyptus, euphorbia, tobacco, gerbera, melon, corn, pinetree, cabbage, soybean, tomato	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Cigaral Técnico) Hisun Chem. Co. - 46 Waysha Rd., Jiaojiang, Taizhou, Zhejiang, China	吡虫啉 Imidacloprid 700 g/kg WG
TIDE	CIATIDE (25425)	苹果, 桃, 葡萄 Apple, peach, grape	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	Zhejiang Tide Cropsience Co., Ltd. - 11 Linhai Rd., Paojiang Ind. Zone, Shaoxing, Zhejiang, China	单氰胺 Cyanamide 520 g/L SL

Forum AllierBrasil

**Forum AllierBrasil is organized by AllierBrasil since 2010,
with the objective to promote agribusiness**

**Pesticide, Fertilizer, Biological
Market, Trends, Competition
Registration, Regulation, Opportunities
Partnership, Distribution, Sourcing**

25th Forum AllierBrasil	May 12th	São Paulo - Brazil
26th Forum AllierBrasil	November 17th	Hyderabad - India
27th Forum AllierBrasil	November 24th	Nanjing - China



第32 号法案 2025年8月4日 - 发布于2025年8月6日 - 制定产品注册批件

Act No. 32 from 8/4/25 - Published on 8/6/25 - Formulated product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	建议使用 Use Recommendation	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
TECNOMYL	GUNTER PRO (25525)	棉布, 水稻种植园, 灌溉稻米, 土豆, 蔗, 桉树, 烟草, 木薯, 大豆 Cotton, rice, irrigated rice, potato, sugarcane, eucalyptus, tobacco, cassava, soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Clomazone Técnico Tecnomyl) Shandong Cynda Chem. Co., Ltd. - Econ. Develop. Area, Boxing, Shandong, China; Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. area, Shandong, Weifang, China	异噁草酮 Clomazone 360 g/L CS
AGRO-LEAD	ARCADE (25625)	棉布, 玉米, 大豆 Cotton, corn, soybean	类别 3 - 中度有毒 环境III级 - 危险产品 Tox. clas. 3 - Moderately toxic Env. clas. III - Dangerous	(Thiodicarb Técnico Agrolead) Henan Jinpeng Chemicals Co., Ltd. - West of Jingwu Rd., Chem. Ind. Park Kaifeng, Henan, China	硫双威 Thiodicarb 800 g/L WG
AGROBIOLÓGICA	CROMOBAC (25725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Euschistus heros</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Agrobiológica Sustentabilidade S.A. - Av. Emilio Marconato, Chácara Primavera, Jaguariúna, SP, Brazil; Agrobiológica Soluções Naturais Ltda. - Carlos Fatuto, 191, Centro Comercial do Bosque, Leme, SP, Brazil	<i>Chromobacterium subtsugae</i> ASN04/CCT 7912 1 g/L SC
FERBRU	PARTNER 840 WG (25825)	蔗, 大豆 Sugarcane, soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Diclosulam Técnico FB) Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China	双氯磺草胺 Diclosulam 840 g/kg WG
ALLIERBRASIL	FOSFETO ALUMI (25925)	米, 咖啡, 面粉, 豆, 烟草, 玉米, 小麦 Rice, coffee, wheat flour, beans, tobacco, corn, wheat	类别 1 - 剧毒 环境III级 - 危险产品 Tox. clas. 1 - Extremely toxic Env. clas. III - Dangerous	Detia Degesch GMBH - Dr. Werner Freyberg Strasse, 11-N, D, Laudenbach, Baviera, Germany; Degesch de Chile Ltda. - 1321, Padre Hurtado, Santiago, Chile; Longkou Chem. Plant-Siping, Langao, Longkou, Shandong, Longkou, Shandong, China	磷化铝 Aluminium phosphide 570 g/kg FU
BRA	FERRETI EC (26025)	牧场 Pasture	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Fluroxipir-Metflico Técnico BRA) Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China; (Triclopir Técnico BRA) Lier Chem. Co., Ltd. - Econ. Tech. Develop. Zone, Mianyang, Sichuan, China	氯氟吡氧乙酸异辛酯 115.3 + 三氯吡氧乙酸丁氧基乙酯 333.8 g/L EC Fluroxyppyr-meptyl 115.3 + triclopyr-butotyl 333.8 g/L EC
OMEX	KILLGGA (26125)	牛油果, 菠萝, 南瓜, 西葫芦, 阿萨伊, 花生, 番荔枝, 橄榄, 茄子, 可可, 油菜籽, 巴西坚果, 佛手瓜, 椰子, 库布阿苏, 棕榈油, 豌豆, 豆子, 芝麻, 向日葵, 鹰嘴豆, 瓜拉纳, 吉洛, 扁豆, 荔枝, 亚麻籽, 澳洲坚果, 如果你说的, 木瓜, 蓖麻子, 袖子, 百香果, 小黄瓜, 西瓜, 瓜, 淀粉, 玉米, 山核桃, 胡椒, 胡椒, 松子, 火龙果, 桃棕桐, 秋葵, 石榴, 大豆植株, 高粱, 番茄 Avocado, pineapple, pumpkin, zucchini, açai, peanuts, annonaceae, olives, eggplant, cocoa, canola, Brazil nuts, chayote, coconut, cupuaçu, palm oil, peas, beans, sesame, sunflower, chickpeas, guaraná, jiló, lentils, lychee, linseed, macadamia, macaúba, papaya, castor bean, mango, passion fruit, gherkin, watermelon, melon, millet, corn, pecan, pepper, pepper, pine nut, dragon fruit, peach palm, okra, pomegranate, soybean, sorghum, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Ultraquímia Agrícola S.A. - Calle 56 Sur, 7 A, Col, CIVAC, Jiutepec, Morelos, Mexico	摘录 Extract of <i>Argemone mexicana</i> 179.8 g/L EC
TOYOBO	ECODUO (26225)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Deois flavipicta</i> , <i>Euschistus heros</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66* 20 + <i>Metarhizium anisopliae</i> IBCB 425* 20 g/kg WP

LEMMA	PYL 400 SC (26325)	柑橘类水果 Citrus	类别 5 - 产品不可能引起 严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to causeacute damage Env. clas. II - Very dangerous	(Pyrimethanil Técnico) Bayer Cropscience Ag-Alte Heerstr, Dormagen, Germany; Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi Jiangsu, China	咯霉胺 Pyrimethanil 400 g/L SC
RAWELL	NATUK (26425)	任何受到这种农业害虫侵扰 的农作物 Any crop with <i>Atta sexdens rubropilosa</i> , <i>Atta laevigata</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Rawell Agro Ltda. - Rod. MT 344 km 3, Zona Rural, Campo Verde, MT, Brazil; Yashnee Agrochem.-3rd Main Rd., 10th St., Chennai, India; Anhui Fuerpont Chem. Co., Ltd. - km 1510, Tuoji A Plaza, 687, Changjiang West Rd., Hefei, China	<i>Tephrosia candida</i> 220 g/kg RB
CROPCHEM	MESON DUO (26525)	蔗, 玉米, 大豆 Sugarcane, corn, soybean	类别 5 - 产品不可能引起 严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to causeacute damage Env. clas. II - Very dangerous	(Mesotriona Técnico FT-CropChem) Anhui Futian Agrochemical Co., Ltd. - Xiangyu Chem. Ind. Zone, Dongzhi, Chizhou, Anhui, China; Zhangye Dagong Pesticide Chemistry Co., Ltd. - Northeast Suburb Ind. Zone, Ganzhou Zhangye, Gansu, China; MS Hemani Industries Ltd. - E362, Ind. Estate, Dahej Vagra Bharuch, Gujarat, India; Crimsun Organics Pvt., Ltd. - SIPCOT Ind. Complex, Kidikadu, Cuddalore, Tamil Nadu, India; (Mesotriona Técnico SBN- CropChem) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China; (Mesotriona Técnico Cropchem) Limin Chem. Co., Ltd. Econ. Develop. Zone, Xinyi, Jiangsu, China; (Atrazina Técnico ZS-CropChem) Zhejiang Zhongshan Chem. Ind. Group Co., Ltd. - Zhongshan, Xiaopu, Changxing-Zhejiang, China; Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	莠去津 500 + 硝磺草酮 50 g/L SC Atrazine 500 + mesotrione 50 g/L SC
CROPCHEM	PROEZA DUO (26625)	桉树, 牧场 Eucalyptus, pasture	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Fluroxipir Técnico CropChem) Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China; (Trichlopyr- Butotyl Técnico Lier) Lier Chem. Co., Ltd. - Econ. Tech. Develop. Zone, Mianyang, Sichuan, China	氯氟吡氧乙酸异辛酯 115.3 + 三氯吡氧乙酸 丁氧基乙酯 333.8 g/L EC Fluroxypyr-meptyl 115.3 + triclopyr- butotyl 333.8 g/L EC
NORTOX	CIPERMETRINA NORTOX (26725)	棉布, 水稻种植园, 土豆, 咖啡, 柑橘, 豆, 木薯, 玉米, 大豆植 株, 番茄 Cotton, rice, potato, coffee, citrus, beans, cassava, corn, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Cipermetrina Técnica Nortox IN) Bharat Rasayan Ltd. - Plot No 424, Amod Rd., GIDC, Dahej, Bharuch, Gujarat, India; (Cipermetrina Técnica Nortox IV) Hemani Industries Ltd. - CH-5, GIDC Ind. Estate, Dahej Vagra, Dist, Bharuch, Gujarat, India; (Cipermetrina Técnica Nortox V) Tagros Chemicals India Ltd. - A-41; A-42- SIPCOT Ind. Complex Pachayankuppam, Cuddalore-Tamil Nadu India; (Cipermethrin Técnico Gharda) Gharda Chem. Ltd. - B-2729 MIDC, Dombivli, Thane, Maharashtra, India	氯氟菊酯 Cypermethrin 250 g/L EC
NORTOX	GLUFOSINATO NORTOX 880 SG (26825)	棉布, 玉米, 大豆 Cotton, corn, soybean	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Glufosinate Técnico Nortox) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China; Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Shijiazhuang, Hebei, China; Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; Shandong Eshung Indust, Co., Ltd. - Huji, Jining Chem. Ind. Park, Jining, Jinxiang, China; Nanjing Red Sun Biochem, Co., Ltd. - 168 Fang Ting Rd., Nanjing Chem, Ind. Park, Nanjing High; New Tech, Develop, Zone, Nanjing, China; Shandong Binnong Tech, Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China; Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China; (Glufosinate Técnico Nortox II) Hebei Veyong Bio-Chem. Co., Ltd. - 6, Middle Huangong Rd. Circulation Chem. Ind. Park Shijiazhuang, Hebei, China; (Glufosinate Técnico Nortox III) Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China; Inner Mongolia Miraculous Crop Science Co., Ltd. - Bayin Aobao Ind. Park, Alxa Econ. Develop. Zone, Alxa League Inner Mongolia, China	草铵膦 Glufosinate ammonium 880 g/kg SG
NORTOX	TERBUTILAZINA 500 SC CROPCHEM II (26925)	玉米 Corn	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Terbutilazina Técnico Cropchem) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - Yongxin Rd., Binbei-Bin Zhou, Shandong, China	特丁津 Terbutylazine 500 g/L SC

PARTNER	PYROX (27025)	大豆植株 Soybean	类别 5 - 产品不可能引起 严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Imazethapyr Técnico Imazet) Jiangsu Flag Chem. Ind. Co., Ltd. - 309 Changfenghe Rd., Nanjing Chem. Ind. Park, Nanjing, China; (Imazetapir Técnico Proventis) Yancheng South Chemicals Co., Ltd. - Chenjiagang Chemicals of Xiangshui, Yangshui, Yancheng, Jiangsu, China; (Flumioxazin Técnico Lier) Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China; FMX Técnico) Max Rudong Chemicals Co., Ltd. - Yangkou Chem. Ind. Park, Rudong, Jiangsu, China	丙炔氟草胺 100 + 咪唑乙烟酸 212 g/L SC Flumioxazin 100 + imazethapyr 212 g/L SC
F1RST	QUESTTRICHO DRY (27125)	任何受到这种农业害虫侵扰 的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起 严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil	<i>Trichoderma harzianum</i> IB 19/17 50 g/kg WP
TZ	MEGATERYD FR 25 (27225)	任何受到这种农业害虫侵扰 的农作物 Any crop with <i>Meloidogyne incognita</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	TZ Biotec Ltda. - Av. Dra. Nadir Aguiar, 1805m Centro de Negócios, Prédio I, sala 4, Jardim Dr. Paulo Gomes Romeo, Ribeirão Preto, SP, Brazil	<i>Priestia megaterium</i> CCT 1623 1 mL GL
GÊNICA	GNC017 (27325)	任何受到这种农业害虫侵扰 的农作物 Any crop with <i>Sphenophorus levis</i> , <i>Dalbulus maidis</i> , <i>Euschistus heros</i> , <i>Frankliniella schultzei</i>	类别 5 - 产品不可能引起 严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Gênica Inovação Biotecnológica S.A. - Antonio Degaspari, 1514, Água Santa, Piracicaba, SP, Brazil; Companhia Nitro Química Brasileira - Av. Marginal João Olézio Marques, 3563, Chácaras Recreio Planalto, Sertãozinho, SP, Brazil; Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil; Gênica Inovação Biotecnológica S.A. - Antonio Degaspari, 1514, Água Santa, Piracicaba, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66* 25 + <i>Cordyceps javanica</i> IBCB 638 70 g/kg WP
AGBITECH	HEARNPV ABT 02 (27425)	任何受到这种农业害虫侵扰 的农作物 Any crop with <i>Helicoverpa armigera</i>	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	Fersol Ind. e Comércio S.A. - Rod. Pres. Castelo Branco, Mairinque, SP, Brazil; Matiza Indústria Agrobiológica Ltda. - Antônia de Moraes Souza, 737, Betel, Paulínia, SP, Brazil; AgBitech LLC - Sovereign Rd., Suite 111, Fort Worth, TX, USA; AgBitech PTY Ltd. - 8 Rocia Court, Glenvale, Australia	Baculovirus <i>Helicoverpa armigera</i> 404 g/L SC
BIORISK	LOGFRESH (27525)	牛油果, 李子, 香蕉, <i>Diospyros kaki</i> , 番石榴, 猕猴桃, 柠檬, 垃圾, 木瓜, 袖子, 西瓜, 瓜, 番茄 Avocado, plum, banana, persimmon, guava, kiwi, lemon, apple, papaya, mango, watermelon, melon, tomato	类别 5 - 产品不可能引起 严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Shandong Aoweite Biotechnology Co., Ltd. - 87, Fuyang St. Jibei Develop., Jinan, Shandong, China	甲基环丙烯 Methylcyclopropene 33 g/kg SP
BIORISK	TINK 725WG (27625)	棉布, 燕麦, 土豆, 甘薯, 茄子, 甜菜, 西兰花, 黑麦, 大麦, 柑橘, 卷心菜, 大白菜, 抱子甘蓝, 花 椰菜, 桉树, 豆, 吉洛茄, 垃圾, 木 瓜, 木薯, 西瓜, 瓜, 胡椒, 胡椒, 秋葵, 卷心菜, 大豆植株, 番茄, 小麦, 小黑麦 Cotton, oats, potato, sweet potato, eggplant, beets, broccoli, rye, barley, citrus, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, eucalyptus, beans, jilo, apple, papaya, cassava, watermelon, melon, pepper, chili, okra, cabbage, soybean, tomato, wheat, triticale	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acetamidrid Técnico SJ) Ningbo Sunjoy Agroscience Co., Ltd. - BeiHai Rd., Ningbo chemical, Ind. Zone, Xiepu, Zhenhai Ningbo, China	啮虫脒 Acetamidrid 725 g/kg WG
GÊNICA	GNC013 (27725)	任何受到这种农业害虫侵扰 的农作物 Any crop with <i>Pratylenchus brachyurus</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Gênica Inovação Biotecnológica S.A. - Antonio Degaspari, 1514, Água Santa, Piracicaba, SP, Brazil	<i>Bacillus licheniformis</i> CBMAI 2639 200 + <i>Bacillus velezensis</i> CBMAI 2618 100 + <i>Priestia megaterium</i> CBMAI 2940 100 g/L SC
LEMMA	GLUFOSINATE- AMMONIUM WWOOD 200 SL (27825)	棉布, 莴苣, 转基因棉花, 香蕉, 土豆, 咖啡, 柑橘, 桉树, 豆, 垃圾, 玉米, 油桃, 桃子, 卷心菜, 大豆植株, 小麦, 葡萄 Cotton, lettuce, GMO cotton, banana, potato, coffee, citrus, eucalyptus, beans, apple, corn, nectarine, peach, cabbage, soybean, wheat, grapes	类别 5 - 产品不可能引起 严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato de Amônio Técnico Sino-Agri) Hebei Veyong Bio-Chem. Co., Ltd. - 6, Middle Huagong Rd. Circulation Chem. Ind. Park Shijiazhuang, Hebei, China; Shijiazhuang Richem Co., Ltd. - No 1 Xingwang Rd., Biological Ind. Park Shijiazhuang, Hebei, China	草铵膦 Glufosinate ammonium 200 g/L SL

LEMMA	ISOXAFLUTOLE 750 GKG WG (27925)	棉花, 马铃薯, 甘蔗, 木薯, 玉米和耐异噁唑草酮(isoxaflutole) 大豆 Cotton, potato, sugarcane, cassava, corn, isoxaflutole-tolerant soybean	类别 5 - 产品不可能引起严重损坏 环境等级 II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Isoxaflutole Técnico Sino-Agri) Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	异噁唑草酮 Isoxaflutole 750 g/kg WG
KOPPERT	TRICHODERMIL FS (28025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Fusarium solani</i> , <i>Heterodera glycines</i> , <i>Macrophomina phaseolina</i> , <i>Meloidogyne incognita</i> , <i>Meloidogyne javanica</i> , <i>Phytophthora soybeanae</i> , <i>Rhizoctonia solani</i> , <i>Pythium</i> spp., <i>Pratylenchus brachyurus</i>	类别 4 - 轻微毒性 环境等级 II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	Koppert do Brasil Holding S.A. - Rod. Margarida da Graça Martins, SP, Brazil 135, km 17, Estrada Tupi, Água Seca, Piracicaba, SP, Brazil; Koppert B.V. - Veilingweg 14, Berkel, Rodenrijs, Netherlands; Koppert do Brasil Holding S.A. - Via Vicente Verdi, 758, Dist. Ind., Charqueada, SP, Brazil	<i>Trichoderma asperelloides</i> ESALQ 1306 48 g/L FS
NORTOX	ESPIRODICLOFEN NORTOX (28125)	咖啡, 柑橘, 椰子, 垃圾, 木瓜, 橡胶树, 番茄 Coffee, citrus, coconut, apple, papaya, rubber tree, tomato	类别 5 - 产品不可能引起严重损坏 环境 III 级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Espirodiclofen Técnico Nortox) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang Hebei, China; Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shangyu Zhejiang, China; (Espirodiclofen Técnico Nortox II) Jiangsu Flag Chem. Ind. Co., Ltd. - 309 Changfenghe Roa, Nanjing Chem. Ind. Park, Nanjing, Jiangsu, China	螺螨酯 Spirodiclofen 240 g/L SC
PILARQUIM	PILARGOLD (28225)	蔗, 玉米, 大豆 Sugarcane, corn, soybean	类别 5 - 产品不可能引起严重损坏 环境等级 II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(S-metolachloro Técnico Pilarquim) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	精异丙甲草胺 S-metolachlor 480 g/L CS
NORTOX	CLORANTRANILIPROLE M NORTOX (28325)	玉米, 粟, 高粱 Corn, millet, sorghum	类别 2 - 剧毒产品 环境等级 II - 非常危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Clorrantraniliprole Técnico Nortox) Nortox S.A. - Rod. BR 369, km 197-Aricanduva, Arapongas, PR, Brazil; (Metomil Técnico Nortox) Shandong Huayang Tech. Co., Ltd. - Ciyao, Ningyang, Shandong, China; (Metomil Técnico Nortox CH) Sinon Corporation-101, Nanrong Rd., Taichung, Taiwan; Sinon Chem Co., Ltd. - 28, Beicun Rd., Zhelin, Fengxian, Shanghai, China; (Metomil Técnico Nortox BR) Nanlong Lianyungang Chemicals Co., Ltd. - Chem. Ind. Park, Duigougang, Guannan-Lianyungang, Jiangsu, China; Saerfu (Henan) Agrochemical Co., Ltd. - High, New Tech. Ind. Area, Xiguo, Mengzhou Henan, China; Henan Jinpeng Chemicals Co., Ltd. - West of Jingwu Rd., South of Weiwu Rd., Chem. Ind. Park Kaifeng, Henan, China	氯虫苯甲酰胺 21.5 + 灭多威 215 g/L OD Chlorantraniliprole 21.5 + methomyl 215 g/L OD
SUPERBAC	SUPERGUARD PRO (28425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Rhizoctonia solani</i>	未分类 环境等级 IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Superbac Biotechnology Solutions S.A. - Rod. PR 444 km 32, 5, LOTE 16-B s-Gleba Ribeirão Vitoria, Mandaguari, PR, Brazil	<i>Bacillus pumilus</i> BAC114 25 + <i>Bacillus subtilis</i> BAC059 25 g/kg WP
SUPERBAC	ZENSIS (28525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne incognita</i>	未分类 环境等级 IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Superbac Biotechnology Solutions S.A. - Rod. PR 444 km 32, Gleba Ribeirão Vitoria, Mandaguari, PR, Brazil	<i>Bacillus licheniformis</i> 25 BAC112 + <i>Bacillus subtilis</i> BAC059 25 g/kg WP
COROMANDEL	EMZEB FLOW (28625)	棉布, 水稻种植园, 香蕉, 土豆, 咖啡, 洋葱, 胡萝卜, 大麦, 柑橘, 豆, 垃圾, 袖子, 玉米, 大豆植株, 番茄, 小麦, 葡萄 Cotton, rice, banana, potato, coffee, onion, carrot, barley, citrus, beans, apple, mango, corn, soybean, tomato, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境 III 级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mancozeb Técnico Sabero) Coromandel International Ltd. - Plot 2102, Bulsar, Sarigam, Valsad, Gujarat, India	代森锰锌 Mancozeb 750 g/kg WG
PROPHYTO	HARVESTHOLD FRESH (28725)	苹果, 瓜, 番茄 Apples, melon, tomato	未分类 环境等级 IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	AgroFresh Inc. - 510-530 Walnut St., Philadelphia, PA, USA	甲基环丙烯 Methylcyclopropene 0.0014 g/kg GE
WYNCA	WYNPHOSATE (28825)	棉布, 转基因棉花, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 垃圾, 玉米, 转基因玉米, 油桃, 牧场, 梨, 桃, 橡胶树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, GMO cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, apple, corn, GMO corn, nectarine, pasture, pear, peach, rubber tree, soybean, GMO soybean, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境 III 级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico Wynca) Zhenjiang Jiangnan Chemicals Co., Ltd. - International Chem. Ind., Park, Zhenjiang New Area, Jiangsu, China	草甘膦铵盐 Glyphosate ammonium 792.5 g/kg WG

LEMMA	S-METOLACHLOR 960 EC BINNONG (28925)	棉布, 蔗, 油菜籽, 豆, 向日葵, 木薯, 玉米, 大豆植株, 高粱, 葡萄 Cotton, sugarcane, canola, beans, sunflower, cassava, corn, soybean, sorghum, grapes	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(S-Metolachlor Técnico Binnong) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - Yongxin Rd., Binbei, Binzhou, Shandong, China	精异丙甲草胺 S-metolachlor 960 g/L EC
PROREGISTROS	MARFIN 230 ME (29025)	棉布, 水稻种植园, 土豆, 咖啡, 洋葱, 豆, 玉米, 大豆植株, 番茄, 小麦 Cotton, rice, potato, coffee, onions, beans, corn, soybean, tomato, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Tetraconazole Técnico ZB) Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop., Haiyan, Zhejiang, China	四氟醚唑 Tetraconazole 230 g/L ME
OLIGOS	BIOCORYM (29125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Diaphorina citri</i> , <i>Spodoptera frugiperda</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Oligos Biotecnologia Fabricação de Defensivos Agrícolas Ltda. - Pedro Martins, 370, Mini Dist. Adail Vitorasso, São José do Rio Preto, SP, Brazil; Oligos Biotecnologia Fabricação de Defensivos Agrícolas Ltda. - Capitão José Pinto Siqueira, 797, Unileste, Piracicaba, SP, Brazil	<i>Cordyceps javanica</i> ESALQ 3428 60 g/L OD
CCAB	80 FLUROXIPYR MEPTILICO 80 PICLORAM CCAB ME (29225)	牧场 Pasture	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Fluroxipir Técnico CCAB) Shandong Luba Chem. Co., Ltd. - Loujia, Tangwang, Licheng, 250106 Jinan, Shandong, China; (Picloram Técnico CCAB) Hebei Wanquan Lihua Chemicals Co., Ltd. - Kongjiazhuang, Wanquan, Hebei, China	氯氟吡氧乙酸异辛酯 115.2 + 氨基吡啶酸 80 g/L ME Fluroxyppyr-meptyl 115.2 + picloram 80 g/L ME
SYNCROM	CAMPOSATO 720 WG (29325)	棉布, 转基因棉花, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 转基因玉米, 油桃, 牧场, 梨, 桃, 松树, 橡胶树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, GMO cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, GMO corn, nectarine, pasture, pear, peach, pinetree, rubber tree, soybean, GMO soybean, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico Fersol 950) Fersol Ind. e Comércio S.A. - Rd., Castelo Branco, km 68, 5, Olhos D'água, Mairinque, SP, Brazil; Jingma Chemicals Co., Ltd. - 50, Baota Rd., Longyou, Zhejiang, China	草甘膦 Glyphosate 720 g/kg WG
W. NEUDORFF	SLUXX (29425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Vaginula langsdorffii</i> , <i>Helix aspersa</i> , for control of <i>Pomacea canaliculata</i> in pre-germinated irrigated rice	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	Dr. Paul Lohmann GmbH KG - Hauptstrasse 2, Emmerthal, Germany	磷酸铁 Ferric phosphate 30 g/kg RB
TOTAL	DEF-MIC-089-24 (29525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Tacto Biotecnologia e Agropecuária Ltda. - Av. Adília Barbosa Neves, 3350, Portão, Arujá, SP, Brazil; Total Biotecnologia Ind. e Comércio S.A. - Emilio Romani, 1190, Curitiba, PR, Brazil	<i>Bacillus velezensis</i> CCTB09 800 g/L SC
OLIGOS	BIOASPER (29625)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Oligos Biotecnologia Fabricação de Defensivos Agrícolas Ltda. - Rua Pedro Martins, 370, Mini Dist. Adail Vitorasso, São José do Rio Preto, SP, Brazil; Oligos Biotecnologia Fabricação de Defensivos Agrícolas Ltda. - Capitão José Pinto Siqueira, 797, Unileste, Piracicaba, SP, Brazil	<i>Trichoderma asperelloides</i> ESALQ 2946 60 g/L OD
NITRO QUÍMICA	BNC 03 (29725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Botrytis cinerea</i> , <i>Phakopsora pachyrhizi</i> , <i>Corynespora cassiicola</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Companhia Nitro Química Brasileira - Av. Marginal João Olézio Marques, 3563, Chácaras Recreio Planalto, Sertãozinho, SP, Brazil	<i>Bacillus amyloliquefaciens</i> CCT8135 475 + <i>Bacillus velezensis</i> CCT8136 475 g/L SC
SUMITOMO	SCLA 330402 (29825)	牧场 Pasture	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Fluroxipir-Meptílico Técnico Sumitomo) Hebei Wanquan Lihua Chemicals Co., Ltd. - Kongjiazhuang-Wanquan, Hebei, China; (Picloram Técnico Sumitomo) Nufarm Australia Ltd. - 103-105 Pipe Rd., Laverton North, Victoria, Australia Triclopír-Butotílico Técnico Sumitomo) Hebei Wanquan Lihua Chemicals Co., Ltd. - Kongjiazhuang, Wanquan, Hebei, China	氯氟吡氧乙酸异辛酯 160 + 氨基吡啶酸 405.18 + 三氯吡氧乙酸丁氧基乙酯 240 g/L EC Fluroxyppyr-meptyl 160 + picloram 405.18 + triclopyr-butotyl 240 g/L EC

TOTAL	BTP 002-18AB (29925)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne incognita</i> , <i>Pratylenchus brachyurus</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Total Biotecnologia Ind. e Comércio S.A. - Emilio Romani, 1190, Curitiba, PR, Brazil; Tacto Biotecnologia e Agropecuária Ltda. - Av. Adília Barbosa Neves, 3350, Portão Alto, Arujá, SP, Brazil	<i>Bacillus subtilis</i> CCTB 04 500 g/L SC
BIOTA	BETHA (30025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne flavopicta</i> , <i>Euschistus heros</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Biota Innovations Ind. e Comércio de Bioprodutos Ltda. - Pedro Barbassa, 517, Recreio dos Bandeirantes, Uberaba, MG, Brazil; Biota Innovations Ind. e Comércio de Bioprodutos Ltda. - Pres. John Kennedy, Loja 1617, Parque das Américas, Uberaba, MG, Brazil; Toyobo do Brasil Produtos Biológicos Ltda. - Rua Padre Bento, 858, Dist. Ind.-Salto, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 0.01 + <i>Metarhizium anisopliae</i> IBCB 425 0.01 g/kg WP
BALLAGRO	BI2024-02 (30125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Diaphorina citri</i> , <i>Unaspis citri</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Ballagro Agro Tecnologia Ltda. - 9, Estrada Municipal Carlos Gebim, Laranja Azeda, Bom Jesus dos Perdões, SP, Brazil; Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil	<i>Beauveria bassiana</i> BALL 6-2 40 + <i>Isaria javanica</i> URM 7662 30 g/kg WP
CHDS	JANGADA (30225)	棉布, 花生, 柑橘, <i>Duboisia</i> spp., 豌豆, 豆, 豆子, 鹰嘴豆, 扁豆, 西瓜, 瓜, 玫瑰丛, 大豆植株, 番茄 Cotton, peanuts, citrus, <i>Duboisia</i> spp., peas, beans, chickpeas, lentils, watermelon, melon, rosebush, soybean, tomato	类别 4 - 轻微毒性 环境危害等级 I - 极度危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Acetamiprido Técnico Macroseeds) Ningbo Sunjoy Agrosience Co., Ltd. - Benhai Rd., Chem. Ind. Zone, of Ningbo, Ningbo, Zhejiang, China; (Pyriproxyfen Técnico CHDS) Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	啉虫眯 200 + 吡丙醚 100 g/L OD Acetamiprid 200 + pyriproxyfen 100 g/L OD
CHDS	FAISÃO (30325)	棉布, 蔗, 油菜籽, 豆, 向日葵, 木薯, 玉米, 大豆植株, 高粱, 葡萄 Cotton, sugarcane, canola, beans, sunflower, cassava, corn, soybean, sorghum, grapes	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(S-Metolachlor Técnico Binnong) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - Yongxin Rd., Binbei, Binzhou, Shandong, China	精异丙甲草胺 S-metolachlor 960 g/L EC
MAC	MAC-BEAUVERIA (30425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	MacBiotec Biotecnologia Agrícola Ltda. - Prof. José Vieira de Mendonça, 41, Engenho Nogueira, Belo Horizonte, MG, Brazil	<i>Beauveria bassiana</i> IBCB 66* 10 g/L SC
NODUAGRI	NODUMIX L (30525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Deois flavopicta</i> , <i>Euschistus heros</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Noduagri Biotecnologia Ltda. - Travessa Luis da Gama, 22, Atuba, Colombo, PR, Brazil	<i>Beauveria bassiana</i> IBCB 66* 10 + <i>Metarhizium anisopliae</i> IBCB 425* 10 g/L SC
TZ BIOTEC	SUBTILLYD FR 25 (30625)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Deois flavopicta</i> , <i>Euschistus heros</i> , <i>Meloidogyne incognita</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	TZ Biotec Ltda-Av. Drª Nadir Aguiar, 1805, Prédio I - Sala 04, Jardim Dr. Paulo Gomes Romeo, Ribeirão Preto, SP, Brazil	<i>Bacillus subtilis</i> CCT 1331 1 毫升/瓶 ml/flask GL
PROPHYTO	VIDRE+ (30725)	花朵, 垃圾, 瓜, 西瓜, 番茄 Flowers, apple, melon, watermelon, tomato	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Synthex Technologies-UI. Gagarina, 100, Toruń, Poland	甲基环丙烯 Methylcyclopropene 16.5 g/kg GE
SOLATUS	SLT-07 (30825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Solatus Biotecnologia e Insumos Ltda. - João Theodoro Lina, 100, Dist. Ind. Adib Rassi, Jardinópolis, SP, Brazil	<i>Trichoderma harzianum</i> IB 19/17 11 g/L SC
SABERO	COROZEB FLOW (30925)	棉布, 水稻种植园, 香蕉, 土豆, 咖啡, 洋葱, 胡萝卜, 大麦, 柑橘, 豆, 垃圾, 袖子, 玉米, 大豆植株, 番茄, 小麦, 葡萄 Cotton, rice, banana, potato, coffee, onion, carrot, barley, citrus, beans, apple, mango, corn, soybean, tomato, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mancozeb Técnico Sabero) Coromandel International Ltd. - Plot 2102, Bulsar, Sarigam, Valsad, Gujarat, India	代森锰锌 Mancozeb 750 g/kg WG

LEMMA	EASY THARZ (31025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Agrobiológica Sustentabilidade S.A. - Av. Emilio Marconato, 1000, Galpão G30, Jaguariúna, SP, Brazil; Agrobiológica Soluções Naturais Ltda. - Carlos Fatuto, 191, Centro Comercial, Leme, SP, Brazil	<i>Trichoderma harzianum</i> IB1917 100 g/L SC
SUMITOMO	OPTERAPRO (31125)	南瓜, 西葫芦, 棉布, 土豆, 西兰花, 佛手瓜, 卷心菜, 抱子甘蓝, 白菜, 菜花, <i>Cucumis anguria</i> , 瓜, 西瓜, 粟, 玉米, 黄瓜, 卷心菜, 大豆植株, 高粱, 番茄 Pumpkin, zucchini, cotton, potato, broccoli, chayote, cabbage, Brussels sprouts, Chinese cabbage, cauliflower, gherkin, melon, watermelon, millet, corn, cucumber, cabbage, soybean, sorghum, tomato	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Clorantraniliprole Técnico Sumitomo) Guangan Lier Chem. Co., Ltd. - Xinqiao Ind. Park, Econ. Technical Develop. Zone, Guangan, Sichuan, China	氯虫苯甲酰胺 Chlorantraniliprole 200 g/L SC
SABERO	COROZEB PLATINA (31225)	棉布, 水稻种植园, 香蕉, 土豆, 咖啡, 洋葱, 胡萝卜, 大麦, 柑橘, 豆, 垃圾, 袖子, 玉米, 大豆植株, 番茄, 小麦, 葡萄 Cotton, rice, banana, potato, coffee, onion, carrot, barley, citrus, beans, apple, mango, corn, soybean, tomato, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mancozeb Técnico Sabero) Coromandel International Ltd. - Plot 2102, Bulsar, Sarigam, Valsad, Gujarat, India	代森锰锌 Mancozeb 750 g/kg WG
NITRO QUÍMICA	PLC 03 (31325)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne incognita</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Companhia Nitro Química Brasileira - Av. Marginal João Olézio Marques, 3563, Chácara Recreio Planalto, Sertãozinho, SP, Brazil	<i>Paecilomyces lilacinus</i> CCT 8068 200 g/kg WP



Bestowing Research to Life

RAHA

LIFE SCIENCES

Consultant Services

Experienced, Reliable, Fast and Dedicated

Regulatory Services in India

RAHA Life Science Consultancy offers expert services in Agrochemical/Crop Protection & Biopesticide Registration, BioStimulant & Fertilizer Inclusion in India & Overseas, Pesticide & Fertilizer Manufacturing License, Biocide Submission, Reach & Industrial Chemicals Compliance, Labels & MSDS Preparation, and Strategic Regulatory Advice.

We also provide Trademark/Patent Support, Toll Manufacturing Coordination, and assist with recognitions from DST, DBT, BIRAC, NRDC, BCIL, and Organic Certifications (CUC, EU, and more).



Rajani Devi Kashi Reddy

Email : regulatory.raha@gmail.com

Cell / WahatsApp : +91 82472 96970



第41号法案 2025年9月5日 - 发布于2025年9月8日 - 技术产品及预混料的农药登记审批
Act No. 41 from 9/5/25 - Published on 9/8/25 - Technical product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	笔记 Note	原药生产商 Manufacturer	产品 Product
ALBAUGH	S-METOLACHLOR TÉCNICO RTM (TC16225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal, Econ. Zone, Rudong Nantong, Jiangsu, China	精异丙甲草胺 S-metolachlor
UPL	MANCOZEB TÉCNICO UPL BRASIL (TC16325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	United Phosphorous Ltd. - 750, Jhagadia, Bharuch, Gujarat, India	代森锰锌 Mancozeb
NORTOX	MANCOZEB TÉCNICO NORTOX III (TC16425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi, Jiangsu, China	代森锰锌 Mancozeb
AGROALLIANZ	MANCOZEB TÉCNICO FB (TC16525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi, Jiangsu, China	代森锰锌 Mancozeb
PROREGISTROS	DIFENOCONAZOLE TÉCNICO SCH (TC16625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Chengyang Crop Science Co., Ltd. - 83 Guan Qu Nan Lu, Nanjing Chem. Ind. Park Jiangbei New, Nanjing, Jiangsu, China	苯醚甲环唑 Difenoconazole
BRILLIANCE	CLETODIM PRÉ MISTURA BRILLIANCE (TC16725)	类别 5 - 产品不可能引起严重 重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	Liaoning Cynda Chem. Co., Ltd. - Econ. Develop. Zone, Huludao, Liaoning, China	烯草酮 Clethodim
TECNOMYL	MANCOZEB TÉCNICO TECNOMYL II (TC16825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi, Jiangsu, China	代森锰锌 Mancozeb
INDOFIL	PICOXYSTROBIN TÉCNICO INDOFIL (TC16925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Coromandel Internaonal Ltd. - Plot 3204, Ind. Estate, Bharuch 393 002-Ankleshwar, Gujarat, India	啮氧菌酯 Picoxystrobin
PROREGISTROS	FORWARD AZOXYSTROBIN TÉCNICO (TC17025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Lianyungang Liben Crop Science Co., Ltd. - Lianyungang Chem. Ind. Park, Duigougang, Guannan, Lianyungang, Jiangsu, China	啮菌酯 Azoxystrobin
PROREGISTROS	TRIFLOXYSTROBIN TÉCNICO WYNCA (TC17125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	肟菌酯 Trifloxystrobin
RAINBOW	CLORANTRANILIPROLE TÉCNICO RAINBOW (TC17225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	氯虫苯甲酰胺 Chlorantraniliprole
UPL	TRIFLOXYSTROBIN TÉCNICO UPL (TC17325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	UPL Ltd. - 750, Jhagadia, Bharuch, 393110 Gujarat, India	肟菌酯 Trifloxystrobin
UPL	IMAZETAPIR TÉCNICO UPL BR (TC17425)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	咪唑乙烟酸 Imazethapyr

NORTOX	TRIFLOXISTROBIN TÉCNICO NORTOX II (TC17525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Corechem Co., Ltd. - 18, Shilian Ave. Huaian, Jiangsu, China	腈菌酯 Trifloxystrobin
PROREGISTROS	DIQUAT TK TÉCNICO LIER (TC17625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China; Guangan Lier Chem. Co., Ltd. - Xinqiao Ind. Park, Econ. Technical Develop. Zone, Guangan, Sichuan, China	敌草快 Diquat dibromide
PROREGISTROS	DIQUAT TÉCNICO SCH (TC17725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China	敌草快 Diquat dibromide
NORTOX	TRIFLOXISTROBIN TÉCNICO NORTOX (TC17825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China	腈菌酯 Trifloxystrobin
HELM	DIQUATE L TÉCNICO HELM (TC17925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China	敌草快 Diquat dibromide
TIDE	BIFENTRINA TÉCNICO TIDE II (TC18025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hemani Industries Ltd. - GIDC, Ind. Estate, Dahej, Vagra Bharuch, Gujarat, India	联苯菊酯 Bifenthrin
AGROALLIANZ	BIFENTRINA TÉCNICO FB (TC18125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hemani Industries Ltd. - GIDC, Ind. Estate, Dahej, Vagra Bharuch, Gujarat, India	联苯菊酯 Bifenthrin
NORTOX	BIFENTRINA TÉCNICA NORTOX IV (TC18225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hemani Industries Ltd. - GIDC, Ind. Estate, Dahej, Vagra Bharuch, Gujarat, India	联苯菊酯 Bifenthrin
CROPICHEM	BIFENTRINA TÉCNICO CROPICHEM (TC18325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hemani Industries Ltd. - GIDC, Ind. Estate, Dahej, Vagra Bharuch, Gujarat, India	联苯菊酯 Bifenthrin
RED SURCOS	BIFENTRINA TÉCNICO RED SURCOS (TC18425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hemani Industries Ltd. - GIDC, Ind. Estate, Dahej, Vagra Bharuch, Gujarat, India	联苯菊酯 Bifenthrin
ALBAUGH	MESOTRIONE TÉCNICO RTM (TC18525)	等效毒理学概况 环境等级III - 危险 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhangye Dagong Pesticide Chemistry Co., Ltd. - Northeast Suburb Ind. Zone, Ganzhou Zhangye, Gansu, China; Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei-Binzhou, Shandong, China	硝磺草酮 Mesotrione
SINON	METOMIL TÉCNICO SINON II (TC18625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hunan Haili Chem. Ind. Co., Ltd. - Haide Rd., Changde Econ. Tech. Develop. Zone, Hunan, China	灭多威 Methomyl
SOLAGRO	METOMIL TÉCNICO HAILI (TC18725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hunan Haili Chem. Ind. Co., Ltd. - Haide Rd., Changde Econ. Tech. Develop. Zone, Hunan, China	灭多威 Methomyl
BIORISK	TEBUCONAZOLE TÉCNICO SJ (TC18825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Ningbo Sunjoy Agrosience Co., Ltd. - BeiHai Rd., Ningbo Chem. Ind. zone, Xiepu, Zhenhai, Zhejiang, Ningbo, China	戊唑醇 Tebuconazole
CROPICHEM	AZOXISTROBINA TÉCNICO CROPICHEM IV (TC18925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Huikwang Corporatio-17-10 Ling Tzzy Lin, Matou, Tainan, Taiwan	啮菌酯 Azoxystrobin
CHDS	CLETODIM TÉCNICO CHDS (TC19025)	等效毒理学概况 环境等级III - 危险 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shenyang Sciencreat Chemicals Co., Ltd. - Xihejiubei St. 17, Chem. Industry Area, Shenyang Econ. Tech. Develop. Zone, Shenyang, Liaoning, China	烯草酮 Clethodim
TIDE	DIQUATE TÉCNICO TIDE (TC19125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China	敌草快 Diquat dibromide
AGROBEATS	FENPROPIMORPH TÉCNICO ABT (TC19225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	丁苯吗啉 Fenpropimorph
AGROBEATS	DIQUAT DIBROMIDE TÉCNICO ABT (TC19325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China	敌草快 Diquat dibromide

AGROALLIANZ	FENPROPIMORPH TÉCNICO FB (TC19425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	丁苯吗啉 Fenpropimorph
PROREGISTROS	DIFENOCONAZOLE TÉCNICO YNX (TC19525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Ningxia Yifan Biotechnology Co., Ltd. - 6, Guangfu Rd., New Chem. Material Park Ningdong Energy Chem. Ind. Base Ningxia, China	苯醚甲环唑 Difenoconazole
ADAMA	CLETODIM TÉCNICO ADA 2 (TC19625)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shenyang Sciencreat Chemicals Co., Ltd. - Xihejiubei St. 17, Chem. Industry Area, Shenyang Econ. Tech. Develop. Zone, Shenyang, Liaoning, China	烯草酮 Clethodim
CROPCHEM	TEFLUBENZURON TÉCNICO CROPCHEM II (TC19725)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Subin Agrochemical Co., Ltd. - Yanhai Ind. Park Econ. Develop. Zone, Binhai, Jiangsu, China	氟苯脲 Teflubenzuron
SYNCROM	HALOXYFOP-P METHYL TÉCNICO NGC (TC19825)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun-Nanjing, Jiangsu, China	高效氟吡甲禾灵 Haloxypop-P-methyl
SYNCROM	DICLOSULAM TÉCNICO NGC (TC19925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Join Dream Fine Chem. Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China	双氯磺草胺 Diclosulam
SOLAGRO	BIFENTHRIN TÉCNICO LIWEI (TC20025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Guangdong Liwei Chem. Ind. Co., Ltd. - Jintang, Maonan-Maoming, Guangdong, China	联苯菊酯 Bifenthrin
NORTOX	BIFENTRINA TÉCNICA NORTOX V (TC20125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Guangdong Liwei Chem. Ind. Co., Ltd. - Jintang, Maonan-Maoming, Guangdong, China	联苯菊酯 Bifenthrin
TOPAZIO	PIRACLOSTROBINA TÉCNICO TOPÁZIO (TC20225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Ningxia Wynca Tech. Co., Ltd. - B'Taisha Ind. Park, Pingluo, Ningxia, China	吡唑醚菌酯 Pyraclostrobin
HELM	IMAZETAPIR WC TÉCNICO HELM (TC20325)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	咪唑乙烟酸 Imazethapyr



NANTONG SHIZHUANG CHEMICAL CO.LTD.
MANUFACTURER OF AGROCHEMICALS IN CHINA
EXPERTISE-TECHNOLOGY-QUALITY

MR. LARRY LU
SXCUN@HOTMAIL.COM
EN.SHIZHUANG.NET.CN
0086-13806293450



INSECTICIDE

INDOXACARB (95% TC, 15% SC, 30% WG, 15% EC, 20% EC)
METAFLUMIZONE (20% EC, 22% SC)

SOIL FUMIGANT

DAZOMET (98% TC, 98% GR)

FUNGICIDE

CYMOXANIL (98% TC)

第43号法案 2025年9月5日 - 发布于2025年9月9日 - 制定产品注册批件

Act No. 43 from 9/5/2025 - Published on 9/9/2025 - Formulated product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	建议使用 Use Recommendation	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
FMC	PRESTICOR (31425)	棉布, 花生, 蕉, 豌豆, 豆, 豆子, 鹰嘴豆, 扁豆, 粟, 玉米, 大豆植株, 高粱 Cotton, peanuts, sugarcane, peas, beans, chickpeas, lentils, millet, corn, soybean, sorghum	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Chlorantraniliprole Técnico) Corteva Agriscience Spain, S, L-Yangkou Chem. Ind. Park, Rudong, Jiangsu, China; FMC Shanghai Agricultural Sciences Co., Ltd. - 39, Shungong Rd., Shanghai Chem. Ind. Park, Shanghai, China	氯虫苯甲酰胺 Chlorantraniliprole 600 g/L SC
SYNGENTA	SEEKER (31525)	棉布, 燕麦, 黑麦, 大麦 大豆植株, 小麦, 小黑麦 Cotton, oats, rye, barley, soybean, wheat, triticale	类别 3 - 中度有毒 环境等级II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Fenpropidin Técnico) DSM Nutritional Products AG - Lalden, Visp, Canton Valais, Switzerland; Basf SE - Carl-Bosch St. 38, Ludwigshafen, Germany	苯锈啶 Fenpropidin 750 g/L EC
SYNGENTA	SPYRALE (31625)	棉布, 大豆 Cotton, soybean	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Fenpropidin Técnico) DSM Nutritional Products AG - Lalden, Visp, Canton Valais, Switzerland; Basf SE - Carl-Bosch St. 38, Ludwigshafen, Germany; (Score Técnico) Deccan Fine Chemicals Ltd. - Survey 80-83, Kesavaram, Venkatanagaram Post, Visakhapatnam, Payakaraopeta Mandal, Andhra Pradesh, India; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Difenoconazol Técnico Adama) Tagros Chemicals India Ltd. - A-41; 2, SIPCOT Ind. Complex, Pachayankuppam, Cuddalore, Tamilnadu, India; (Difenoconazol Técnico Adama BR) Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China	苯锈啶 375 + 苯醚甲环唑 100 Fenpropidin 375 + difenoconazole 100 g/L EC
ALLIERBRASIL	BIODATA 200 SL (31725)	莴苣, 棉布, 转基因棉花, 香蕉, 土豆, 咖啡, 柑橘, 桉树, 豆, 垃圾, 玉米, 转基因玉米, 油桃, 桃子, 卷心菜, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Lettuce, cotton, GMO cotton, banana, potato, coffee, citrus, eucalyptus, beans, apple, corn, GMO corn, nectarine, peach, cabbage, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato-amonium Técnico GHA) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China	草铵膦 Glufosinate ammonium 200 g/L SL
ALLIERBRASIL	HERBISOL 200 SL (31825)	莴苣, 棉布, 棉布 Libertylink, 香蕉, 土豆, 咖啡, 柑橘, 桉树, 豆, 垃圾, 玉米, 玉米 Libertylink, 油桃, 桃子, 卷心菜, 大豆植株, 大豆 Libertylink, 小麦, 葡萄 Lettuce, cotton, libertylink cotton, banana, potato, coffee, citrus, eucalyptus, beans, apple, corn, libertylink corn, nectarine, peach, cabbage, soybean, libertylink soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato-Amonium Técnico GHA) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Loagang, Qidong, Jiangsu, China	草铵膦 Glufosinate ammonium 200 g/L SL
CTVA	SALIBRO SC (31925)	土豆, 甘薯, 甜菜, <i>Dioscorea</i> spp., 胡萝卜, 姜, 薯, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 瓜, 茼蒿, 萝卜, 番茄 Potato, sweet potato, yacon potato, beets, yams, carrots, ginger, yams, cassava, parsnips, watermelon, melon, turnips, radishes, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Reklemele Técnico) Corteva Agriscience LLC - 701 Washington St. Midland, MI, USA; CABB Oy - Kemirantie 1, Kokkola, Finland; Jiangsu Jiannong ABA Agrochemical Co., Ltd. - Huanghai Rd., Yanhai Ind. Park, Binhai, Jiangsu, China; CABB AG - Dungerstrasse 81, Pratteln, Switzerland	三氟咪唑酰胺 Fluazaindolizine 500 g/L SC
CROPHEM	CLODINAFOPE 240 EC CROPHEM II (32025)	大豆植株, 小麦 Soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Clodinafope Técnico Cropchem) Lier Chem. Co., Ltd. - Econ. & Tech. Develop. Zone, Mianyang, Sichuan, China	炔草酯 Clodinafop-propargyl 240 g/L EC

CTVA	SALIBRO (32125)	土豆, 甘薯, 甜菜, 西兰花, 咖啡, <i>Dioscorea</i> spp., 胡萝卜, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜, 姜, 薯, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 瓜, 茺菁, 萝卜, 卷心菜, 番茄 Potato, sweet potato, yacon potato, beets, broccoli, coffee, yams, carrots, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, ginger, yams, cassava, parsnips, watermelon, melon, turnips, radishes, cabbage, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Reklemel Técnico) Corvea Agriscience LLC - 701 Washington St. Midland, MI, USA; CABB Oy - Kemirantie 1, Kokkola, Finland; Jianguo Jiannong ABA Agrochemical Co., Ltd. - Huanghai Rd., Yanhai Ind. Park, Binhai, Jianguo, China; CABB AG - Düngrstrasse 81, Pratteln, Switzerland,	三氟咪啶酰胺 Fluazaindolizine 500 g/L SC
YONON	AMINOPYRALID + 2,4-D YONON (32225)	牧场 Pasture	类别 4 - 轻微毒性 环境等级III - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Aminopyralid Técnico AT) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ. & Tech. Develop. Zone, Shangyu, Zhejiang, China; (2,4-D Técnico DT) Shandong Keyuan Chem. Co., Ltd. Yin Hai Ind. Park, Laizhou, Shandong, China	氯氨吡啶酸 76.9 + 2,4-滴 596.9 g/L SL Aminopyralid 76.9 + 2,4-D 596.9 g/L SL
UPL	EVITO T (32325)	剑兰, 玉米, 大豆植株, 小麦 Gladiolus, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Fluoxastrobina Técnico Arysta) Bayer AG - Dormagen, Alte Heerstrasse d-Dormagen, Germany; Deccan Fine Chemicals Ltd. - Andhra Pradesh-Kesavaram, Venkatanagaram, Payakaraopeta Mandal, Vishakapatam, Andhra Pradesh, India; (Tebuconazole Técnico Volcano) Anhui Huaxing Chem. Ind. Co., Ltd. - Wujiang, Hexian, Maanshan, Anhui, China; Shanghai Shennong Biochemical Co., Ltd. - 89 Fanhua Rd., Shongjiang, Shanghai, China	氟啶菌酯 125 + 戊唑醇 325 g/L SC Fluoxastrobin 125+ tebuconazole 325 g/L SC
BIORISK	METRIMIL 48% SC (32425)	土豆, 咖啡, 蔗, 木薯, 大豆植株, 番茄, 小麦 Potato, coffee, sugarcane, cassava, soybean, tomato, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Metribuzim Técnico Mega) Meghmani Industries Ltd. - Plot Z-6, Dahej SEZ Area, Dahej, Taluka, Vagra, Bharuch, Gujarat, India	噻草酮 Metribuzim 480 g/L SC
SYNGENTA	VANIVA (32525)	棉布, 蔗, 咖啡, 大豆 Cotton, sugarcane, coffee, soybean	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Tymirium Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'Ile-au-Bois, Monthey, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Münchwilen, Switzerland; Syngenta Ltd. - Grangemouth Manufacturing Centre, Earls Rd. FK3 8XG, Grangemouth, UK	环丁氟仑 Cyclobutrifluram 450 g/L SC
SYNGENTA	VANIVA SC (32625)	南瓜, 西葫芦, 茼蒿, 蒜, 菊苣, 香蕉, 土豆, 甘薯, 茄子, 甜菜, 西兰花, <i>Dioscorea</i> spp., 洋葱, 胡萝卜, chicória, 佛手瓜, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜, 烟草, 姜, 薯, 吉洛茄, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 瓜, 茺菁, 黄瓜, 胡椒, 胡椒, 秋葵, 萝卜, 卷心菜, 番茄 Pumpkin, zucchini, chard, lettuce, garlic, endive, banana, potato, sweet potato, yacon potato, eggplant, beetroot, broccoli, yam, onion, carrot, shallot, chicory, chayote, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, tobacco, ginger, yam, jiló, cassava, parsley, watermelon, melon, mustard, turnip, cucumber, pepper, chili, okra, radish, cabbage, tomato	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Tymirium Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'Ile-au-Bois, Monthey, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Münchwilen, Switzerland; Syngenta Ltd. - Grangemouth Manufacturing Centre, Earls Rd. FK3 8XG, Grangemouth, UK	环丁氟仑 Cyclobutrifluram 450 g/L SC

SYNGENTA	ACRIBIA DUO (32725)	大豆植株 Soybean	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(S-metolachlor Técnico Novartis) CABB AG - Rheinfelderstrasse- Pratteln, Schweizerhalle, Switzerland; (S-metolachlor Técnico Proventis) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay, Shangyu Econ. & Tech. Develop. Area, Zhejiang, China; Hangzhou Nutrichem Co. Ltd. - Hong-Shiwu Rd., Linjiang Ind. Park, Xiaoshan, Hangzhou, Zhejiang, China; (S-Metolachlor Técnico Binnong) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - Yongxin Rd., Binbei, Binzhou, Shandong, China; (S-metolachlor Técnico Cropchem) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - Yongxin Rd., Binbei, Binzhou, Shandong, China; (Sulfentrazone Técnico Proventis) Jiangxi Heyi Chem. Co., Ltd. - Longcheng Pengze, Jiujiang, Jiangxi, China; (Sulfentrazone Técnico Tecnomyl) Tagros Chemicals, India Ltd. - SIPCOT Ind. Complex Pachayankuppam, Cuddalore, Tamil Nadu, India; (Sulfentrazone Técnico Tagros) Tagros Chemicals India Ltd. - SIPCOT Ind. Complex Pachayankuppam, Cuddalore, Tamil Nadu, India; Tagros Chemicals, India Pvt. Ltd. - Amod Rd., Dehej 1, Taluka Vagra, Bharuch, Gujarat, India; (Sulfentrazona Técnico Adama BR) Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Luzhou, sichuan, China; Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Luzhou, Sichuan, China	精异丙甲草胺 847 + 甲磺草胺 88 g/L EC S-metolachlor 847 + sulfentrazone 88 g/L EC
INFLORA	IN-21-02 (32825)	任何受到这种农业害虫侵扰的 农作物 Any crop with <i>Pratylenchus brachyurus</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Inflora Biociência Ltda. - Via Major Hilario Tavares Pinheiro, Sorocabano, Jaboticabal, SP, Brazil; Allbiom Biotecnologia Ltda. - Rod. Aarão Assed, 333, km 4-Cajuru, SP, Brazil; Superbac Biotechnology Solutions S.A. - Rod. PR 444, km 32 Lote 16-B, Galpão 1, Gleba Ribeirão Vitória, Mandaguari, PR, Brazil	<i>Bacillus inaquosorum</i> CBMAI 2783 33 + <i>Bacillus licheniformis</i> CBMAI 2779 33 + <i>Bacillus velezensis</i> CBMAI 2781 33 g/L SC
BIOTA	MTH (32925)	任何受到这种农业害虫侵扰的 农作物 Any crop with <i>Mahanarva fimbriolata</i> , <i>Zulia enterriana</i> , <i>Deois flavopicta</i>	类别 5 - 产品不可能引起严 重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Biota Innovations Ind. e Comércio de Bioprodutos Ltda. - Pedro Barbassa, 517, Recreio dos Bandeirantes, Uberaba, MG, Brazil	<i>Metarhizium anisopliae</i> IBCB 425 60 g/kg WP
BC	(33025)	任何受到这种农业害虫侵扰的 农作物 Any crop with <i>Diatraea saccharalis</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	BC Ecocare Biotecnologia Ltda. - Natal, 806, Brazil, Uberlândia, MG, Brazil	<i>Trichogramma galloi</i> 15000 活体昆虫 live insects
MONSANTO	ROUNDUP XTEND (33125)	棉布, 转基因棉花, 玉米, 转基因玉 米, 大豆植株, 转基因大豆 Cotton, GMO cotton, corn, GMO corn, soybean, GMO soybean	类别 5 - 产品不可能引起严 重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Glifosate Técnico Monsanto) Monsanto do Brasil Ltda. - Av. Carlos Marcondes, 1200, km 159, 5, Limoeiro, São José dos Campos, SP, Brazil; Monsanto Co. - 501 River Rd., 174, Luling Louisiana, USA; Monsanto Co. - 2500 Wiggins Rd., Muscatine, Iowa, USA; Monsanto Argentina S.A. - Ruta 12, km 83, 100, Zarate, 2800, Argentina; Monsanto Europe S.A., Haven 627, Scheldelaan 460, Lillo, 2040, Belgium; (Dicamba Técnico Monsanto I) Gharda Chemicals Ltd. - D-1/2, MIDC, Lote Parshuram, Ratnagiri Taluka Khed, Maharashtra, India; (Dicamba Técnico Monsanto II) Monsanto Co. - River Rd. Luling, Louisiana 7070, USA; (Dicamba Técnico Syn) Youjia Crop Protecon Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China	草甘膦 320 + 麦草畏 160 g/L SL Glyphosate 320 + dicamba 160 g/L SL
COMDEAGRO	BEMIEX (33225)	任何受到这种农业害虫侵扰的 农作物 Any crop with <i>Deois flavopicta</i> , <i>Euschistus hero</i>	类别 5 - 产品不可能引起严 重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	COMDEAGRO-Cooperativa Mista de Desenvolvimento do Agronegócio-Rod. BR 070, km 360, Zona Rural, Campo Verde, MT, Brazil	<i>Beauveria bassiana</i> IBCB 66 7 + <i>Metarhizium anisopliae</i> IBCB 425 7 g/L SC
INFLORA	IN-24-32 (33325)	任何受到这种农业害虫侵扰的 农作物 Any crop with <i>Deois flavopicta</i> , <i>Euschistus hero</i>	类别 5 - 产品不可能引起严 重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Inflora Biociência Ltda. - Via Major Hilario Tavares Pinheiro, Sorocabano, Jaboticabal, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 100 + <i>Metarhizium anisopliae</i> IBCB 425 100 g/kg WP

INFLORA	IN-24-41 (33425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Inflora Biociência Ltda. - Via Major Hilario Tavares Pinheiro, Sorocabano, Jaboticabal, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 250 g/kg WP
AGRO-LEAD	CROSS OUT (33525)	玉米, 大豆 Corn, soybean	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Glufosinato-Sal de Amônio Técnico Agrolead) Adama Huifeng Ltd. - Weier Rd., South of Ocean Econ. Develop. Zone, Dafeng, Jiangsu, China	草铵膦 Glufosinate ammonium 880 g/kg SG
ADAMA	LINCE BR (33625)	蔗, 玉米 Sugarcane, corn	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Atranex Agricur Técnico) Adama Agan Ltd. - Northern Ind. Zone, Haashlag St., Ashdod 77102, Israel; Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China; (Atrazin Técnico Milenia) Adama Brasil S.A. - Pedro Antônio de Souza, 400-Parque Rui Barbosa-Londrina, PR, Brazil; Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China; (Atrazine Técnico Milenia) Adama Agan Ltd. - Northern Ind. Zone, Haashlag St., 262, Ashdod 77102, Israel; Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China; (Atrazina Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China; (Atrazina Técnico Ciba Geigy) Anhui Zhongshan Chem. Ind. Co., Ltd. - Xiangyu Chem. Ind. Park Dongzhi, Anhui, China; Hebei Shanli Chem. Co., Ltd. - 18th Team, Zhongjie Farm, Cangzhou, Hebei, China; Syngenta Crop Protection LLC - 3905 Highway 75, River Rd. St, Gabriel, Louisiana, 7076, USA; (Atrazina Técnico Mil) Anhui Zhongshan Chem. Ind. Co., Ltd. - Xiangyu Chem. Ind. Park Dongzhi, Anhui, China; (Atrazina Técnico Adama) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei-Binzhou, Shandong, China; (Atrazina Técnico Adama BR) Hebei Shanli Chem. Co., Ltd. - 18th Team, Zhongjie Farm 061108 Cangzhou, Hebei, China; (Mesotriona Técnico Milenia) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay, Shangyu Econ. & Tech. Development area, Zhejiang, China; (Mesotrione Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'Île-au-Bois, CH1870, Monthey, Switzerland; Shenyang Sciencreat Chemicals Co., Ltd. - Xihejiubei St. 17, Chem. Ind. Area Shenyang Liaoning, China; Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; AnHui ZhongShan Chem. Ind. Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi, Anhui, China; Syngenta AG Products Plants-Cold Creek Highway, 43 N, 21 Mile Marker 32, Bucks AL, USA; Inner Mongolia Zhonggao Chem. Co., Ltd. - South of Wuji Railway, Bayin Oboo Ind. Park, Alxa League Econ. & Tech. Develop. Zone, Inner Mongolia Autonomous, China; (Mesotriona Técnico Adama) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei-Binzhou, Shandong, China; (Mesotriona Técnico Adama BR) AnHui ZhongShan Chem. Ind. Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi, Anhui, China	莠去津 750 + 硝磺草酮 75 g/kg WG Atrazine 750 + mesotrione 75 g/kg WG
CTVA	ENZOSTA (33725)	棉布, 粟, 玉米, 大豆植株, 高粱 Cotton, millet, corn, soybean, sorghum	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Reklemler Técnico) Corteva Agriscience LLC - 701 Washington St. Midland, MI, USA; CABB Oy - Kemirantie 1, Kakkola, Finland; Jiangsu Jiannong ABA Agrochemical Co., Ltd. - Huanghai Rd., Yanhai Ind. Park, Binhai, Jiangsu, China; CABB AG - Düngrstrasse 81, Pratteln, Switzerland	三氟咪唑啉胺 Fluazaindolizine 500 g/L SC

CTVA	LORMELO (33825)	棉布, 粟, 玉米, 大豆植株, 高粱 Cotton, millet, corn, soybean, sorghum	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Reklemel Técnico) Corteva Agriscience LLC - 701 Washington St. Midland, MI, USA; CABB Oy - Kemirantie 1, Kokkola, Finland; Jiangsu Jiannong ABA Agrochemical Co., Ltd. - Huanghai Rd., Yanhai Ind. Park, Binhai, Jiangsu, China; CABB AG - Dungerstrasse 81, Pratteln, Switzerland	三氟咪啶酰胺 Fluazaindolizine 500 g/L SC
CTVA	TROKINTA (33925)	蔗 Sugarcane	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Reklemel Técnico) Corteva Agriscience LLC - 701 Washington St. Midland, MI, USA; CABB Oy - Kemirantie 1, Kokkola, Finland; Jiangsu Jiannong ABA Agrochemical Co., Ltd. - Huanghai Rd., Yanhai Ind. Park, Binhai, Jiangsu, China; CABB AG - Dungerstrasse 81, Pratteln, Switzerland	三氟咪啶酰胺 Fluazaindolizine 500 g/L SC
CTVA	YELDANA (34025)	蔗 Sugarcane	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Reklemel Técnico) Corteva Agriscience LLC - 701 Washington St. Midland, MI, USA; CABB AG - Dungerstrasse 81, Pratteln, Switzerland; CABB Oy - Kemirantie 1, Kokkola, Finland; Jiangsu Jiannong ABA Agrochemical Co., Ltd. - Huanghai Rd., Yanhai Ind. Park, Binhai, Jiangsu, China	三氟咪啶酰胺 Fluazaindolizine 500 g/L SC
CTVA	PRADO WG (34125)	蔗 Sugarcane	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Diclosulam Técnico) Corteva Agriscience LLC - 701 Washington St. Midland, MI, USA; Deccan Fine Chemicals Ltd. - Survey 80-83, Kesavaram, Venkatanagaram Post, Payakaraopeta Mandal, Vishakapatnam, Andra Pradesh, India	双氯磺草胺 Diclosulam 840 g/kg WG
HELM	HDB 276M (34225)	花生, 豌豆, 豆, 豆子, 鹰嘴豆, 扁豆 Peanuts, peas, beans, chickpeas, lentils	类别 3 - 中度有毒 环境等级II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Chlorothalonil Técnico Helm) Jiangyin Suli Chem. Co.-Ltd. - 7 Runhua Rd., Ligang Park, Jiangyin Econ. Develop. Zone, Jiangyin, Jiangsu, China; (Clorotalonil Técnico Agrisor) Jiangsu Xinhe Agrochemical Co., Ltd. - 19 Xingang Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China; Jiangsu Xinhe Agrochemical Co., Ltd. - 55, Jingjiu Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China; (Tebuconazole 97 Técnico Helm) Jiangsu Sevencontinent Green Chem. Co., Ltd. - 28 Chengbei Rd., Zhangjiagang, Jiangsu, China; Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem-zone, Zhangjiagang, Jiangsu, China; (Tebuconazole S Técnico Helm) Jiangsu Sevencontinent Green Chem. Co., Ltd. North of Dongsha Chem-Zone, Zhangjiagang, Jiangsu, China; (Tebuconazole Técnico Proventis) Shangyu Nutrichem Co., Ltd. - 9 Weijiu Rd., Hangzhou Gulf Fine Chem. Zone, Hangzhou, Zhejiang, China; (Tebuconazole YH Técnico Helm) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China	百菌清 750 + 戊唑醇 60 g/L SC Chlorothalonil 750 + tebuconazole 60 g/L SC
INFLORA	IN-24-42 (34325)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Mahanarva fimbriolata</i> , <i>Notozulia enterriana</i> , <i>Deois flavopicta</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Inflora Biociencia Ltda. - Via Major Hilario Tavares Pinheiro, Sorocabano, Jaboticabal, SP, Brazil	<i>Metarhizium anisopliae</i> IBCB 425 250 g/kg WP
GENICA	GNC006B (34425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Fusarium oxysporum</i> , <i>Rhizoctonia solani</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Genica Inovao Biotecnologica S.A. - Antonio Degaspari, 1514, gua Santa, Piracicaba, SP, Brazil	<i>Trichoderma asperellum</i> CBMAI 1622 50 g/kg WP
PROREGISTROS	FLUMIOXAZIM 500 SC LIER (34525)	棉布, 土豆, 咖啡, 蔗, 洋葱, 柑橘, 桉树, 松树, 豆, 垃圾, 木薯, 玉米, 大豆植株, 小麦 Cotton, potato, coffee, sugarcane, onion, citrus, eucalyptus, pinetree, beans, apple, cassava, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Flumioxazin Técnico Lier) Lier Chem. Co., Ltd. - Econ. & Tech. Develop. Zone, Mianyang, Sichuan, China	丙炔氟草胺 Flumioxazin 500 g/L SC
YONON	DICAMBA 480 SL YONON (34625)	棉布, 转基因棉花, 大豆植株, 转基因大豆 Cotton, GMO cotton, soybean, GMO soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Dicamba Técnico DT) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Chem. Zone, Shangyu Zhejiang, China	麦草畏 Dicamba 480 g/L SL

RAINBOW	SPIREEL (34725)	棉布, 豆, 玉米, 大豆植株, 小麦 Cotton, beans, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobina Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China; (Prothioconazol Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China	肱菌酯 150 + 丙硫菌唑 175 g/L SC Trifloxystrobin 150 + prothioconazole 175 g/L SC
AGRO IMPORT	TEBUCONAZOLE 500 + TRIFLOXISTROBINA 250 WG AGROIMPORT (34825)	柑橘, 玉米, 大豆植株, 小麦 Citrus, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobina Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China; (Tebuconazole Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China	肱菌酯 250 + 戊唑醇 500 g/kg WG Trifloxystrobin 250 + tebuconazole 500 g/kg WG
JCO	NEMAEND JCO (34925)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne incognita</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	JCO Ind. e Comércio de Fertilizantes Ltda. - Av. Ahyllon Macedo, 8030 Chácara Candeias, Serra da Bandeira, Barreiras, BA, Brazil	<i>Purpureocillium lilacinum</i> CMBAI 2480 50 g/kg DP
SUNO	TOPQUAT (35025)	土豆, 咖啡, 柑橘, 豆, 大豆 Potato, coffee, citrus, beans, soybean	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Diquate Técnico LA) Dezhou Luba Fine Chem. Co., Ltd. - 288, Hengdong Rd., Tianqu Ind. Park, Dezhou, Shandong, China	敌草快 Diquat dibromide 374 g/L SL
CHDS	ESFINGE (35125)	牧场 Pasture	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Técnico MCR) Jiangsu Good Harvest Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China; (Aminopyralid Técnico Avilive) Zhejiang Avilive Chem. Co., Ltd. - 335 Jiangnan Rd., Hengdian Dongyang, Zhejiang, China	2,4-滴 481 + 氯吡啶酸 60.9 g/L SL 2,4-D 481 + aminopyralid 60.9 g/L SL
SOLATUS	SLT 01 (35225)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne incognita</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Solatus Biotecnologia e Insumos Ltda. - João Theodoro Lima, 100, Dist. Ind. - Jardimópolis, SP, Brazil	<i>Purpureocillium lilacinum</i> CMBAI 2833 5.95g/L SL
SYNGENTA	REFLECT TOP (35325)	苹果, 大豆 Apple, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Isopyrazam Técnico) Syngenta Nantong Crop Protection Co., Ltd. - 1 Zhongyang Rd., Nantong Econ. & Tech. Develop. Area, Nantong, Jiangsu, China; Deccan Fine Chemicals Pvt Ltd. - 16 Meter Rd. B1, Ind. Estate, Bharuch, Gujarat, India; Syngenta Crop Protection Monthey S.A., Ltd. - Route de l'Île-au Bois, 1870 Monthey, Switzerland; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Score Técnico) Deccan Fine Chemicals Pvt. Ltd. - Survey 80-83, Kesavaram, Venkatanagaram Post, Visakhapatnam, Payakaraopeta Mandal, Andhra Pradesh, India; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Difenoconazol Técnico Adama) Tagros Chemicals India Ltd. - A-41; 2, SIPCOT Ind. Complex, Pachayankuppam, Cuddalore, Tamilnadu, India; (Difenoconazol Técnico Adama BR) Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; (Difenoconazole JS Técnico Helm) Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; Jiangsu Chengyang CropScience Co., Ltd. - 83, Guan Qu Nan Lu, Nanjing Chem. Ind. Park, Nanjing, Jiangsu, China	吡啶茶菌胺 125 + 茶醚甲环唑 125 g/L SC Isopyrazam 125 + difenoconazole 125 g/L SC
SERQUIBIO	BIOFOLL (35425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Spodoptera frugiperda</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Serquibio Biotecnologia Agrícola Ltda. - Prof. José de Assis Saés, 359, Dist. Ind., Santa Bárbara d'Oeste, SP, Brazil	<i>Beauveria bassiana</i> CCT8006 100 + <i>Metarhizium anisopliae</i> CCT8019 100 + <i>Bacillus thuringiensis</i> CCT8018 100 g/L EC
BIORISK	FLUMISAIL (35525)	棉布, 土豆, 咖啡, 蔗, 洋葱, 柑橘, 桉树, 豆, 玉米, 松树, 大豆 Cotton, potato, coffee, sugarcane, onion, citrus, eucalyptus, beans, corn, pinetree, soybean	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Flumioxazin Técnico YN) Yifan Biotechnology Group Co., Ltd. - 555, Changnan Rd., Yaoxi Subdistrict, Longwan, Wenzhou, Zhejiang, China	丙炔氟草胺 Flumioxazin 480 g/L SC
LEMMA	COMPANION MAXX WP (35625)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Phakopsora pachyrhizi</i> , <i>Sclerotinia sclerotiorum</i> , <i>Rhizoctonia solani</i> , <i>Pratylenchus brachyurus</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Envera LIC, LLC - 220 Garfield Av., West Chester, PA, USA	<i>Bacillus amyloliquefaciens</i> ENV503 115 g/kg WP

17th BRASIL AGROCHEMSHOW

São Paulo

2026年8月3-4日

August 3rd & 4th, 2026



巴西、中国、印度、欧洲、拉丁美洲
Brazil, China, India, Europe, Latam

20+国家 20+ countries

1600+参展商和专业观众 1600+ exhibitors and visitors

报告：市场、注册、环境、生物农药与生物投入品、中国、拉美
Lectures: market, registration, environment, bioinputs, China, Latam

活动主办方
Organizers

媒体合作伙伴
Media Partner



brasil@agrochemshow.com.br

liyuan@ccpitchem.org.cn

第44 号法案 2025年9月26日 - 发布于2025年9月30日 - 制定产品注册批件

Act No. 44 from 9/26/2025 - Published on 9/30/2025 - Formulated product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	建议使用 Use Recommendation	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
SOLATUS	SLT 02 (35725)	任何受到这种农业害虫 侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Dalbulus maidis</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Solatus Biotecnologia e Insumos Ltda. - João Theodoro Lima, 100 Dist. Ind. - Jardinópolis, SP, Brazil	<i>Cordyceps javanica</i> CBMAI 2831 14 g/L SC
SUPERBAC	SUPERGUARD LIQ (35825)	任何受到这种农业害虫侵 扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i> , <i>Rhizoctonia solani</i> , <i>Fusarium solani</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Superbac Biotechnology Solutions S.A. - Rod. PR 444 km 32, Gleba Ribeirão Vitória, Mandaguari, PR, Brazil	<i>Bacillus subtilis</i> BAC059 12.5 + <i>Bacillus subtilis</i> BAC116 12.5 g/L SC
SUMITOMO	OPTERADUO (35925)	棉布, 豆, 玉米, 大豆 cotton, beans, corn, soybean	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Clorantilaniliprole Técnico Sumitomo) Guangan Lier Chem. Co., Ltd. - Xinqiao Ind. Park, Econ. Technical Develop. Zone, Guangan, Sichuan, China; (Clorfenapir Técnico Cropchem) Shandong Weifang Shuangxing Pesticide Co., Ltd. - Weifang Binhai Develop. Zone, Yansi 403, Weifang, Shandong, China	氯虫苯甲酰胺 30 + 虫螨腈 400 g/L SC Chlorantraniliprole 30 + chlorfenapyr 400 g/L SC
CROPChem	SHAW 240 SC (36025)	牛油果, 菠萝, 木瓜, 芒果, 百香果, 南瓜, 西葫芦, 佛 手瓜, 黄瓜, 刺角瓜, 阿萨 伊, 油棕, 桃棕, 瑞士甜菜, 莴苣, 西洋菜, 菊苣, 菠菜, 甜叶菊, 芝麻菜, 棉花, 杜 鹃花, 秋海棠, 菊花, 一品 红, 兰花, 玫瑰, 马铃薯, 甘 薯, 甜菜, 萝卜, 茄子, 吉洛 茄, 辣椒, 西兰花, 卷心菜, 大白菜, 抱子甘蓝, 花椰 菜, 咖啡, 柿子, 杨桃, 柑橘, 椰子, 菜豆, 番石榴, 甜椒, 秋葵, 木薯, 西瓜, 甜瓜, 玉 米, 大豆, 番茄 Avocado, pineapple, papaya, mango, passion fruit, pumpkin, zucchini, chayote, cucumber, gherkin, açaí, palm oil, fig, peach palm, chard, lettuce, watercress, endive, chicory, Spinach, stevia, arugula, cotton, azalea, begonia, chrysanthemum, poinsettia, orchid, rosebush, potato, sweet potato, beetroot, radish, eggplant, jiló, peppers, broccoli, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, cabbage, coffee, persimmon, <i>Averrhoa carambola</i> , citrus, coconut, beans, guava, pepper, okra, cassava, watermelon, melon, corn, soybean, tomato	类别 5 - 产品不可能引起 严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Espiromesifeno Técnico Cropchem) Shandong Kangqiao Bio-Tech. Co., Ltd. - Lvyyi Ind. Park, Boxing Shandong, China	螺甲螨酯 Spiromesifen 240 g/L SC
PERTERRA	METOXIFENOZIDE 240 SC PERTERRA (36125)	棉布, 豆, 苹果, 玉米, 大豆 植株, 番茄, 小麦 Cotton, beans, apple, corn, soybean, tomato, wheat	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Methoxyfenozide Técnico Sino-Agri) Jiangsu Huifeng Agrochemical Co., Ltd. - Weier Rd., South of Ocean Econ. Develop. Zone, Dafeng, Jiangsu, China	甲氧虫酰肼 Methoxyfenozide 240 g/L SC

SUMITOMO	AVEO ST (37125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Heterodera glycines</i> , <i>Meloidogyne incognita</i> , <i>Meloidogyne javanica</i> , <i>Pratylenchus brachyurus</i> , <i>Pratylenchus zaeae</i> , <i>Rotylenchulus reniformis</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Valent BioSciences LLC - 2142, 350th St., Osage, Iowa, USA	<i>Bacillus amyloliquefaciens</i> PTA-4838 270 g/L FS
VITTIA	BAVTT 0324 (37225)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Heterodera glycines</i> , <i>Meloidogyne incognita</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Vittia S.A. - Av. Marginal Esquerda, 1000, Dist. Ind., São Joaquim da Barra, SP, Brazil; Vittia S.A. - Av. Marginal Esquerda, 2000, Dist. Ind., São Joaquim da Barra, SP, Brazil	<i>Bacillus amyloliquefaciens</i> BV03 42 g/L SC
NODUAGRI	NODUBT (37325)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Alabama argilacea</i> , <i>Spodoptera frugiperda</i> , <i>Anticarsia gemmatalis</i> , <i>Chrysodeixis includens</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Noduagri Biotecnologia Ltda. - Travessa Luis da Gama 22, Barracão A, Atuba, Colombo, PR, Brazil	<i>Bacillus thuringiensis</i> HD-1 (S1450) 32 g/L SC
TRADECORP	PARLET (37425)	牛油果, 菠萝, 木瓜, 芒果, 百香果, 南瓜, 西葫芦, 佛手瓜, 黄瓜, 刺角瓜, 阿萨伊, 油棕, 桃棕, 瑞士甜菜, 莴苣, 西洋菜, 菊苣, 菠菜, 甜叶菊, 芝麻菜, 棉花, 杜鹃花, 秋海棠, 菊花, 一品红, 兰花, 玫瑰, 马铃薯, 甘薯, 甜菜, 萝卜, 茄子, 吉洛茄, 辣椒, 西兰花, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜, 咖啡, 柿子, 杨桃, 柑橘, 椰子, 菜豆, 番石榴, 甜椒, 秋葵, 木薯, 西瓜, 甜瓜, 玉米, 大豆, 番茄 Avocado, pineapple, papaya, mango, passion fruit, pumpkin, zucchini, chayote, cucumber, gherkin, açai, palm oil, fig, peach palm, chard, lettuce, watercress, endive, chicory, Spinach, stevia, arugula, cotton, azalea, begonia, chrysanthemum, poinsettia, orchid, rosebush, potato, sweet potato, beetroot, radish, eggplant, jiló, peppers, broccoli, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, cabbage, coffee, persimmon, <i>Averrhoa carambola</i> , citrus, coconut, beans, guava, pepper, okra, cassava, watermelon, melon, corn, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Spiromesifen Técnico FB) Shandong Kangqiao Bio-Tech. Co., Ltd. - Lvyi Ind. Park, Boxing Shandong, China	螺甲螨酯 Spiromesifen 240 g/L SC
SUPERBAC	SBAC6 (37525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>zeae</i> , <i>Meloidogyne incognita</i> , <i>Rhizoctonia solani</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Superbac Biotechnology Solutions S.A. - Santa Mônica, 1025, Parque Ind. San José, Cotia, SP, Brazil	<i>Bacillus subtilis</i> BAC004 25 + <i>Bacillus velezensis</i> BAC079 25 g/kg WP
GENETICA	BIOGENIUN TRICHO (37625)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Genetica Tecnologias Ambientais Ltda. - Alfredo Goelner, 471-D, Linha Rodeio Chato, Dist. Ind. Flavio Baldissera, Chapecó, SC, Brazil	<i>Trichoderma harzianum</i> IB1917 500 g/L SC

SUMITOMO	PROTIOCONAZOLE 250 EC (37725)	棉布, 豆, 大豆 Cotton, beans, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Protioconazole Técnico Sumitomo) Jiangsu Chengyang Crop Science Co., Ltd. - 83, Guan Qu Nan Lu, Nanjing Chem. Industry Park Nanjing, Jiangsu, China; (Protioconazole Técnico Sumitomo BR) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park Binhai, Jiangsu, China	丙硫菌唑 Prothioconazole 250 g/L EC
LEMMA	2,4-D 240 + PICLORAM 64 SL (37825)	米, 蔗, 桉树, 牧场 Rice, sugarcane, eucalyptus, pasture	类别 4 - 轻微毒性 环境等级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Técnico Agrisor) CAC Nantong Chem. Co. - Ltd., 4th Huanghai Rd., Yangkou Chem. Ind. Park, Rudong, Nantong, Jiangsu, China; Jiangxi Tianyu Chem. Co., Ltd. - Yanhua Rd., Xingan Salt Chem. Ind. Park, Xingan, Jiangxi, China; (Picloram Técnico YN) AllierBrasil Agro Ltda. - Dona Antônia de Queirós, 504, Higienópolis, São Paulo, SP, Brazil	氨基吡啶酸 64 + 2,4-D 滴 240 g/L SL Picloram 64 + 2,4-D 240 g/L SL
BOSQUIROLI	VIRELLO WP (37925)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Erinnyis ello</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Bosquirol e Santos Ltda. - 06, Linha Meneghel, Sede Alvorada, Cascavel, PR, Brazil	<i>Baculovirus erinnyis</i> 0.6 g/kg WP
TOTAL	BTP 169-21A EW (38025)	玉米 Corn	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Total Biotecnologia Ind. e Comércio S.A. - Emilio Romani, 1190, CIC, Curitiba, PR, Brazil	罗勒提取物 Extract of basil 309.8 g/L EW
SYNCROM	MACE 970 SG (38125)	棉布, 花生, 土豆, 柑橘, 豆, 玉米, 大豆植株, 番茄 Cotton, peanuts, potato, citrus, beans, corn, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico Syncrom) Nantong Weilike Chem. Co., Ltd. - 4th Yangkou Rd., Chem. Ind. Park Yangkou Coastal Econ. Develop. Zone, Rudong, Nantong, Jiangsu, China	乙酰甲胺磷 Acephate 970 g/kg SG
HELM	BREAKDOWN (38225)	棉布, 花生, 洋葱, 豆, 大豆植株, 番茄 Cotton, peanuts, onions, beans, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Quizalofop-P-Ethyl Técnico Helm) Jiangsu Fengshan Group Co., Ltd. - Wanggang, Dafeng, Jiangsu, China	精喹禾灵 Quizalofop-P-ethyl 100 g/L EC
HELM	HDB 276A (38325)	大豆植株 Soybean	类别 3 - 中度有毒 环境等级II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Chlorothalonil Técnico Helm) Jiangyin Suli Chem. Co., Ltd. - 7, Runhua Rd., Ligang, Jiangyin, Jiangsu, China; (Clorotalonil Técnico Agrisor) Jiangsu Xinhe Agrochemical Co., Ltd. - 55 Xingang Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China; Jiangsu Xinhe Agrochemical Co., Ltd. - 19 Xingang Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China; (Tebuconazole 97 Técnico Helm) Jiangsu Sevencontinent Green Chem. Co., Ltd. - Chengbei Rd., 28, North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; (Tebuconazole S Técnico Helm) Jiangsu Sevencontinent Green Chem. Co., Ltd. - Chengbei Rd., 28, North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; (Tebuconazole Técnico Proventis) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. Tech. Develop. Area, Zhejiang, China; (Tebuconazole YH Técnico Helm) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China	百菌清 750 + 戊唑醇 60 g/L SC Chlorothalonil 750 + tebuconazole 60 g/L SC
ALLIERBRASIL	GLIFOSATO SOLUS WG (38425)	棉布, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 油桃, 牧场, 梨, 桃, 松树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, nectarine, pasture, pear, peach, pinetree, soybean, GMO soybean, wheat, grape	类别 4 - 轻微毒性 环境等级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Glifosato Técnico GHA) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Loagang, Qidong, Jiangsu, China	草甘膦铵盐 Glyphosate ammonium 792.5 g/kg WG

第46号法案 2025年9月29日 - 发布于2025年10月2日 - 技术产品及预混料的农药登记审批
Act No. 46 from 9/29/25 - Published on 10/2/25 - Technical product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	笔记 Note	原药生产商 Manufacturer	产品 Product
GREENUP	PLUCK TÉCNICO (TC20425)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Max Rudong Chemicals Co., Ltd. - Yangkou Chem. Ind. Park, Rudong, Jiangsu, China	噻苯隆 Thidiazuron
SOLOESTE	TIDIAZUROM TÉCNICO SL (TC20525)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Max Rudong Chemicals Co., Ltd. - Yangkou Chem. Ind. Park, Rudong, Jiangsu, China	噻苯隆 Thidiazuron
ADAMA	TIAMETOXAM TÉCNICO ADAMA 3 (TC20625)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Insecticides (India) Limited.-E-442, RIICO Ind. Area, Chopanki Bhiwadi, Rajasthan, India	噻虫嗪 Thiamethoxam
HELM	S-METOLACLORO JC TÉCNICO HELM (TC20725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal, Econ. Zone, Rudong, Nantong, Jiangsu, China	精异丙甲草胺 S-metolachlor
CHANGQING	S-METOLACHLOR TÉCNICO HY-GREEN (TC20825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal, Econ. Zone, Rudong, Nantong, Jiangsu, China	精异丙甲草胺 S-metolachlor
ADAMA	PICOXISTROBINA TÉCNICO ADA (TC20925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	啮氧菌酯 Picoxystrobin
HELM	METOXIFENOZIDA G TÉCNICO HELM (TC21025)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Yingde Greatchem Chemicals Co., Ltd. - Shakou, Yingde Guangdong, China	甲氧虫酰肼 Methoxyfenozide
ALTA	GLUFOSINATO TÉCNICO ALTA (TC21125)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China	草铵膦 Glufosinate ammonium
ALTA	DICAMBA TÉCNICO ALTA (TC21225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	麦草畏 Dicamba
BIORISK	DICLOSULAM TÉCNICO BIOSEEN (TC21325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Join Dream Fine Chem. Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China	双氯磺草胺 Diclosulam
BIORISK	TDZ MAX TÉCNICO (TC21425)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Max Rudong Chemicals Co., Ltd. - Yangkou Chem. Ind. Park, Rudong, Jiangsu, China	噻苯隆 Thidiazuron
BIORISK	MAXUNIZOL TÉCNICO (TC21525)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi Distric, Sichuan, Sichuan, Luzhou, China	丙硫菌唑 Prothioconazole
BIORISK	FLUMIOXAZIN TÉCNICO DENONG (TC21625)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Changshu Pesticide Factory Co., Ltd. - South Mocheng Management, Yushan Changshu, Jiangsu, China	氟噻草酮 Flumioxazin
HEMANI	V LAMBDA CYHALOTHRIN TÉCNICO (TC21725)	等效毒理学概况 环境危害等级I - 极度危险 Tox. clas. - Equivalent Env. clas. I - Highly dangerous	Hemani Industries Ltd. - GIDC, Ind. Estate Dahej, Vagra, Bharuch, Gujarat, India	高效氯氟氰菊酯 Lambda-cyhalothrin
IHARABRAS	GLUFOSINATO TÉCNICO IHARA I (TC21825)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Mianyang, Sichuan, China	草铵膦 Glufosinate ammonium
IHARABRAS	SULFENTRAZONE TÉCNICO II (TC21925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Agrochem Laboratory Co., Ltd. - 1218 North Changjiang Rd., High-tech Develop. Zone, Changzhou	甲磺草胺 Sulfentrazone
AGROALLIANZ	TRIFLOXYSTROBIN TÉCNICO FB (TC22025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China	肟菌酯 Trifloxystrobin
LEMMA	TRIFLOXYSTROBIN TÉCNICO SINO-AGRI (TC22125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China; Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Shilian Ave., Huaian, China; CAC Nantong Chem. Co., Ltd. - 4th Huanghai Rd., Yangkou Chem. Ind. Park, Nantong, Jiangsu, China	肟菌酯 Trifloxystrobin
CROPCHEM	TRIFLOXYSTROBINA TÉCNICO CROPCHEM II (TC22225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	肟菌酯 Trifloxystrobin

CCAB	THIDIAZURON TÉCNICO CCAB (TC22325)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Max Rudong Chemicals Co., Ltd. - Yangkou Chem. Ind. Park, Rudong, Jiangsu, China	噻苯隆 Thidiazuron
BIORISK	TRIFLOXISTROBINA TÉCNICO JYTPS (TC22425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	肟菌酯 Trifloxystrobin
SYNCROM	TRIFLOXYSTROBIN TÉCNICO NGC (TC22525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	肟菌酯 Trifloxystrobin
PROREGISTROS	GLUFOSINATO TÉCNICO SCH (TC22625)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, 621000, Mianyang Sichuan, China	草铵磷 Glufosinate ammonium
BIORISK	THIAMETOXAM TÉCNICO SAU (TC22725)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue, Taian, 250100, Shandong, China	噻虫嗪 Thiamethoxam
HEMANI	DICAMBA TÉCNICO HEMANI (TC22825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hemani Industries Ltd. - GIDC, Ind. Estate, Dahej, Vagra, Bharuch, Gujarat- India	麦草畏 Dicamba
AGRO-LEAD	GLUFOSINATO-SAL- DE AMÔNIO TÉCNICO AGROLEAD II (TC22925)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Sevencontinent Green Chem. Co., Ltd. North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China	草铵磷 Glufosinate ammonium
OURO FINO	TIAMETOXAM TÉCNICO OF II (TC23025)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Insecticides (India) Limited. - E-442, RIICO Industrial Area, Chopanki Bhiwadi, Rajasthan, India	噻虫嗪 Thiamethoxam



NANJING
AGRIGLORY CHEMICAL
CO., LIMITED

Agriglory works more than 25 years in pesticides market, export Chinese Insecticides, Herbicides, Fungicides, Intermediates, Formulation equipments to different countries. Agriglory will keep on supplying quality products world wide in future.

Add : 202-12, Rose Block, Rongqiao central Garden, No.29 Fuchunjiang street (W), Jianye District, Nanjing, Jiangsu, China.

Contact Person : Wang Qi

Mobile : +86-13505155290

TEL : +86-25-86269150 **FAX :** +86-25-86269151

E-mail : wangqi@agriglory.com

第50 号法案 2025年10月17日 - 发布于2025年10月20日 - 制定产品注册批件

Act No. 50 from 10/17/25 - Published on 10/20/25 - Formulated product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	建议使用 Use Recommendation	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
ALTA	FLUROXIPIR ALTA 480 EC (38525)	棉花, 玉米和大豆, 发生 Cotton, corn, soybean with <i>Acanthospermum hispidum</i> , <i>Alternanthera tenella</i> , <i>Bidens pilosa</i> , <i>Commelina benghalensis</i> , <i>Coryza bonariensis</i> , <i>Euphorbia heterophylla</i> , <i>Glycine max</i> , <i>Gossypium hirsutum</i> , <i>Ipomoea grandifolia</i> , <i>Ipomoea triloba</i> 玉米发生 Corn with <i>Sida rhombifolia</i>	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Fluroxipir-Meptilico Técnico Alta) Shandong Luba Chem. Co., Ltd. - Loujia, Tangwang, Licheng, Jinan, Shandong, China	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl 480 g/L EC
NORTOX	TIODICARBE NORTOX (38625)	棉布 受到农业害虫侵扰的 Cotton with <i>Helicoverpa armigera</i> , <i>Heliothis virescens</i> , <i>Spodoptera frugiperda</i> 玉米, 大豆 受到农业害虫侵扰 Corn, cotton with <i>Anticarsia gemmatilis</i> , <i>Chrysodeixis includens</i>	类别 3 - 中度有毒 环境等级II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Tiodicarbe Técnico Sn-cropchem) Lianyungang Avilive Chem. Co., Ltd. - Dui Gou Gang, Guan Nan, Lian Yun Gang, Jiangsu, China; (Tiodicarbe Técnico Sinochem) Lianyungang Avilive Chem. Co., Ltd. - Dui Gou Gang, Guan Nan, Lian Yun Gang, Jiangsu, China	硫双威 Thiodicarb 800 g/kg WG
NORTOX	PIMETROZINA NORTOX (38725)	苜蓿, 棉布, 六出花, 土豆, 秋海棠, 西兰花, 鸡冠花, 卷心菜, 大白菜, 菊花, 抱子甘蓝, 菜花, 烟草, 非洲菊, 芙蓉, 西瓜, 瓜, 兰花, 黄瓜, 一品红, 卷心菜, 玫瑰丛, 番茄 Lettuce, cotton, alstroemeria, potato, begonia, broccoli, celosia, cabbage, Chinese cabbage, chrysanthemum, Brussels sprouts, cauliflower, tobacco, gerbera, hibiscus, watermelon, melon, orchid, cucumber, poinsettia, cabbage, rosebush, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Pimetrozine Técnico Nortox) Hebei Veyong Bio-Chem. Co., Ltd. - 06, Middle Huagong Rd., Chem. Ind. Park Shijiazhuang, Hebei, China	吡蚜酮 Pymetrozine 500 g/kg WG
NORTOX	TRICLOPIR NORTOX EC (38825)	灌溉水稻发生 Irrigated rice with <i>Aeschnomene rudis</i> 牧场发生 Pasture with <i>Acacia farnesiana</i> , <i>Lantana camara</i> , <i>Orbignya phalerata</i> , <i>Solanum paniculatum</i> , <i>Spermacoce alata</i> , <i>Vernonia polyanthes</i>	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Triclopir Butotilico Técnico Nortox) Lier Chem. Co., Ltd. - 329 South Mianzhou Av., The Econ. Technical Develop. Zone, of Mianyang, Sichuan, China	三氯吡氧乙酸丁氧基乙酯 Triclopyr-butotyl 667 g/L EC
NORTOX	TEBUCO OC NORTOX (38925)	大豆遭受农业害虫侵袭 Soybean with <i>Cercospora kikuchii</i> , <i>Phakopsora pachyrhizi</i>	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Clorotalonil Técnico Nortox) Jiangsu Weunite Fine Chem. Co., Ltd. - Jinger Rd., Ind. Chem. Park, Xinyi, Jiangsu, China; (Clorotalonil Técnico Nortox II) Jiangsu Xinhe Agrochemical Co., Ltd. - 19 Xingang Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China; Jiangsu Xinhe Agrochemical Co., Ltd. - 55, Jingjiu Rd., Econ. Develop. Zone, Xinyi, Zhangdian, Zibo, Shandong, China; Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China; (Tebuconazole Técnico Nortox BR) Nortox S.A. - Rod. BR 369, km 197, Aricaanduva, Arapongas, PR, Brazil; (Tebuconazole Técnico Nortox CH) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Gulf Fine Chem. Zone, Hangzhou, Zhejiang, China; Jiangsu Sevencontinent Green Chem. Co., Ltd. - 28 Chengbei Rd., Zhangjiagang, Jiangsu, China; Jiangsu Sevencontinent Green Chem. Co., Ltd., North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; (Tebuconazole Técnico Nortox IV) Jiangsu Fengdeng Crop Science Co., Ltd. - Dengguan, Jintan-Changzhou, Jiangsu, China; (Tebuconazole Técnico Nortox V) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China	百菌清 250 + 王铜 110 + 戊唑醇 60 g/L SC Chlorothalonil 250 + copper oxychloride 110 + tebuconazole 60 g/L SC
LEMMA	CLORIMUROM 250 WG CROP-CHEM (39025)	咖啡, 柑橘, 桉树, 松树, 大豆 Coffee, citrus, eucalyptus, pinetree, soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Clorimuron Técnico CropChem) Jiangsu Institute of Economies - 102, Ximen St., Jintan, Jiangsu, China; Jiangsu Changlong Chemicals Co., Ltd. - Longhu Tang, New District of Changzhou, Jiangsu, China; Shenyang Sciencreat Chemicals Co., Ltd. - 8, Shenliadong Rd., Shenyang, China; Wischem Co., Ltd. - Dianchang Rd., Jintan, Jiangsu, China	氯嘧磺隆 Chlorimuron-ethyl 250 g/kg WG

LEMMA	ACETAMIPRID 250 G/KG + BIFENTHRIN 250 G/KG WG (39125)	牛油果, 菠萝, 甜菜, 豆瓣菜, 萝卜, 菊苣, 棉布, 蒜, 花生, 灌溉稻米, 燕麦, 土豆, 茄子, 西兰花, 咖啡, 洋葱, 青葱, 黑麦, 大麦, 葡萄, 柑橘, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜菠菜, 甜叶菊, 桉树, 豌豆, 豆, 豇豆, 蚕豆, 豆瓜, 绿豆, 豆角, 鹰嘴豆, 吉洛茄, 扁豆, 木瓜, 袖子, 西瓜, 瓜, 小麦, 玉米, 芥末, 牧场, 胡椒, 胡椒, 秋葵, 卷心菜, 芝麻菜, 大豆, 高粱, 番茄, 小麦, 小黑麦 Avocado, pineapple, chard, watercress, lettuce, endive, cotton, garlic, peanuts, irrigated rice, oats, potato, eggplant, broccoli, coffee, onion, shallot, rye, barley, chicory, citrus, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, Spinach, stevia, eucalyptus, peas, beans, cowpea, lima beans, pigeon peas, mung beans, snap beans, chickpeas, jilo, lentils, papaya, mango, watermelon, melon, millet, corn, mustard, pasture, pepper, paprika, okra, cabbage, arugula, soybean, sorghum, tomato, wheat, triticale	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acetamiprido Técnico Macroseeds) Ningbo Sunjoy Agrosience Co., Ltd. - Benhai Rd., Chem. Ind. Zone, of Ningbo, Ningbo, Zhejiang, China; (Bifenthrin Técnico Bharat) Bharat Rasayan Ltd. - 2 km Madina-Mokhra Rd., Mokhra, Rohtak, Haryana, India	啉虫脒 250 + 联苯菊酯 250 g/kg WG Acetamiprid 250 + bifenthrin 250 g/kg WG
LEMMA	S-METOLACHLOR 960G/L EC (39225)	棉布, 蔗, 豆, 玉米, 大豆 Cotton, sugarcane, beans, corn, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(S-Metolachlor Técnico Sino-Agri) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - Yongxin Rd., Binbei, Binzhou, Shandong, China	精丙内甲酰胺 960 g/L EC S-metolachlor 960 g/L EC
RAINBOW	GUIDICARB (39325)	棉花遭受农业害虫侵袭 Cotton with <i>Helicoverpa armigera</i> , <i>Heliothis virescens</i> , <i>Spodoptera frugiperda</i> 玉米遭受农业害虫侵袭 Corn with <i>Spodoptera frugiperdae</i> 大豆遭受农业害虫侵袭 Soybean with <i>Anticarsia gemmatilis</i> , <i>Helicoverpa armigera</i> , <i>Chrysodeixis includens</i>	类别 3 - 中度有毒 环境等级II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Tiodicarb Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Zone, Weifang, Shandong, China	硫双威 Thiodicarb 800 g/kg WG
RAINBOW	CITUNE XTRA (39425)	水稻遭受农业害虫侵袭 Rice with <i>Acanthospermum australe</i> , <i>Aeschynomene denticulata</i> , <i>Cyperus iria</i> , <i>Fimbristylis miliacea</i> , <i>Ludwigia longiformis</i> , <i>Pennisetum setosum</i> , <i>Sagittaria guyanensis</i> , <i>Sagittaria montevidensis</i> 大豆遭受农业害虫侵袭 Soybean with <i>Acanthospermum hispidum</i> , <i>Alternanthera tenella</i> , <i>Amaranthus viridis</i> , <i>Bidens pilosa</i> , <i>Bidens subalternans</i> , <i>Brachiaria plantaginea</i> , <i>Cenchrus echinatus</i> , <i>Chamaesyce hirta</i> , <i>Chenopodium album</i> , <i>Commelina benghalensis</i> , <i>Conyza bonariensis</i> , <i>Conyza canadensis</i> , <i>Digitaria horizontalis</i> , <i>Eleusine indica</i> , <i>Galinsoga parviflora</i> , <i>Hyptis suaveolens</i> , <i>Ipomoea grandifolia</i> , <i>Nicandra physaloides</i> , <i>Panicum maximum</i> , <i>Richardia brasiliensis</i> , <i>Sida rhombifolia</i> , <i>Tridax procumbens</i>	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Imazapir Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Imazapic Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	咪唑烟酸 525 + 甲咪唑烟酸 175 g/kg WG Imazapyr 525 + imazapic 175 g/kg WG
GÊNICA	GNC014 (39525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Acidovorax avenae</i> , <i>Alternaria solani</i> , <i>Diaporthe longicolla</i> , <i>Gibberella zeae</i> , <i>Hemileia uvatrix</i> , <i>Phaeosphaeria maydisand</i> , <i>Ramularia areola</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Gênica Inovação Biotecnológica S.A. - Antônio Degaspari, 1514, Água Santa, Piracicaba, SP, Brazil	<i>Bacillus subtilis</i> BS34 392 + <i>Bacillus velezensis</i> BV59 392 g/L SC
APOENA	FORBLEND FS PREMIUM (39625)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Alternaria solani</i> , <i>Botrytis cinera</i> , <i>Colletotrichum falcatum</i> , <i>Colletotrichum lindemuthianum</i> , <i>Rhizoctonia solania</i> , <i>Sclerotinia sclerotiorum</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Apoena Biosoluções do Brasil Ltda. - Solimões, 121, Jd. Campanário, Diadema, SP, Brazil	<i>Bacillus velezensis</i> DC81 28 + <i>Bacillus velezensis</i> DC88 6 + <i>Bacillus pumilus</i> DC61 6 g/L SC
PROREGISTROS	WYN-CRAFT PICLORAM MIX (39725)	桉树, 牧场 Eucalyptus, pasture	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Picloram Técnico Bide) Hunan Bide Biochemical Tech. Co., Ltd. - Ruxi Chem. Ind. Zone, Linxiang, Yueyang, Hunan, China; (2,4-D Technical Wynca) Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	氨基吡啶酸 114 + 2,4-滴 447 g/L SL Picloram 114 + 2,4-D 447 g/L SL

CCAB	ABAMECTIN CCAB 18 EC II (39825)	棉布, 蒜, 土豆, 咖啡, 柑橘, 椰子, 菊花, 豌豆, 豆, 豆角, 如图, 垃圾, 木瓜, 袖子, 西瓜, 瓜, 草莓, 黄瓜, 梨, 桃, 胡椒, 玫瑰丛, 大豆植株, 番茄, 葡萄 Cotton, garlic, potato, coffee, citrus, coconut, chrysanthemum, pea, beans, snap beans, fig, apple, papaya, mango, watermelon, melon, strawberry, cucumber, pear, peach, pepper, rosebush, soybean, tomato, grape	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Abamectin Técnico CCAB III) Inner Mongolia New Veyong Bio-Chem. Co., Ltd. - Dalate, Wangaizhao, Inner Mongolia, China	阿维菌素 Abamectin 18 g/L EC
NORTOX	CLORANTRANILIPROLE NORTOX 400 SC (39925)	南瓜, 西葫芦, 棉布, 土豆, 西兰花, 佛手瓜, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜 <i>Cucumis anguria</i> , 西瓜, 瓜, 粟, 玉米, 黄瓜, 卷心菜, 大豆植株, 高粱, 番茄 Pumpkin, zucchini, cotton, potato, broccoli, chayote, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, gherkins, watermelon, melon, millet, corn, cucumber, cabbage, soybean, sorghum, tomato	类别 5 - 产品不可能引起严重损坏 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Cloranthraniliprole Técnico Nortox) Nortox S.A. - Rod. BR 369, km 197 Aricanduva, Arapongas, PR, Brazil	氯虫苯甲酰胺 Chlorantraniliprole 400 g/L SC
PERTERRA	HEXAZINONA 750 WG PERTERRA (40025)	甘蔗发生 <i>Sugarcane with Acanthospermum australe, Amaranthus deflexus, Amaranthus hybridus, Amaranthus retroflexus, Brachiaria decumbens, Brachiaria plantaginea, Commelina benghalensis, Digitaria horizontalis, Eleusine indica, Euphorbia heterophylla, Ipomoea purpurea, Panicum maximum, Parthenium hysterophorus, Portulaca oleracea, Senna obtusifolia, Sida cordifolia, Sida glaziovii, Sida rhombifolia and, Spermaceae latifolia</i>	类别 4 - 轻微毒性 环境II级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Hexazinone Técnico Sino-Agri) Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	环嗪酮 Hexazinone 750 g/kg WG
RAINBOW	CONSPICUO XTRA (40125)	马铃薯发生 Potato with <i>Alternaria solani</i> , 大豆发生 <i>Soybean with Colletotrichum dematium, Sclerotinia sclerotiorum</i> , 番茄发生 Tomato with <i>Alternaria solani, Septoria lycopersici</i>	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Boscalid Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Pyraclostrobin Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	吡唑醚菌酯 128 + 啶酰菌胺 252 g/kg WG Pyraclostrobin 128 + boscalid 252 g/kg WG
NORTOX	PARLET DIQUAT NORTOX SL (40225)	棉布, 花生, 土豆, 咖啡, 油菜籽, 柑橘, 豌豆, 豆, 豆子, 芝麻, 向日葵, 鹰嘴豆, 扁豆, 亚麻籽, <i>Ricinus communis</i> , 粟, 玉米, 大豆植株, 高粱 Cotton, peanuts, potato, coffee, canola, citrus, peas, beans, sesame, sunflower, chickpeas, lentils, linseed, castor beans, millet, corn, soybean, sorghum	类别 2 - 剧毒产品 环境III级 - 危险产品 Tox. clas. 2 - Highly toxic Env. clas. III - Dangerous	(Diquat Técnico Nortox) Zhejiang Funong Biotech Co., Ltd. - Lantian Yongqiang, Wenzhou, Zhejiang, China; (Diquat Técnico Nortox BR) Dezhou Luba Fine Chem. Co., Ltd. - 288 Hengdong Rd., Tianqu Ind. Park, Dezhou, Shandong, China; (Diquat Técnico Nortox III) Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun, Nanjing, Jiangsu, China	敌草快 Diquat dibromide 373.5 g/L SL
NORTOX	INDOXACARBE NORTOX (40325)	棉花, 玉米和大豆发生 Cotton, corn, soybean with <i>Alabama argillacea, Chrysodeixis includens, Pectinophora gossypiella, Spodoptera frugiperda</i>	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Indoxacarbe Técnico Nortox) Anhui Futian Agrochemical Co., Ltd. - Xiangyu Chem. Ind. Zone, Dongzhi Chizhou, Anhui, China; (Indoxacarb Técnico Gharda) Gharda Chemicals Ltd. - D-1/2, MIDC, Lote Parshuram, Ratnagiri, Taluka Khed, Maharashtra, India	茚虫威 Indoxacarb 300 g/kg WG
ADAMA	KEEPER (40425)	燕麦, 蔗, 黑麦, 大麦, 小麦, 小黑麦 Oats, sugarcane, rye, barley, wheat, triticale	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Trinexapaque Etil Técnico Milenia) Max Rudong Chemicals Co., Ltd. - Yangkou Chem. Ind. Park, Rudong, Jiangsu, China; (Trinexapaque-etílico Técnico Adama) Adama Huifeng Ltd. - Weier Rd., South of Ocean Econ. Develop. Zone, Dafeng Yancheng, Jiangsu, China	抗倒酯 Trinexapac-ethyl 175 g/L EC
NORTOX	CLORANTRANILIPROLE C NORTOX (40525)	甘蔗, 玉米, 小米, 大豆和高粱发生 Sugarcane, corn, millet, soybean, sorghum with <i>Anticarsia gemmatilis, Chrysodeixis includens, Diatraea saccharalis, Spodoptera frugiperda</i>	类别 2 - 剧毒产品 环境危害等级 I - 极度危险 Tox. clas. 2 - Highly toxic Env. clas. I - Highly dangerous	(Cloranthraniliprole Técnico Nortox) Nortox S.A. - Rod. BR 369, km 197 Aricanduva, Arapongas, PR, Brazil; (Clorpirifós Técnico Nortox) Anhui Guangxin Agrochemical Co., Ltd. - Caijiashan Pengcun, Xinhang, Guangde, Anhui, China; Bharat Rasayan Ltd. - Plot 424, Amo Unlikely to cause acute damage d Rd., Bharuch, Dahej, Gujarat, India; Sumitomo Chem. India Ltd. - 62 Ruvapari Rd. Bhavnagar, Gujarat, India	氯虫苯甲酰胺 32 + 毒死蜱 480 g/L OD Chlorantraniliprole 32 + chlorpyrifos 480 g/L OD

ADAMA	MITIGATE (40625)	牛油果, 菠萝, 棉布, 可可, 咖啡, 柑橘, 椰子, <i>Elaeis guineensis</i> , 木瓜, 袖子, 百香果, 橡胶树, 大豆 Avocado, pineapple, cotton, cocoa, coffee, citrus, coconut, palm oil, papaya, mango, passion fruit, rubber tree, soybean	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Bifentrina Técnico Milenia) Adama Makhteshim Ltd. - Neot, Hovav, Neot-Hovav Eco-Ind. Park, Beersheba, Israel; Aimco Pesticides Ltd. - B11, MIDC, Ind. Area, Lote Parshuram PB 9, Awshi Ratnagiri Maharashtra, India; Meghmani Organics Ltd. - Bharuch, Ankleshwar Gujarat, India; (Bifentrina Técnico MIL) Youjia Crop Protection Co., Ltd. - TongHai Rd., Rudong Coastal Econ. Develop. Zone, Jiangsu, China; (Bifentrina Técnico Adama BR) Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Jiangsu, China; (Espiroadiclofeno Técnico Adama) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian Shijiazhuang Hebei, China; (Espiroadiclofeno Técnico Adama BR) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shangyu Zhejiang, China	联苯菊酯 104 + 螺螨酯 206 g/L EW Bifenthrin 104 + spiroadiclofen 206 g/L EW
ADAMA	RAVINA WG (40725)	棉布, 蔗, 柑橘, 桉树, 烟草 Cotton, sugarcane, citrus, eucalyptus, tobacco	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Imidaclopride Técnico Milenia) Makhteshim Chem. Works Ltd. - 60 Zona Ind., Beersheba, Israel; Jiangsu Yangnong Chem. Co., Ltd. - 39 Wenfeng Rd., Yangzhou, Jiangsu, China; (Imidacloprido Técnico Adama) Nanjing Red Sun Co., Ltd. - 8 Dongfeng Rd., Yaxi, Gaochum, Nanjing, Jiangsu, China; (Premier Técnico) Bayer Cropscience AG - Dormagen, Germany	吡虫啉 Imidacloprid 700 g/kg WG
YONON	ETHIPROLE YONON (40825)	棉布, 水稻种植园, 蔗, 咖啡, 大豆 Cotton, rice, sugarcane, coffee, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Ethiprole Técnico ET) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ., Tech. Develop. Zone, Shangyu, Zhejiang, China	乙虫腈 Ethiprole 200 g/L SC
AGRO-LEAD	ZINANPROG (40925)	瑞士甜菜, 针叶樱桃, 西洋菜, 生菜, 棉布, 大蒜, 菊苣, 李子, 黑莓, 橄榄, 土豆, 甘蔗, 油菜籽, 洋葱, 青葱, 菊苣, 菠菜, 甜叶菊, 豆类, 覆盆子, 向日葵, 垃圾, 槲寄生, 蓝莓, 草莓, 芥菜, 油桃, 枇杷, 梨, 桃, 皮坦加, 芝麻菜, 紫花腰果, 大豆 植株, 番茄 Chard, <i>Malpighia emarginata</i> , watercress, lettuce, cotton, garlic, endive, plum, blackberry, olive, potato, sugarcane, canola, onion, shallot, chicory, Spinach, stevia, beans, raspberry, sunflower, apple, quince, blueberry, strawberry, mustard, nectarine, medlar, pear, peach, cherry, arugula, <i>Spondias purpurea</i> , soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Fluazinam Técnico Agrolead) Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue, Taian, Shandong, China	氟啶胺 Fluazinam 500 g/L SC
PROREGISTROS	PROTECNIL 720 SC (41025)	棉布, 花生, 香蕉, 土豆, 甘薯, 茄子, 甜菜, <i>Dioscorea</i> spp., 洋葱, 胡萝卜, <i>Duboisia</i> spp., 豆, 姜, 薯, 垃圾, 木瓜, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 瓜, 玉米, 芜菁, 黄瓜, 观赏植物, 萝卜, 玫瑰丛, 大豆植株, 番茄, 小麦, 葡萄 Cotton, peanuts, bananas, potato, sweet potato, yacon potato, eggplant, beets, yams, onions, carrots, <i>Duboisia</i> spp., beans, ginger, yams, apple, papayas, cassava, parsnips, watermelon, melon, corn, turnips, cucumbers, ornamental plants, radishes, roses, soybean, tomato, wheat, grapes	类别 2 - 剧毒产品 环境III级 - 危险产品 Tox. clas. 2 - Highly toxic Env. clas. III - Dangerous	(Clorotalonil Técnico Denong) Jiangsu Weunite Fine Chem. Co., Ltd. - Jinger Rd., Ind. Chem. Park, Xinyi, Jiangsu, China	百菌清 Chlorothalonil 720 g/L SC

PROREGISTROS	SMART GUARD (41125)	甜菜, 青葱, 菊苣, 豌豆, 菠菜, 甜叶菊, 豆, 豇豆, 覆盆子, 向日葵, 鹰嘴豆, 扁豆, 垃圾, 槲寄生, 蓝莓, 草莓, 芥末, 油桃, <i>Eriobotrya japonica</i> , 梨, 桃, <i>Eugenia uniflora</i> , 芝麻菜, <i>Spondias purpurea</i> , 大豆植株, 番茄 Chard, <i>Malpighia emarginata</i> , watercress, lettuce, cotton, garlic, chicory, plum, peanuts, blackberries, olives, potato, sugarcane, canola, onions, shallots, chicory, peas, Spinach, stevia, beans, cowpeas, raspberries, sunflowers, chickpeas, lentils, apple, quince, blueberries, strawberry, mustard, nectarine, medlar, pear, peach, cherry, arugula, <i>Spondias purpurea</i> , soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Fluazinam Técnico Wynca) Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China	氟啶胺 Fluazinam
SUNO	TOPQUAT SUNO (41225)	土豆, 咖啡, 柑橘, 豆类, 大豆 Potato, coffee, citrus, beans, soybean	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Diquate Técnico LA) Dezhou Luba Fine Chem. Co., Ltd. - 288 Hengdong Rd., Tianqu Ind. Park 25035 Dezhou Shandong, China	敌草快 Diquat dibromide 374 g/L SL
TZ	FLUORYD FR 25 (41325)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Hemileia uvarix</i>	类别 5 - 产品不可能引起严重损坏 环境IV级 - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	TZ Biotec Ltda. - Av. Dra. Nadir Aguiar, 1805, Centro de Negócios, Prédio I, sala 04, Jardim Dr. Paulo Gomes Romeo, Ribeirão Preto, SP, Brazil	<i>Pseudomonas fluorescens</i> CCT 7393 1 每瓶 / 毫升 ml/flask GL
ALLIERBRASIL	LOT 720 WG (41425)	棉布, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 垃圾, 玉米, 油桃, 牧场, 梨, 桃, 大豆植株, 小麦, 葡萄 Cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, apple, corn, nectarine, pasture, pear, peach, soybean, wheat, grape	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Glifosato Técnico GHA) Jiangsu Good Harvest - Loagang, Qidong, Jiangsu, China	草甘膦铵盐 glyphosate ammonium 720 g/kg WG
HELM	HDB 259B (41525)	甘蔗发生 Sugarcane with <i>Brachiaria plantaginea</i> , <i>Digitaria horizontalis</i> , <i>Ipomoea niland</i> , <i>Panicum maximum</i> , 大豆发生 Soybean with <i>Digitaria insularis</i> , <i>Euphorbia heterophylla</i>	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Flumioxazina B Técnico Helm) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China; (Flumioxazin Técnico Proventis) Shangyu Nutrichem Co., Ltd. - 9 Weijiu Rd., Hangzhou Bay Shangyu Econ. Tech. Develop. Area Zhejiang, China; (Sulfentrazone OL Técnico Helm) Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Lushou, Sichuan, China; (Sulfentrazone T Técnico Helm) Tagros Chemicals India Ltd. - SIPCOT Ind. Complex Pachayankuppam, Cuddalore, Tamil Nadu, India; Tagros Chemicals, India Pvt. Ltd. - Plot 431, Amod Rd., Dehej 1, Taluka Vagra, Bharuch, Gujarat, India; (Sulfentrazone Técnico Proventis) Jianxi Heyi Chem. Co., Ltd. - Longcheng Pengze, Jiujiang, Jiangxi, China; (Sulfentrazone A Técnico Helm) Jiangsu Agrochem Laboratory Co., Ltd. - 1218 North Changjiang Rd., Hi Tech Develop. Zone, Changzhou Jiangsu, China	甲磺草胺 622 + 丙炔氟草胺 150 g/kg WG Sulfentrazone 622 + flumioxazin 150 g/kg WG
SYNGENTA	RIKALI (41625)	大豆发生 Soybean with <i>Phakopsora pachyrhizi</i>	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Isopyrazam Técnico) Syngenta Nantong Crop Protection Co., Ltd. - 1, Zhongyang Rd., Nantong Econ. Tech. Develop. Area, Nantong, Jiangsu, China; Deccan Fine Chemicals Pvt Ltd. - 16 Meter Rd. B1, Ind. Estate, Bharuch, Gujarat, India; Syngenta Crop Protection Monthey S.A. - Route de l'île-au-Bois, 1870 Monthey, Switzerland; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Ciproconazol Técnico SYN) Bayer Schweiz AG - Rothausstrasse 61, Muttentz 1-Muttentz, Switzerland; Saltigo GmbH Operations ChemPark Leverkusen, Germany; Deccan Fine Chemicals Pvt. Ltd. - Kesavaram, Venkatanagaram Post, Payakaraopet Mandal, Vishakapatnam, Andhra Pradesh, India; (Ciproconazole Técnico) Bayer CropScience Schweiz AG - Rothausstrasse 61, Muttentz, Switzerland	吡唑啉菌胺 125 + 环丙唑醇 80 g/L SC Isopyrazam 125 + cyproconazole 80 g/L SC
CROPICHEM	BAKANA 400 SC (41725)	棉布, 水稻种植园, 蔗, 咖啡, 大豆 Cotton, rice, sugarcane, coffee, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Ethiprole Técnico ET) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ., Tech. Develop. Zone, Shangyu, Zhejiang, China	乙虫腈 Ethiprole 400 g/L SC



SHANDONG LUBA CHEMICAL CO., LTD

OUR STRONG PRODUCTS

- L-GLUFOSINATE** ----- The first ICAMA(TC & TK) and commercial production of L-glufosinate ammounium by L-HOMOSERINE ROUTE
- TOPRAMEZONE** ----- The first Chinese manufacturer to obtain ICAMA and commercial production
- CHLORPYRIFOS** ----- The only manufacturer with tetrachloropyridine route
- FLUROXYPYR** ----- The only manufacturer with whole industry chain
- HALOXYFOP-P-METHYL** ----- The earliest and biggest manufacturer in China
- MALATHION** ----- The earliest and biggest manufacturer in China
- FLUOPICOLIDE** ----- The earliest and biggest manufacturer in China
- DIQUAT** ----- Total capacity 80,000 MT p.a.
- PYRIDINE BASE** ----- Total capacity 42,000 MT p.a.
- CHLOROPYRIDINE** ----- Total capacity 43,000 MT p.a.



[Http://www.lubachem.com](http://www.lubachem.com)

Six ICAMA approved production sites.
One of the top 30 agrochemical manufacturers in China.
Professional manufacturer of pyridine-based agrochemicals.

第54 号法案 2025年11月11日 - 发布于2025年11月13日 - 技术产品及预混料的农药登记审批
Act No. 54 from 11/11/25 - Published on 11/13/25 - Technical product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	笔记 Note	原药生产商 Manufacturer	产品 Product
BIORISK	AZOXISTROBIN TÉCNICO GSP (TC23125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	GSP Crop Science Pvt. Ltd. - Plot 1, Nandesari Ind. Estate, Vadodara, Gujarat, India	啞菌酯 Azoxystrobin
SYNCROM	TRIFLOXYSTROBIN TÉCNICO HH (TC23225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China	肟菌酯 Trifloxystrobin
NORTOX	S-METOLACLORO TÉCNICO NORTOX II (TC23325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal, Econ. Zone, Rudong, Nantong, Jiangsu, China	精异丙甲草胺 S-metolachlor
AGROALLIANZ	TEFLUBENZURON TÉCNICO FB (TC23425)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Huaian Glory Chem. Co., Ltd. - 2 Yannan Ave., Huauan Ind. Park Huaian, Jiangsu, China	氟苯脲 Teflubenzuron
PERTERRA	PROTHIOCONAZOLE W TÉCNICO PERTERRA (TC23525)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Ningxia Wynca Tech. Co., Ltd. - Plot 3204, Ind. Estate, Taisha Ind. Park, Pingluo, Ningxia, China	丙硫菌唑 Prothioconazole
AGROALLIANZ	BIFENTRIN TÉCNICO SINON (TC23625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Huaian Glory Chem. Co., Ltd. - 2 Yannan Ave., Huauan Ind. Park Huaian, Jiangsu, China	氟苯脲 Teflubenzuron
PILARQUIM	MESOTRIONE TÉCNICO PILARQUIM (TC23725)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhangye Dagong Pesticide Chemistry Co., Ltd. - Northeast Suburb Ind. Zone, Ganzhou Zhangye, Gansu, China	硝磺草酮 Mesotrione
ALLIERBRASIL	FLUROXIPIR TÉCNICO SOLUS (TC23825)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Luba Chem. Co., Ltd. - 26 South Xizhou Rd., Licheng, Jinan, Shandong, China	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl
ZHONGHSAN	HEXAZINONA TÉCNICO ZS (TC23925)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Lanfeng Biochemical Co., Ltd. - Suhua Rd., Xinyi Econ. & Tech. Develop. Zone, Xinyi, Jiangsu, China	环嗪酮 Hexazinone
NORTOX	AZOXISTROBIN TÉCNICO GSP (TC24025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zibo Nab Agrochem. Ltd. - North of National-High-Tech Ind. Develop. Zone, Zibo, Shandong, China	啞菌酯 Azoxystrobin
NORTOX	FLUDIOXONIL TÉCNICO NORTOX (TC24125)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd.- Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	咯菌腈 Fludioxonil
NORTOX	CLORFENAPIR TÉCNICO NORTOX III (TC24225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Ningbo Sunjoy Agrosc. Co., Ltd. - BeiHai Rd., Ningbo Chem. Ind. Zone, Xiepu, Zhejiang, China	虫螨腈 Chlorfenapyr
SYNCROM	BOSCALID TÉCNICO NGC (TC24325)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Inner Mongolia Join Dream Fine Chem. Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China	啞酰菌胺 Boscalid
NORTOX	AMINOPIRALIDE TÉCNICO NORTOX III (TC24425)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Avilive Chem. Co., Ltd. - 335 Jiangnan Rd., Hengdian Dongyang, Zhejiang, China	氨基吡啶酸 Aminopyralid
NORTOX	AMINOPIRALIDE TÉCNICO NORTOX (TC24525)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Lianyungang Avilive Chem. Co., Ltd. - Duigou Port Chem. Ind. Park, Guannan, Lianyungang, Jiangsu, China	氨基吡啶酸 Aminopyralid
NORTOX	TRIFLOXYSTROBIN TÉCNICO NORTOX IV (TC24625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China; Ningbo Sunjoy Agrosience Co., Ltd. - Beihai Rd. Ningbo Chem. Ind. Zone, Xiepu, Zhenhai, Zhejiang, China	肟菌酯 Trifloxystrobin

NORTOX	PICOXISTROBIN TÉCNICO NORTOX (TC24725)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	啮氧菌酯 Picoxystrobin
NORTOX	DIFENOCONAZOLE TÉCNICO NORTOX II (TC24825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd. Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	苯醚甲环唑 Difenoconazole
RAINBOW	ESPIROMESIFENO TÉCNICO RAINBOW (TC24925)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China	螺甲螨酯 Spiromesifen
TIDE	PICOXISTROBINA TÉCNICO TIDE II (TC25025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Tide Cropsience Co., Ltd. - 11, Linhai Rd., Paojiang Ind. Zone, Shaoxing, China	啮氧菌酯 Picoxystrobin
RAINBOW	OXIFLUORFEM TÉCNICO RAINBOW (TC25125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China	乙氧氟草醚 Oxyfluorfen
CAC	TEMBOTRIONA TÉCNICO CAC (TC25225)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhangye Dagong Pesticide Chemistry Co., Ltd. - Yanhua Rd., Xingan Salt Chem. Ind. Park Xingan, Jiangxi, China	坦博特龙 Tembotrione
RAINBOW	CLORETO DE CLORMEQUATE TÉCNICO RAINBOW (TC25325)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China	矮壮素 Chlormequat chloride
IHARABRAS	GLIFOSATO TÉCNICO IHARA XM (TC25425)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Nantong Jiangshan Agrochem. & Chemicals Ltd. - Liability Co. - 998 Jiangshan Rd., Nantong Econ. & Tech. Develop. Zone, Jiangsu, Nantong, China; Zhenjiang Jiangnan Chemicals Co., Ltd. - International Chem. Industry Park, Zhenjiang New Area, Jiangsu, Zhenjiang, China; Sichuan Hebang Biotechnology Co., Ltd. - Niuhua, Wutongqiao Leshan, Sichuan, China; Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China; Jingma Chemicals Co., Ltd. - 50 Baota Rd., Longyou, Zhejiang, China; Sichuan Leshan Fuhua Tongda Agro-Chem. Tech. Co., Ltd. - Qiaogou, Wutongqiao, Leshan, Sichuan, China; Hubei Trisun Chemicals Co., Ltd. - 66 Xiaoting Av., Xiaoting Yichang, Hubei, China; Anhui Guangxin Agrochemical Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi, Anhui, China	草甘膦 Glyphosate
IHARABRAS	TEBUCONAZOLE TECHNICAL ASTEC (TC25525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Astec LifeSciences Ltd. - B-1617 MIDC, Mahad, Raigad, Maharashtra, India; Astec LifeSciences Ltd. - K-211, MIDC, Mahad, Raigad, Maharashtra, India	戊唑醇 Tebuconazole
AGROALLIANZ	FLUDIOXONIL TÉCNICO FB (TC25625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	咯菌腈 Fludioxonil
PROREGISTROS	AZOXYSTROBIN TÉCNICO FUHUA (TC25725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Sichuan Leshan Fuhua Tongda Agrochem. Tech. Co., Ltd. - Qiaogou, Wutongqiao, Leshan, Sichuan, China	啮菌酯 Azoxystrobin
ZHONGSHAN	CLOMAZONE TÉCNICO ZS (TC25825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Eco. Chem. Industry Park Xiangshui, Yanchen, Jiangsu, China	异噁草酮 Clomazone
TECNOMYL	TRIFLOXISTROBINA TÉCNICO TECNOMYL IV (TC25925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	腈菌酯 Trifloxystrobin
HELM	TRIFLOXISTROBINA U TÉCNICO HELM (TC26025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China	腈菌酯 Trifloxystrobin

第56 号法案 2025年11月28日 - 发布于2025年11月2日 - 制定产品注册批件

Act No. 56 from 11/28/25 - Published on 12/2/25 - Formulated product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	建议使用 Use Recommendation	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
CROPCHEM	SEVARE DUO (41825)	牛油果, 南瓜, 西葫芦, 莴苣, 棉布, 蒜, 李子, 花生, 灌溉稻米, 燕麦, 香蕉, 土豆, 茄子, 甜菜, 咖啡, 腰果, <i>Diospyros kaki</i> , 洋葱, 胡萝卜, 大麦, 柑橘, 菊花, 桉树, 豌豆, 豆, 豇豆, 如图, 向日葵, 番石榴, 鹰嘴豆, 扁豆, 木瓜, 柚子, 百香果, 西瓜, 瓜, 玉米, 草莓, 油桃, 黄瓜, 桃, 胡椒, 观赏植物, 玫瑰丛, 大豆植株, 番茄, 小麦, 葡萄 Avocado, pumpkin, zucchini, lettuce, cotton, garlic, plum, peanuts, irrigated rice, oats, banana, potato, eggplant, beetroot, coffee, cashew, persimmon, onion, carrot, barley, citrus, chrysanthemum, eucalyptus, pea, beans, cowpea, fig, sunflower, guava, chickpea, lentil, papaya, mango, passion fruit, watermelon, melon, corn, strawberry, nectarine, cucumber, peach, pepper, ornamental plants, rosebush, soybean, tomato, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Azoxistrobina Técnico FT-Cropchem) Anhui Futian Agrochemical Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi Chizhou-Anhui, China; GSP Crop Science Pvt. Ltd. - Plot 1, Nandesari, Baroda, Gujarat, India; Anhui Guangxin Agrochemical Co., Ltd. - Caijiashan Pengcun, Xinhang, Guangde, Anhui, China; (Azoxistrobina Técnico HX-Cropchem) CAC Nantong Chem. Co., Ltd. - 4th Huanghai Rd. Yangkou Chem. Ind. Park, Rudong, Nantong, Jiangsu, China; Hextar Chemicals SdBhd. - Lot 5, Jalan Perigi Nenas 73, Fasa 1A Pulau Indah Ind. Park, Pelabuhan Klang Selangor Darul Ehsan-Malaysia; Hebei Veyong Bio-Chem. Co., Ltd. - 6, Middle Huangong Rd., Circulation Chem. Ind. Park, Shijiazhuang, Hebei, China; (Difenoconazol Técnico Cropchem) Shandong Weifang Shuangxing Pes cide Co., Ltd. - Weifang Binhai Develop. Zone, Yansi 403, Weifang, China; Limin Chem. Co., Ltda. - Econ. Develop. Zone, Xinyi, Jiangsu, China; (Difenoconazole Técnico Cropchem II) Tagros Chemicals India Ltd. - A-41; 2, SIPCOT Ind. Complex, Pachayankuppam, Cuddalore, Tamilnadu, India	啞菌酯 200 + 苯醚甲环唑 125 g/L SC Azoxystrobin 200 + difenoconazole 125 g/L SC
ALBAUGH	PORCEL 01 (41925)	棉布, 茄子, 咖啡, 蔗, 柑橘, 豆, gerbera, 垃圾, 西瓜, 瓜, 胡椒, 玫瑰丛, 大豆植株, 番茄 Cotton, eggplant, coffee, sugarcane, citrus, beans, gerbera, apple, watermelon, melon, pepper, rosebush, soybean, tomato	T类别 2 - 剧毒产品 环境等级II - 非常危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Pyriproxyfen Técnico Rotam) Jiangxi Anlida Chem. Co., Ltd. - 1 Zheji Rd., Jinshawan Ind. Zone, Jiujiang, Jiangxi, China; Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	吡丙醚 Pyriproxyfen 100 g/LEC
BIORISK	CHETTAK (42025)	棉布, 花生, 土豆, 柑橘, 豆, 瓜, 玉米, 大豆植株, 番茄 Cotton, peanuts, potato, citrus, beans, melon, corn, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico GSP) GSP Crop Science Pvt. Ltd. - G.V.M.M. Ind. Estate, Odhav, Ahmedabad, Gujarat, India	乙酰甲胺磷 Acephate 750 g/kg SP
CCAB	ACEFATO CCAB 970 SG (42125)	棉花, 花生, 土豆, 柑橘, 豆类, 玉米, 大豆, 西红柿 Cotton, peanuts, potato, citrus, beans, corn, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico GSP) GSP Crop Science Pvt. - 404, Lalita Complex, Rasala Rd., Navrangpura, Ahmedabad, India	乙酰甲胺磷 Acephate 970 g/kg SG
CTVA	ZACTINE (42225)	土豆, 红薯, 雪莲果, 甜菜, 茺菁, 萝卜, 西兰花, 山药, 生姜, 山药, 咖啡, 胡萝卜, 卷心菜, 大白菜, 花椰菜, 抱子甘蓝, 木薯, 欧洲防风草, 西瓜, 甜瓜, 卷心菜, 番茄 Potato, sweet potato, yacon potato, beets, turnips, radishes, broccoli, yams, ginger, yams, coffee, carrots, cabbage, Chinese cabbage, cauliflower, Brussels sprouts, cassava, parsnips, watermelon, melon, cabbage, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Reklemel Técnico) Corteva Agriscience LLC - 701 Washington St., Midland, MI, USA; CABB AG - Düngrstrasse 81, Pratteln, Switzerland; CABB Oy - Kemirantie 1, Kokkola, Finland; Jiangsu Jiannong ABA Agrochemical Co., Ltd. - Huanghai Rd., Yanhai Ind. Park, Binhai, Jiangsu, China	氟唑啉吡啶 Fluazaindolizine 500 g/L SC
TECNOMYL	TEC-096-F (42325)	棉布, 土豆, 咖啡, 蔗, 柑橘, 大豆植株, 番茄 Cotton, potato, coffee, sugarcane, citrus, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Abamectin Técnico Tecnomyl) Inner Mongolia New Veyong Bio-Chem. Co., Ltd. - Dalate, Wangaizhao, Inner Mongolia, China	阿维菌素 Abamectin 84 g/L SC
MONSANTO	XTENDIMAX 2 (42425)	棉布, 转基因棉花, 玉米, 转基因玉米, 大豆植株, 转基因大豆 Cotton, GMO cotton, corn, GMO corn, soybean, GMO soybean	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Dicamba Técnico Monsanto I) Gharda Chemicals Ltd. - D-1/2-MIDC Lote Parshuram, Ratnagiri Taluka Khed, Maharashtra, India; (Dicamba técnico SYN) Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China	麦草畏 Dicamba 480 g/L SL
OURO	LOOKED (42525)	玉米, 大豆 Corn, soybean	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico Ouro Fino) Sinochem Ningbo Chemicals Co., Ltd. - 1165 BeiHai Rd., Xiepu, Zhenhai, Ningbo, Zhejiang, Ningbo Chem. Ind. Zone, China; Jiangsu Lanfeng Biochemical Co., Ltd. - Suhua Rd., Xinyi Econ. Tech. Develop. Zone, Xinyi, Jiangsu, China; Nantong Weilike Chem. Co., Ltd. - Forth Yangkou Rd., Yangkou Chem. Ind. Park, Yangkou Coastal Econ. Develop. Zone, Rudong, Nantong, Jiangsu, China; (Bifentrina Técnico Ouro Fino) Meghmani Organics Ltd. - GIDC, Ind. Estate, Ankleshwar, Baruch, Gujarat, India	乙酰甲胺磷 720 + 联苯菊酯 80 g/kg WP Acephate 720 + bifenthrin 80 g/kg WP

PROREGISTROS	DIMAN 740 WP (42625)	牛油果, 南瓜, 瓜, 西瓜, 黄瓜, 蒜, 花生, 香蕉, 土豆, 茄子, 甜菜, 西兰花, 卷心菜, 菜花, 咖啡, 洋葱, 胡萝卜, 柑橘, 豆, 豆角, 如图, 垃圾, 袖子, 梨, 桃, 胡椒, 卷心菜, 番茄, 葡萄 Avocado, pumpkin, melon, watermelon, cucumber, garlic, peanuts, banana, potato, eggplant, beetroot, broccoli, cabbage, cauliflower, coffee, onion, carrot, citrus, beans, snap beans, figs, apple, mangos, pears, peaches, peppers, cabbage, tomato, grapes	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Fortuna Técnico) Agria S.A. - Asenovgradsko shose, Plovdiv, Bulgaria	代森锰锌 440 + 王铜 300 g/kg WP Mancozeb 440 + copper oxychloride 300 g/kg WP
TOTAL	BTP 005-19A (42725)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Septoria glycines</i> , <i>Corynespora cassicola</i> , <i>Cercospora kikuchii</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Total Biotecnologia Ind. e Comércio S.A. - Emilio Romani, 1190, CIC, Curitiba, PR, Brazil	<i>Bacillus pumilus</i> CNPs 3203 140 g/L SC
ALLIERBRASIL	GRANADA 200 SL (42825)	莴苣, 棉布, 转基因棉花, 香蕉, 土豆, 咖啡, 柑橘, 桉树, 豆, 垃圾, 玉米, 转基因玉米, 油桃, 桃子, 卷心菜, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Lettuce, cotton, GMO cotton, banana, potato, coffee, citrus, eucalyptus, beans, apple, corn, GMO corn, nectarine, peach, cabbage, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato-Amonium Técnico SD) Jianguo Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China	草铵膦 Glufosinate ammonium 200 g/L SL
RAINBOW	GLICRUSH (42925)	棉布, 棉布转基因, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗糖, 柑橘, 苹果, 玉米, 玉米, 油桃, 牧场, 梨, 橡胶树, 大豆植株, 转基因大豆植株, 小麦和葡萄 Cotton, GMO cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, apple, corn, GMO corn, nectarine, pasture, pear, peach, rubber tree, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Glifosato G Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	草甘膦 Glyphosate 792.5 g/kg WG
BEIFIUR	BOVEFORT (43025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Beifur Ltda. - BR 470 km 223, Integração, Garibaldi, RS, Brazil	<i>Beauveria bassiana</i> IBCB 66 125 g/kg WP
RAINBOW	REDFIRE (43125)	棉布 Cotton	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Tidiazurum Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Diuron Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	敌草隆 180 + 噁苯隆 360 g/L SC Diuron 180 + thidiazuron 360 g/L SC
BIORISK	CHLORPYRIFOS AGROGILL 480EC (43225)	棉布, 土豆, 咖啡, 大麦, 柑橘, 豆, 垃圾, 玉米, 牧场, 大豆植株, 高粱, 番茄, 小麦 Cotton, potato, coffee, barley, citrus, beans, apple, corn, pasture, soybean, sorghum, tomato, wheat	类别 2 - 剧毒产品 环境等级II - 非常危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Clorpirifós Técnico Agrogill) Dezhou Luba Fine Chem. Co., Ltd. - 288, Hengdong Rd., Tianqu Ind. Park, Deshou, Shandong, China; Jianguo Baoling Chemical Company Ltd. - 9 Tang Wang Rd. Nantong, Jiangsu, China	毒死蜱 Chlorpyrifos 480 g/L EC

ADAMA	AZIMUT SC (43325)	<p>牛油果, 菠萝, 棉花, 大蒜, 花生, 番荔枝科作物, 灌溉水稻, 燕麦, 香蕉, 马铃薯, 甘薯, 甜菜, 可可, 咖啡, 甘蔗, 油菜, 柿子, 杨桃, 洋葱, 胡萝卜, 黑麦, 大麦, 青葱, 柑橘, 库布阿苏, 豌豆, 菜豆, 豇豆, 向日葵, 番石榴, 鹰嘴豆, 山药, 扁豆, 木瓜, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 芒果, 百香果, 甜瓜, 小米, 玉米, 茼蒿, 萝卜, 大豆, 高粱, 支架栽培番茄, 番茄, 小麦和葡萄</p> <p>Avocado, pineapple, cotton, garlic, peanuts, annonaceae, irrigated rice, oats, banana, potato, sweet potato, yacon potato, beet, cocoa, coffee, sugarcane, canola, persimmon, <i>Averrhoa carambola</i>, onion, carrot, rye, barley, shallot, citrus, cupuaçu, pea, beans, cowpea, fig, sunflower, guava, chickpeas, yams, lentils, papaya, cassava, parsnip, mango, passion fruit, melon, millet, corn, turnip, radish, soybean, sorghum, boxed tomato, tomato, wheat, grapes</p>	<p>类别 4 - 轻微毒性 环境等级 II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous</p>	<p>(Azoxystrobin Técnico Milena) Adama Makhteshim Ltd. - Neot Hovav Ind. Park, Beersheba, Israel; Adama Brasil S.A. - Av. Júlio de Castilhos, 2085, Coqueiros, Taquari, RS, Brazil; CAC Nantong Chem. Co., Ltd. - 4th Huanghai Rd. Yangkou Chem. Ind. Park, rudong, Nantong, Jiangsu, China; Hebei Veyong Bio-Chem. Co., Ltd. - 6, Middle Huagong Rd., Circulation Chem. Ind. Park, Shijiazhuang, Hebei, China; Bhagiradha Chemicals Industries Ltd. - Plot 3, Sagar Society, Rd. 2, Banjara Hills, Hyderabad, Andhra Pradesh, India; (Azoxistrobina Pré-Mistura Milena) Adama Brasil S.A. - Av. Júlio de Castilhos, 2085, Coqueiros, Taquari, RS, Brazil; Adama Makhteshim Ltd. - Neot Hovav Ind. Park, Beersheba, Israel; Adama Brasil S.A. - Pedro Antônio de Souza, 400, Parque Rui Barbosa, Londrina, PR, Brazil; (Azoxistrobina Técnico Adama) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Azoxistrobina Técnico Adama Brazil) Hebei Veyong Bio-Chem. Co., Ltd., 6, Middle Huagong Rd., Circulation Chem. Ind. Park, Shijiazhuang, Hebei, China; (Azoxistrobina Técnico Brazil BR) CAC Nantong Chem. Co., Ltd. - 4th Huanghai Rd. Yangkou Chem. Ind. Park, Rudong, Nantong, Jiangsu, China; (Azoxistrobina Técnico Adama 2) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ., Tech. Develop. Zone, Shangyu, Zhejiang, China; (Azoxystrobin Técnico) Syngenta Ltd. - Earls Rd., Grangemouth, Stirlingshire, Scotland; Saltigo GmbH, Chempark Leverkusen, 51369, Leverkusen, Germany; (Azoxystrobin Técnico Proventis) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. Tech. Develop., Zhejiang, China; (Orius Técnico) Adama Brasil S.A. - Pedro Antônio de Souza, 400, Parque Rui Barbosa, Londrina, PR, Brazil; Adama Brasil S.A. - Av. Júlio de Castilhos, 2085, Coqueiros, Taquari, RS, Brazil; Adama Makhteshim Ltd. - Neot Hovav Ind. Park, Beersheba, Israel; Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. Tech. Develop., Zhejiang, China; Rudong Zhongyi Chem. Co., Ltd. - Coastal Econ. Develop. Zone, rudong, Jiangsu, China; GSP Crop Science Ltd. - 404, Lalita Complex, Rasala Rd., Navrangpura, Ahmedabad, India; Liaoning Zhonghui Biotechnology Co., Ltd. - (Fluorine Ind. Develop. Zone) Yimatu, Yimatu, Fumeng, Fuxin, Liaoning, China; (Tebuconazol Técnico Adama) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. Tech. Develop. Area, Zhejiang, China; (Tebuconazol Técnico Adama Brazil) Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; (Tebuconazol Técnico Adama 3) Jiangsu Fengdeng Crop Science Co., Ltd. - Dengguan, Jintan, Changzhou, Jiangsu, China; (Tebuconazole Técnico MCW) Adama Makhteshim Ltd. Neot-Hovav, Neot-Hovav Eco-Ind. Park, Beersheba, Israel</p>	<p>啞菌酯 120 + 戊唑醇 200 g/L SC Azoxystrobin 120 + tebuconazole 200 g/L SC</p>
SUNO	PRESSURE 880 SG (43425)	<p>大豆植株, 棉布, 蔗, 桉树, 玉米, 松树, 小麦 Soybean, cotton, sugarcane, eucalyptus, corn, pinetree, wheat</p>	<p>类别 5 - 产品不可能引起严重损坏 环境等级 III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous</p>	<p>(Glifosato XW Técnico) Hubei Trisun Chemicals Co., Ltd. - 66-4 Xiaong Av., Xiaong, Yichang, Hubei, China; Inner Mongolia Xingfa Tech. Co., Ltd. - Wuda Ind. Park, Wuhai, Inner Mongolia, China</p>	<p>草甘膦铵盐 Glyphosate ammonium 880 g/kg SG</p>
ALLIERBRASIL	TECISO (43525)	<p>土豆, 蔗, 豆, 向日葵, 垃圾, 草莓, 桃, 大豆植株, 番茄 Potato, sugarcane, beans, sunflower, apple, strawberry, peach, soybean, tomato</p>	<p>类别 5 - 产品不可能引起严重损坏 环境等级 II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous</p>	<p>(Fluazinam Técnico SH) Zhejiang Hetian Chem. Co., Ltd. - Xiasha Econ. Zone, Hangzhou, Zhejiang, China</p>	<p>氟啶胺 Fluazinam 500 g/L SC</p>
PROREGISTRÓS	CLEFANDIM 480 EC (43625)	<p>菠萝, 棉布, 蒜, 花生, 灌溉稻米, 土豆, 甘薯, 茄子, 甜菜, 咖啡, 油菜籽, <i>Dioscorea</i> spp., 洋葱, 胡萝卜, 柑橘, 豆, 烟草, 姜, 向日葵, 薯, 吉洛茄, 垃圾, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 玉米, 胡椒, 胡椒, 秋葵, 大豆植株, 番茄, 小麦, 葡萄 Pineapple, cotton, garlic, peanuts, irrigated rice, potato, sweet potato, yacon potato, eggplant, beets, coffee, canola, yams, onions, carrots, citrus fruits, beans, tobacco, ginger, sunflower, yams, jiló, apple, cassava, manioc parsley, watermelon, corn, pepper, chili, okra, soybean, tomato, wheat, grapes</p>	<p>类别 5 - 产品不可能引起严重损坏 环境等级 IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous</p>	<p>(Cletodim Técnico YN) Jiangsu Yunfan Chem. Co., Ltd. - Xihejiubei St. 17, Chem. Industry Area, 168 Jiangsu Rd., Binjiang Fine Chem. Ind. Park QiDong, Jiangsu, China; (Clethodim Técnico YNX) Ningxia Yifan Biotechnology Co., Ltd. - 6, Guangfu Rd., New Chem. Material Park, Ningdong Energy Chem. Ind. Base Ningxia, China; (Clethodim YF 50 TK) Jiangsu Yunfan Chem. Co., Ltd. - 168 Jiangsu Rd., Binjiang Fine Chem. Ind. Park, QiDong, Jiangsu, China</p>	<p>烯草酮 Clethodim 480 g/L EC</p>

PROREGISTROS	CLEFANDIM 240 EC (43725)	<p>菠萝, 棉布, 蒜, 土豆, 甘薯, 茄子, 咖啡, 油菜籽, <i>Dioscorea</i> spp., 洋葱, 胡萝卜, 豆, 烟草, 姜, 向日葵, 薯, 吉洛茄, 垃圾, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 西瓜, 玉米, 胡椒, 胡椒, 秋葵, 大豆植株, 番茄, 小麦, 葡萄</p> <p>Pineapple, cotton, garlic, potato, sweet potato, yacon potato, eggplant, coffee, canola, yam, onion, carrot, beans, tobacco, ginger, sunflower, yam, jiló, apple, cassava, parsnip, watermelon, corn, pepper, chili, okra, soybean, tomato, wheat, grapes</p>	<p>类别 5 - 产品不可能引起严重损坏</p> <p>环境等级IV - 低危险性</p> <p>Tox. clas. 5 - Unlikely to cause acute damage</p> <p>Env. clas. IV - Slightly dangerous</p>	<p>(Cletodim Técnico YN) Jiangsu Yunfan Chem. Co., Ltd. - Xihejiubei St. 17, Chem. Industry Area, 168 Jiangsu Rd., Binjiang Fine Chem. Ind. Park, QiDong, Jiangsu, China</p>	<p>烯草酮</p> <p>Clethodim</p> <p>240 g/L EC</p>
ALLIERBRASIL	GLADIS (43825)	<p>莠苣, 棉布, 转基因棉花, 香蕉, 土豆, 咖啡, 柑橘, 桉树, 豆, 垃圾, 玉米, 转基因玉米, 油桃, 桃子, 卷心菜, 大豆植株, 转基因大豆植株, 小麦, 葡萄</p> <p>Lettuce, cotton, GMO cotton, banana, potato, coffee, citrus, eucalyptus, beans, apple, corn, GMO corn, nectarine, peach, cabbage, soybean, GMO soybean, wheat, grapes</p>	<p>类别 5 - 产品不可能引起严重损坏</p> <p>环境III级 - 危险产品</p> <p>Tox. clas. 5 - Unlikely to cause acute damage</p> <p>Env. clas. III - Dangerous</p>	<p>(Glufosinato-Amonium Técnico SD) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China</p>	<p>草铵膦</p> <p>Glufosinate ammonium</p> <p>200 g/L SL</p>
CROPCHEM	CIPROCONAZOLE 80 + PICOXYSTROBIN 200 SC CROPCHEM (43925)	<p>棉布, 水稻种植园, 咖啡, 蔗, 玉米, 大豆植株, 小麦</p> <p>Cotton, rice, coffee, sugarcane, corn, soybean, wheat</p>	<p>类别 5 - 产品不可能引起严重损坏</p> <p>环境等级II - 非常危险</p> <p>Tox. clas. 5 - Unlikely to cause acute damage</p> <p>Env. clas. II - Very dangerous</p>	<p>(Picoxistrobina Técnico CropChem III) Jiangsu Fopia Chemicals Co., Ltd. - 1, Zhongshan Industrial Park' Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China; Ciproconazole Técnico Nortox II) Zhejiang Bosst Cropsience Co., Ltd. - Hangzhou Bay Croo Sea Bridge New Area Hangzhou Bay Bridge Haiyan Zhejiang, China; Ciproconazol Tradecorp Técnico) Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China</p>	<p>啉氧菌酯 200 + 环丙唑醇 80 g/L SC</p> <p>Picoxystrobin 200 + cyproconazole 80 g/L SC</p>
CRYSTAL	ATRATUS (44025)	<p>棉布, 玉米, 大豆</p> <p>Cotton, corn, soybean</p>	<p>类别 5 - 产品不可能引起严重损坏</p> <p>环境III级 - 危险产品</p> <p>Tox. clas. 5 - Unlikely to cause acute damage</p> <p>Env. clas. III - Dangerous</p>	<p>(Clotianidina Técnico Crystal) Shandong Hailir Chemical Co., Ltd. - Lingang Ind. Zone, Coastal Econ, Development Zone Weifang, Shandong, China</p>	<p>噻虫胺</p> <p>Clothianidin</p> <p>600 g/L FS</p>
B PLANT	PALI (44125)	<p>任何受到这种农业害虫侵扰的农作物</p> <p>Any crop with <i>Meloidogyne incognita</i></p>	<p>类别 5 - 产品不可能引起严重损坏</p> <p>环境等级IV - 低危险性</p> <p>Tox. clas. 5 - Unlikely to cause acute damage</p> <p>Env. clas. IV - Slightly dangerous</p>	<p>B Plant Ltda. - Estrada Municipal do Pinheirinho, Pinheirinho, Itú, SP, Brazil</p>	<p><i>Purpureocillium lilacinum</i> CBMAI</p> <p>2833 5.95 g/L SL</p>
BIORISK	ERASER (44225)	<p>棉布, 水稻种植园, 灌溉稻米, 土豆, 蔗, 桉树, 烟草, 木薯, 大豆</p> <p>Cotton, rice, irrigated rice, potato, sugarcane, eucalyptus, tobacco, cassava, soybean</p>	<p>类别 5 - 产品不可能引起严重损坏</p> <p>环境等级II - 非常危险</p> <p>Tox. clas. 5 - Unlikely to cause acute damage</p> <p>Env. clas. II - Very dangerous</p>	<p>(Clomazone Técnico CCAB) Shandong Cynda Chem. Co., Ltd. - Econ. Develop. Area, Boxing, China</p>	<p>异噁草酮</p> <p>Clomazone</p> <p>360 g/L CS</p>
ALLIERBRASIL	MYCLO EC (44325)	<p>米, 咖啡, 垃圾, 大豆</p> <p>Rice, coffee, apple, soybean</p>	<p>类别 3 - 中度有毒</p> <p>环境III级 - 危险产品</p> <p>Tox. clas. 3 - Moderately toxic</p> <p>Env. clas. III - Dangerous</p>	<p>(Miclobutanil Técnico SD) Hubei Xianlong Chem. Ind. Co., Ltd. - 36 Yanjiang Ave Xian Tao, Hubei, China</p>	<p>腈菌唑</p> <p>Myclobutanil</p> <p>125 g/L EC</p>
CCAB	IMIDACLOPRIDE 150 TIODICARB 450 CCAB FS (44425)	<p>棉布, 花生, 水稻种植园, 燕麦, 大麦, 豆, 向日葵, <i>Ricinus communis</i>, 玉米, 大豆植株, 高粱, 小麦</p> <p>Cotton, peanuts, rice, oats, barley, beans, sunflower, castor beans, corn, soybean, sorghum, wheat</p>	<p>类别 4 - 轻微毒性</p> <p>环境等级II - 非常危险</p> <p>Tox. clas. 4 - Slightly toxic</p> <p>Env. clas. II - Very dangerous</p>	<p>(Tiodicarbe Técnico CCAB) Yancheng South Chemicals Co., Ltd. - Chenjiagang Chemicals of Xiangshui Yancheng, Jiangsu, China; Lianyungang Avilive Chem. Co., Ltd. - Dui Gou Gang Guan Nan, Lian Yun Gang, Jiangsu, China; (Imidacloprid Técnico CCAB III) Hebei Yetian Agrochemical Co., Ltd. - Ind. Zone, South of Yuanshi Shijiazhuang Hebei, China; Hailir Pesticides, Chemicals Group Co., Ltd. - East Ind. Zone, Chengyang Qingdao, China; Lianyungang Avilive Chem. Co., Ltd. - Dui Gou Gang, Guan Nan, Lian Yun Gang, Jiangsu, China; Jiangsu Fengshan Group Co., Ltd. - Wanggan, Dafeng, Yancheng, Jiangsu, China; Nanjing Red Sun Co., Ltd. - 8 DongFeng Rd., Yaxi, Gaochun, Shijiazhuang, Hebei, China</p>	<p>吡虫啉150 + 硫双威 450 g/L FS</p> <p>Imidacloprid 150 + thiodicarb 450 g/L FS</p>

CCAB	GLIFOSATO CCAB 720 WG (44525)	棉布, 转基因棉花, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 转基因玉米, 油桃, 牧场, 梨, 桃, 松树, 橡胶树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, GMO cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, GMO corn, nectarine, pasture, pear, peach, pinetree, rubber tree, soybean, GMO soybean, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境 III 级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico) Coromandel International Ltd. - Plot 2102, GIDC, Bulsar, Sarigam, Gujarat, India; Sichuan Hebang Biotechnology Co., Ltd. - Niuhua, Wutongqiao, Leshan Sichuan, China; (Glifosato Técnico CCAB II) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Glifosato Técnico CCAB III) UPL Ltd. - Plot 750, 9 Bharuch, Jhagadia, Gujarat, India; Sichuan Hebang Biotechnology Co., Ltd. - Niuhua, Wutongqiao, Leshan, Sichuan, China; (Glifosato Técnico CCAB IV) Jingma Chemicals Co Ltd. - 50, Baota Rd.-Longyou, Zhejiang, China; Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang-Qidong, Jiangsu, China; (Glifosato XW Técnico) Hubei Trisun Chemicals Co., Ltd. - 66-4 Xiaong Av., Xiaong, Yichang, Hubei, China; Inner Mongolia Xingfa Tech. Co., Ltd. - Wuda Ind. Park, Wuhai, Inner Mongolia, China	草甘膦 Glyphosate 720 g/kg WG
ZHONGSHAN	KAMAITACHI (44625)	菠萝, 棉布, 可可, 咖啡, 蔗, 柑橘类水果 Pineapple, cotton, cocoa, coffee, sugarcane, citrus	类别 5 - 产品不可能引起严重损坏 环境等级 II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Diuron Técnico ZS) Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Ecological Chem. Ind. Park 247260, Xiangshui, Yancheng, China	敌草隆 Diuron 800 g/kg WG
ZHONGSHAN	BARRACUDA (44725)	棉布, 蔗, 油菜籽, 豆, 向日葵, 木薯, 玉米, 大豆植株, 葡萄 Cotton, sugarcane, canola, beans, sunflower, cassava, corn, soybean, grapes	类别 4 - 轻微毒性 环境等级 II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(S-Metolachlor Technical ZS) Xiangshui Zhongshan Bioscience Co., Ltd. - Dahle Rd., Xiangshui Ecological Chem. Ind. Park, Xiangshui Yancheng, Jiangsu, China	精异丙甲草胺 S-metolachlor 960 g/L EC
TOTAL	BTP 066-20AC SC (44825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Chrysodeixis includens</i> , <i>Plutella xylostella</i> , <i>Spodoptera frugiperda</i> , <i>Ecdytolopha aurantiana</i> , <i>Tuta absoluta</i> , <i>Diatraea saccharalis</i> , <i>Helicoverpa armigera</i>	类别 5 - 产品不可能引起严重损坏 环境等级 IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Total Biotecnologia Industria e Comercio S.A. - Emilio Romani, 1190, CIC, Curitiba, PR, Brazil; Tacto Biotecnologia e Agropecuária Ltda. - Av. Adília Barbosa Neves, 3350, Portão, Arujá, SP, Brazil	<i>Bacillus thuringiensis</i> CCTB22 CCTB25 850 g/L SC
BINOVA	AG TRIMMON PRO (44925)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级 IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Binova Agro Ind. Ltda. - Josephina Bonella Fiacadori, 34, Dist. Ind. Marincek, Jardinópolis, SP, Brazil	<i>Trichoderma harzianum</i> IB 1917 930 g/L SC
BIO	BIO FURÃO (45025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Gymnanandrosoma aurantianum</i>	未分类 环境等级 IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Fuji Flavor Co., Ltd. - Midorigaoka, Hamura, Shi, Tóquio, Japan; Bio Controle-Métodos de Controle de Pragas Ltda. - Ema Gazzi Magnusson, 405, Dist. Ind. Vitória Martini, Indaiatuba, SP, Brazil	8-十二烯基乙酸酯 8-dodecenylyl acetate 4.5 g/kg GE
ADAMA	ADA FM 26721 (45125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Pratylenchus brachyurus</i> , <i>Meloidogyne javanica</i>	未分类 环境等级 IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Adama Chile S.A. - Camino Catemito, 1990, Camino Interior, San Bernardo, Santiago, Chile; Agrivalle Brasil Ind. e Comércio de Produtos Agrícolas S.A. - Av. Horst Frederico João Heer, 1420, Indaiatuba, SP, Brazil; Total Biotecnologia Ind. e Comércio S.A. - 99, Emilio Roman, 1190, Cidade Industrial, Curitiba, PR, Brazil; Simbiose Ind. e Comércio de Fertilizantes e Insumos Microbiológicos Ltda. - BR 158, km 206, Santa Helena, Cruz Alta, RS, Brazil; Superbac Biotechnology Solutions S.A. - Rod. PR 444, km 32, 5, Lote 16-B, Galpão 1, Gleba Ribeirão Vitória, Mandaguari, PR, Brazil	<i>Bacillus subtilis</i> ORN 160 166.65 + <i>Bacillus velezensis</i> ORN 14 166.65 g/L SC

HELM	L VH04A (45225)	牛油果, 菠萝, 南瓜, 西葫芦, 莴苣, 棉布, 蒜, 李子, 花生, 水稻种植园, 燕麦, 香蕉, 土豆, 茄子, 甜菜, 咖啡, 油菜籽, 洋葱, 胡萝卜, 大麦, chícória, 柑橘, 椰子, <i>Elaeis guineensis</i> , 豌豆, 豆, 向日葵, 鹰嘴豆, 垃圾, 木瓜, 袖子, 西瓜, 瓜, 粟, 玉米, 草莓, 黄瓜, 桃, 胡椒, 玫瑰丛, 大豆植株, 高粱, 番茄, 小麦, 葡萄 Avocado, pineapple, pumpkin, zucchini, lettuce, cotton, garlic, plum, peanut, rice, oats, banana, potato, eggplant, beet, coffee, canola, onion, carrot, barley, chicory, citrus, coconut, palm oil, pea, beans, sunflower, chickpea, apple, papaya, mango, watermelon, melon, millet, corn, strawberry, cucumber, peach, peppers, rosebush, soybean, sorghum, tomato, wheat, grapes	类别 1 - 剧毒 环境等级II - 非常危险 Tox. clas. 1 - Extremely toxic Env. clas. II - Very dangerous	(Difenoconazole 94 Técnico Helm) Atul Ltd. - Atul, Gujarat, India; Difenoconazole L Técnico Helm) Limin Chem. Co., Ltd. - Econ. Develop. Zone, Xinyi, Jiangsu, China; (Difenoconazole JS Técnico Helm) Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; Jiangsu Chengyang Cropscience Co., Ltd. - 83, Guan Qu Nan Lu, Nanjing Chem. Ind. Park, Nanjing, Jiangsu, China; (Difenoconazole Y Técnico Tagros) Tagros Chemicals India Ltd. - A-41; 2, SIPCOT Ind. Complex, Pachayankuppam, Cuddalore, Tamilnadu, India; Difenoconazole Y Técnico Helm) Yifan Biotechnology Group Co., Ltd. - 555, Chang'an Rd., Yaoxi Sub, Longwan, Wenzhou, Zhejiang, China	苯醚甲环唑 Difenoconazole 250 g/L EC
RAINBOW	PEROXONIL MIXX (45325)	棉布, 豆, 玉米, 大豆 Cotton, beans, corn, soybean	T类别 2 - 剧毒产品 环境等级II - 非常危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Clorotalonil Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Picoxistrobina Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Tebuconazol Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	吡唑醚菌酯 33 + 百菌清 540 + 戊唑醇 60 g/kg WG Picoxystrobin 33 + chlorothalonil 540 + tebuconazole 60 g/kg WG
ALBAUGH	PRETORIAN (45425)	棉布, 蒜, 土豆, 洋葱, 卷心菜, 菊花, 桉树, 豆, 木瓜, 百香果, 瓜, 西瓜, 玉米, 草莓, 胡椒, 卷心菜, 玫瑰丛, 大豆植株, 番茄 Cotton, garlic, potato, onion, cabbage, chrysanthemum, eucalyptus, beans, papaya, passion fruit, melon, watermelon, corn, strawberry, pepper, cabbage, rosebush, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Chlorfenapyr Técnico Rotam) Shandong Weifang Shuangxing Pesticide Co., Ltd. - Weifang Binhai Develop. Zone, Yansi 403, Weifang, Shandong, China	虫螨腈 Chlorfenapyr 240 g/L SC
CROPChem	DHARMA DUO (45525)	棉布, 水稻种植园, 咖啡, 蔗, 玉米, 大豆植株, 小麦 Cotton, rice, coffee, sugarcane, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Ciproconazol Técnico Cropchem III) Jiangsu Fengdeng Crop Science Co., Ltd. - Dengguan, Changzhou, Jiangsu, China; (Ciproconazol Técnico Nortox II) Zhejiang Bosst CropScience Co., Ltd. - Hangzhou Bay Cross Sea Bridge New Area, Haiyan Zhejiang, China; (Ciproconazol Tradecorp Técnico) Zhejiang Bosst CropScience Co., Ltd. - Hangzhou Bay Cross Sea Bridge New Area, Haiyan, Zhejiang, China; (Picoxistrobina Técnico Cropchem III) Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	啶氧菌酯 200 + 环丙唑醇 80 g/L SC Picoxystrobin 200 + cyproconazole 80 g/L SC
OXIQUÍMICA	ATINGE (45625)	咖啡, 豆, 玉米, 大豆 Coffee, beans, corn, soybean	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Oxiquímica Agrociência Ltda. - Minervino de Campos Pedroso, Parque Ind. Carlos Tonanni, Jaboticabal, SP, Brazil	植物油 Vegetable oil 60 g/L EC
ALTA	IMAZETAPIR ALTA 106 SL (45725)	豆, 大豆 Beans, soybean	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Imazetapir Técnico Alta) Shandong Cynda Chem. Co., Ltd. - Econ. Develop. Area, Boxing, Shandong, China	咪唑乙烟酸 Imazethapyr 106 g/L SL
ALTA	AVARIS (45825)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Picoxistrobina Técnico Alta) Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; (Prothioconazol Técnico Alta) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park Binhai, Jiangsu, China	啶氧菌酯 200 + 丙硫菌唑 200 g/L SC Picoxystrobin 200 + Prothioconazole 200 g/L SC
BIORISK	AHATE 97% SG GSP II (45925)	棉布, 花生, 土豆, 柑橘, 豆, 玉米, 大豆植株, 番茄 Cotton, peanuts, potato, citrus, beans, corn, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico GSP) GSP Crop Science Pvt. - 404, Lalita Complex, Rasala Rd., Navrangpura, Ahmedabad, India	乙酰甲胺磷 Acephate 970 g/kg SG
BIORISK	AHATE 97% SG GSP (46025)	棉布, 花生, 土豆, 柑橘, 豆, 玉米, 大豆植株, 番茄 Cotton, peanuts, potato, citrus, beans, corn, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico GSP) GSP Crop Science Pvt. - 404, Lalita Complex, Rasala Rd., Navrangpura, Ahmedabad, India	乙酰甲胺磷 Acephate 970 g/kg SG
ANDERMATT	PLUTEX (46125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Plutella xylostella</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Andermatt Biocontrol Suisse AG - Stahlermatten 6, Grosseidwil, Switzerland	小菜蛾颗粒体病毒 <i>Plutella xylostella</i> granulovirus 58 g/L SC

DVA	CARTE (46225)	香蕉, 土豆, 豆, 胡椒, 番茄 Banana, potato, beans, peppers, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Inner Mongolia Kingbo Biotech Co., Ltd. - Floor 4, Shuoze Building, Beiyuan St. 12, Chaoyang, Beijing, China	摘录 Extract of <i>Thymus vulgaris</i> 9.82 + <i>Melaleuca alternifolia</i> 88.38 g/L SL
NORTOX	DICAMBA NORTOX (46325)	棉布, 转基因棉花, 大豆植株, 转基因大豆 Cotton, GMO cotton, soybean, GMO soybean	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Dicamba Técnico Nortox) Jiangsu Flag Chem. Ind. Co., Ltd. - 309 Changfenghe Rd., Nanjing Chem. Ind. Park, Nanjing, Jiangsu, China; Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal, Econ. Zone, Rudong, Nantong, Jiangsu, China; Jiangsu Tuoqiu Agrochemical Co., Ltd. - Kaitai Rd., Coastal Ind. Park, Jiangsu Binhai Econ., Develop. Zone, Jiangsu, China; Dicamba Técnico (GHA) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Av Laogang, Qidong, Jiangsu, China	麦草畏 Dicamba 480 g/L SL
BASF	FASTAC EC (46425)	Alho, 棉布, 花生, 水稻种植园, 土豆, 咖啡, 洋葱, 柑橘, 豆, 瓜, 玉米, 胡椒, 大豆植株, 番茄 Garlic, cotton, peanuts, rice, potato, coffee, onions, citrus, beans, melon, corn, peppers, soybean, tomato	类别 3 - 中度有毒 环境等级II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Alfacipermetrina Técnica) Tagros Chemicals, India Ltd. - SIPCOT Ind., Pachayankuppam, Cuddalore, Tamil Nadu, India; Tagros Chemicals India Pvt. Ltd. - Panoli Ankleshwar. Bharuch, Gujarat, India; Bayer Vapi Pvt. Ltd. - Vapi, Gujarat, India; Fastac Técnico) Servatis-Rod. Presidente Dutra, km 300, Parque Imperador, Resende, RJ, Brazil	顺式氯氰菊酯 Alpha-cypermethrin 100 g/L EC
UPL	LIVO (46525)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mancozeb Técnico BR) FMC Química do Brasil Rod. Presidente Dutra, km 280, Pombal, Barra Mansa, RJ, Brazil; (Mancozeb Técnico Uniphos) Cerexagri B.V. - Tankhoofd, Vondelingenplaat, Rotterdam, Netherlands; (Mancozeb Técnico UPL) UPL Ltd. - Ind. Estate, Jhagadia, Bharuch, Gujarat, India; (Mancozeb Técnico UPL BR) Uniphos Colombia Plant Ltd. - Via 40, 85, Barranquilla, Atlántico, Colombia; (Mancozeb Técnico UPL Brazil) United Phosphorous Ltd. - 750, Jhagadia, Bharuch, Gujarat, India	代森锰锌 Mancozeb 420 g/L SC
CHDS	ELIMINATE ULTRA (46625)	莴苣, 棉布, 转基因棉花, 燕麦, 黑麦, 大麦, 小黑麦, 香蕉, 土豆, 咖啡, 蔗, 柑橘, <i>Duboisia</i> spp., 桉树, 豆, 豆子, 豌豆, 鹰嘴豆, 扁豆, 垃圾, 玉米, 转基因玉米, 油桃, 桃子, 卷心菜, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Lettuce, cotton, GMO cotton, oats, rye, barley, triticale, banana, potato, coffee, sugarcane, citrus, <i>Duboisia</i> spp., eucalyptus, kidney beans, beans, peas, chickpeas, lentils, apple, corn, GMO corn, nectarines, peaches, cabbage, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato Técnico CHDS) Yongnong Biosciences Co., Ltd. - 03, Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China; Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China; Hebei Veyong Bio-Chem. Co., Ltd. - 6, Middle Huagong Rd. Circulation Chem. Ind. Park Shijiazhuang, Hebei, China; (Glufosinate-Ammonium Técnico Lier) Lier Chem. Co., Ltd. - Econ. Technical Develop. Zone, Miayang, Sichuan, China; (Glufosinato Técnico MCR) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China	草铵膦铵盐 Glufosinate ammonium 850 g/kg WG
COROMANDEL	AZOGRO (46725)	棉布, 水稻种植园, 燕麦, 香蕉, 黑麦, 大麦, 大豆植株, 小麦, 小黑麦 Cotton, rice, oats, bananas, rye, barley, soybean, wheat, triticale	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Azoxytrobín Técnico Coromandel) Coromandel International Ltd. - GIDC, Ind. Estate, Ankleshwar, Gujarat, India	唑菌酯 Azoxytrobín 250 g/L SC
INDOFIL	GRUMA 05 SC (46825)	棉布, 大豆 Cotton, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Mancozeb Técnico Indofil) Indofil Industries Ltd. - Azad Nagar, Sandoz Baug, off Ghodbunder Rd., Near Chitalsar, Manpada, Thane, India; Indofil Industries Ltd. - Plot Z7-1Z8, Sez Dahej Ltd., Sez Dahej, Taluka Vagra, Bharuch, Gujarat, India; (Mancozeb Técnico Nortox) Limin Chem. Co., Ltd. - 31 Xintan Rd., Ind. Develop. Zone, of Xinyi, Xinyi, Jiangsu, China; (Mancozeb Técnico) Dow Agrosciences Ind. Ltda. - Av. Pres. Humberto de Alencar Castelo Branco, 3200, Jacarei, SP, Brazil; (Mancozeb Técnico Nortox II) Hebei Shuangji Chem. Co., Ltd., East Suburb, Xinyi, Hebei, China; (Score Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'Île-au-Bois, Monthey, Switzerland; Deccan Fine Chemicals Pvt. Ltd. - Survey 80-83, Kesavaram, Venkatanagaram Post. Visakhapatnam, Payakaraopeta, Mandal, Andhra Pradesh, India; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Eco. Develop. Zone, Nantong, Jiangsu, China; (Prothioconazole Técnico Indofil) Anhui Jiuyi Agricrop Co., Ltd. - Hefei Circulate Econ. Zone, Hefei, Anhui, China; Indofil Industries Ltd. - Plot Z-121 Sez Dahej, Tal. Vagra, Bharuch, Gujarat, India	丙硫菌唑 29 + 苯醚甲环唑 25 + 代森锰锌 421 g/L SC Prothioconazole 29 + difenoconazole 25 + mancozeb 421 g/L SC

REGISTRATIONS FOCUSED

HERBICIDE

Atrazine TG, 50% SC
Diuron TG, Hexa 13.2% +
Diuron 46.8%
Dquat TG, 20% SL
Hexazinone TG, 75% WG
Nicosulfuron 4% OD
2,4 D Acid TG
Ametryn TG
Dicamba TG
Fomesafen TG
Glufosinate Amm. TG
Glyphosate TG
Imazapic TG
Imazethapyr TG
Mesotrione TG
S-metolachlor TG

INSECTICIDE

Acephate TG, 75% SP
Chlorpyrifos TG, 48% EC
Cypermethrin TG, 25% EC
Diflubenzuron TG, 24% SC
Lambda Cyhalothrin
TG, 5% EC
Thiodicarb TG, 35% SC
Acetamiprid TG
Deltamethrin TG
Imidacloprid TG
Indoxacarb TG
Lufenuron TG

FUNGICIDE

Captan TG, 50% WP &
80% WG
Difenconazole TG, 25% EC
Tebuconazole TG, 20% EC
Cyproconazole TG
Dimethomorph TG
Flutriafol TG
Myclobutanil TG

RIPENING APPLICATIONS :

50+

20+

30+

**WE ARE DEPENDABLE
ON QUALITY,
COMPETITIVENESS FOR
THE LONG TERM.**

Business Manager

Mr. Carlos Jose Araujo

(11) 99291-8753, (11) 2539-6041

shardabrasil@shardaintl.com



SHARDA BRAZIL

第58号法案 2025年12月3日 - 发布于2025年12月8日 - 技术产品及预混料的农药登记审批
Act No. 58 from 12/3/25 - Published on 12/8/25 - Technical product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	笔记 Note	原药生产商 Manufacturer	产品 Product
ALLIERBRASIL	FLUROXIPIR TÉCNICO SD (TC26125)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Luba Chem. Co., Ltd. - Loujia, Tangwang, Licheng Jinan, Shandong, China	氟吡啶氧乙酸异辛酯 Fluroxypyr-meptyl
AGROBEATS	HALOXYFOP-P-METHYL TÉCNICO ABT (TC26225)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Chizhou Bioagriland Multichem Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi, Chizhou, Anhui, China	高效氟吡甲禾灵 Haloxypop-P-methyl
NORTOX SA	DIFENOCONAZOLE TÉCNICO NORTOX III (TC26325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hextar Chemicals SDN. BHD. - Jalan Perigi Nenas 73, Fasa 1, Pulau Indah Ind. Park, Darul Ehsan, Malaysia	苯醚甲环唑 Difenoconazole
AGRO-LEAD	CLORFENAPIR TÉCNICO AGROLEAD (TC26425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue Taian, Shandong, China	虫螨腈 Chlorfenapyr
CHDS	CHLORFENAPYR TÉCNICO CHDS (TC26525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China	虫螨腈 Chlorfenapyr
CCAB	CHLORFENAPYR TÉCNICO CCAB II (TC26625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China	虫螨腈 Chlorfenapyr
GLOBACHEM	CLORFENAPIR TÉCNICO STOCKTON (TC26725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue Taian, Shandong, China	虫螨腈 Chlorfenapyr
HELM	CIPROCONAZOLE A TÉCNICO HELM (TC26825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Astec Lifesciences Ltd. - MIDC, Mahad, Raigad, Maharashtra, India	环丙唑醇 Cyproconazole
UPL	CIPROCONAZOL TÉCNICO ALS (TC26925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Astec Lifesciences Ltd. - MIDC, Mahad, Raigad, Maharashtra, India	环丙唑醇 Cyproconazole
HELM	CHLORFENAPYR U TÉCNICO HELM (TC27025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Weifang Shuangxing Pesticide Co., Ltd. - Weifang Binhai Develop. Zone, Yansi 403, Weifang, Shandong, China	虫螨腈 Chlorfenapyr
SYNTECH	CYPROCONAZOLE TECHNICAL ASTEC (TC27125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Astec Lifesciences Ltd. - MIDC, Mahad, Raigad, Maharashtra, India	环丙唑醇 Cyproconazole
ADAMA	CLORFENAPIR TÉCNICO ADA (TC27225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue Taian, Shandong, China	虫螨腈 Chlorfenapyr
LEMMA	CHLORFENAPYR TÉCNICO SINO-AGRI (TC27325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China	虫螨腈 Chlorfenapyr
CROPCHEM	CLORFENAPIR TÉCNICO CROPCHEM III (TC27425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue Taian, Shandong, China	虫螨腈 Chlorfenapyr
PROREGISTROS	FORWARD MESOTRIONE TÉCNICO (TC27525)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Hebei Shanli Chem. Co., Ltd. - 18th Team, Zhongjie Farm Cangzhou, Hebei, China	硝磺草酮 Mesotrione
BRILLIANCE	IMAZETHAPYR TÉCNICO BRILLIANCE II (TC27625)	等效毒理学概况 环境III级 - 危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Liaoning Cynda Chem. Co., Ltd. - 417, Hanjiang Rd., Comprehensive Ind. Park, Econ. Develop. Zone, Huludao, Liaoning, China	咪唑乙烟酸 Imazethapyr

LEMMA	PICOXYSTROBIN TÉCNICO SINO-AGRI (TC27725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	啮氧菌酯 Picoxystrobin
GENOMA	FOMESAFEM TÉCNICO SOLUS (TC27825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	氟磺胺草醚 Fomesafen
NUTRIEN	CLETODIM PRÉ-MISTURA SA (TC27925)	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	Jiangsu Yunfan Chem. Co., Ltd. - 168 Jiangsu Rd., Binjiang Fine Chem. Ind. Park, Qidong, Jiangsu, China	烯草酮 Clethodim
NUTRIEN	DICLOSULAM TÉCNICO 970 AGCN	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China	双氯磺草胺 Diclosulam
ALBAUGH	DICLOSULAM TÉCNICO RTM (TC28125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Join Dream Fine Chemicals Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China	双氯磺草胺 Diclosulam
NORTOX	CLORFENAPIR TÉCNICO NORTOX II (TC28225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China	虫螨腈 Chlorfenapyr
AVGUST	DICLOSULAM TÉCNICO AVGUST (TC28325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Agrochem Laboratory Co. Ltd. - 1218, North Changjiang Rd, High-tech Development Zone, Changzhou, Jiangsu, China	双氯磺草胺 Diclosulam


MAZZA E MANENTE DE ALMEIDA
 A D V O G A D O S

**Mazza e Manente de Almeida Law Firm provides legal
 consultancy and litigation services in
 Public and Corporate Law**

**HQ in São Paulo, with correspondents
 in other large urban centers**

Lawyer & Partner

Luciana Fabri Mazza - mazza@mzma.com.br

Headquarters

Al. Cauaxi, 293, Cond. Alpha Green, Alphaville, Barueri, SP, Brasil, 06454-020

WhatsApp (11) 98633-3748 mazza@mzma.com.br

第63 号法案 2025年12月26日 - 发布于2025年12月29日 - 制定产品注册批件

Act No. 63 from 12/26/25 - Published on 12/29/25 - Formulated product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	建议使用 Use Recommendation	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
PROREGISTROS	GOLERO (46925)	棉布, 水稻种植园, 油菜籽, 柑橘, 豌豆, 豇豆, 烟草, 芝麻, 向日葵, 鹰嘴豆, 扁豆, 玉米, 大豆植株, 番茄, 小麦 Cotton, rice, canola, citrus, peas, cowpeas, tobacco, sesame, sunflower, chickpeas, lentils, corn, soybean, tomato, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Golero Técnico) Agria S.A. - Asenovgradsko shose, 4009, Plovdiv, Bulgaria	除虫脒 Diflufenzuron 480 g/L SC
CROPCHEM	HARBIN II (47025)	柑橘, 垃圾 Citrus, apple	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobina Técnico CropChem) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ. & Tech. Develop. Zone, Shangyu, Zhejiang, China; Zhejiang Bosst Cropsience Co., Ltd. - Hangzhou Bay Cross Sea Bridge New Area, Hangzhou Bay Bridge Haiyan Zhejiang, China	肟菌酯 Trifloxystrobin 500 g/kg WG
YONON	CHLORFENAPYR 240 SC YONON (47125)	棉布, 蒜, 花生, 土豆, 洋葱, 卷心菜, 菊花, 豌豆, 鹰嘴豆, 扁豆, 桉树, 豆, 烟草, 木瓜, 百香果, 瓜, 西瓜, 玉米, 粟, 高粱, 草莓, 胡椒, 卷心菜, 玫瑰丛, 大豆植株, 番茄 Cotton, garlic, peanuts, potato, onions, cabbage, chrysanthemums, peas, chickpeas, lentils, eucalyptus, beans, tobacco, papaya, passion fruit, melon, watermelon, corn, millet, sorghum, strawberries, peppers, cabbage, roses, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Chlorfenapyr Técnico CT) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ. & Tech. Develop. Zone, Shangyu, Zhejiang, China	虫螨腈 Chlorfenapyr 240 g/L SC
ALLIERBRASIL	MESTER 480 SC (47225)	蔗, 玉米 Sugarcane, corn	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mesotriona Técnico SD) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	硝磺草酮 Mesotrione 480 g/L SC
YONON	GLUFOSINATE-AMMONIUM 850 WG YONON (47325)	棉布 OGM, 椰子, 大豆植株, 转基因大豆 Cotton, GMO cotton, coconut, soybean, GMO soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinate-Ammonium Técnico GT) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shagyu-Zhejiang, China; Ningxia Yongnong Biosciences Co., Ltd. - Ningdong Base Chem. New Material Zone, Ningxia Hui, Yinchuan, China	草铵膦 Glufosinate ammonium 850 g/kg WG
ALLIERBRASIL	COMPERT 240 EC (47425)	大蒜, 洋葱, 胡萝卜, 豆类, 烟草, 木薯, 西瓜, 大豆和西红柿 Cotton, garlic, potato, coffee, onions, carrots, beans, tobacco, cassava, watermelon, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Cletodim Técnico SH) Shenyang Sciencreat Chemicals Co., Ltd. - Xihejiubei St. 17, Chem. Industry Area, Shenyang Econ. & Tech. Develop. Zone, Shenyang, Liaoning, China	烯草酮 Clethodim 240 g/L EC
ALLIERBRASIL	BIOCOSMO 480 SL (47525)	棉布, 李子, 水稻种植园, 灌溉稻, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 豆, 垃圾, 玉米, 油桃, 牧场, 梨, 桃, 松树, 橡胶树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, plum, rice, irrigated rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, beans, apple, corn, nectarine, pasture, pear, peach, pinetree, rubber tree, soybean, GMO soybean, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico GHA) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China	草甘膦 Glyphosate 480 g/L SL
ALLIERBRASIL	GLADES 480 SL (47625)	棉布, 李子, 水稻种植园, 灌溉稻, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 豆, 苹果, 玉米, 油桃, 牧场, 梨, 桃, 松树, 橡胶, 大豆, 转基因大豆, 小麦和葡萄 Cotton, plum, rice, irrigated rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, beans, apple, corn, nectarine, pasture, pear, peach, pinetree, rubber tree, soybean, GMO soybean, wheat, grape	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico GHA) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China	草甘膦 Glyphosate 480 g/L SL

ALLIERBRASIL	ZUXION 200 SP (47725)	棉布, 土豆, 豆, 垃圾, 木瓜, 西瓜, 瓜, 玉米, 大豆植株, 番茄, 小麦 Cotton, potato, beans, apple, papayas, watermelon, melon, corn, soybean, tomato and wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acetamiprido Técnico SD) Ningbo Sunjoy Agrosience Co., Ltd. - Benhai Rd., Chem. Ind. Zone, of Ningbo-Zhenhai, Ningbo, Zhejiang, China; Hebei Yetian Agrochemical Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China	啶虫脒 Acetamiprid 200 g/kg SP
YONON	PYRACLOSTROBIN YONON (47825)	棉布, 蒜, 花生, 燕麦, 香蕉, 土豆, 咖啡, 蔗, 洋葱, 胡萝卜, 大麦, 柑橘, 菊花, 豆, 垃圾, 袖子, 木瓜, 瓜, 西瓜, 玉米, 黄瓜, 胡椒, 玫瑰丛, 大豆植株, 番茄, 小麦, 葡萄 Cotton, garlic, peanuts, oats, banana, potato, coffee, sugarcane, onion, carrot, barley, citrus, chrysanthemum, beans, apple, mango, papaya, melon, watermelon, corn, cucumber, pepper, rosebush, soybean, tomato, wheat, grape	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Piraclostrobin Técnico PT) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ. & Tech. Develop. Zone, Shangyu, Zhejiang, China	吡唑醚菌酯 Pyraclostrobin 250 g/L EC
GREEN	GREENFOSATO (47925)	棉布, 转基因棉花, 灌溉稻米, 香蕉, 咖啡, 蔗, 柑橘, 椰子, 桉树, 烟草, 垃圾, 木瓜, 玉米, 大豆植株, 小麦, 葡萄 Cotton, GMO cotton, irrigated rice, banana, coffee, sugarcane, citrus, coconut, eucalyptus, tobacco, apple, papaya, corn, soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico Green World) Jingma Chemicals Co., Ltd. - 50, Baota Rd., Longyou, Zhejiang, China	草甘膦 Glyphosate 450 g/L SL
SUMITOMO	AVEO SC (48025)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Pratylenchus brachyurus</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Valent Biosciences LLC - 2142, 350th St., Osage, Iowa, USA	<i>Bacillus amyloliquefaciens</i> PTA-4838 14 g/L SC
COMPOSTEC	TETRA (48125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Sclerotinia sclerotiorum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Compostec Soluções Agroambientais Ltda. - Rod. PR-317, km 6, Zona Rural, Toledo, PR, Brazil	<i>Trichoderma harzianum</i> IB 19/17 88 g/L SC
AGROIMPORT	AZOXISTROBINA 600 + CIPROCONAZOL 240 WG AGROIMPORT (48225)	玉米, 大豆植株, 小麦 Corn, soybean, wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Ciproconazol Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Weifang, Shandong, China; (Azoxistrobina Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China	啉菌酯 600 + 啉菌酯 240 g/kg WG Azoxystrobin 600 + cyproconazole 240 g/kg WG
AGROIMPORT	CLOMAZONE 500 EC AGROIMPORT (48325)	棉布, 水稻种植园, 灌溉稻米, 蔗, 烟草, 木薯, 胡椒, 大豆 Cotton, rice, irrigated rice, sugarcane, tobacco, cassava, pepper, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Clomazone Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China	异噁草酮 Clomazone 500 g/L EC
AGROIMPORT	METOXIFENOZIDA 240 SC AGROIMPORT (48425)	棉布, 豆, 垃圾, 粟, 玉米, 高粱, 大豆植株, 燕麦, 黑麦, 大麦, 小麦, 小黑麦 Cotton, beans, apple, millet, corn, sorghum, soybean, oats, rye, barley, wheat, triticale	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Metoxifenoza Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China	甲氧虫酰肼 Methoxyfenozide 240 g/L SC
SÃO MARTINHO	SMART BIO COTESIA (48525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Diatraea saccharalis</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	São Martinho S.A. - Fazenda São Martinho, Zona Rural, Pradópolis, SP, Brazil	<i>Cotesia flavipes</i> 750 活体昆虫 live insects
AGROIMPORT	ETIPROLE 200 SC AGROIMPORT (48625)	棉布, 水稻种植园, 蔗, 咖啡, 粟, 玉米, 大豆植株, 高粱 Cotton, rice, sugarcane, coffee, millet, corn, soybean, sorghum	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Etiprole Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Weifang, Shandong, China	乙虫腓 Ethiprole 200 g/L SC
BIORISK	MAXUNIL 720 SC (48725)	棉布, 花生, 香蕉, 土豆, 茄子, 洋葱, 胡萝卜, 豆, 垃圾, 木瓜, 瓜, 西瓜, 玉米, 黄瓜, 玫瑰丛, 大豆植株, 番茄, 小麦, 葡萄 Cotton, peanuts, banana, potato, eggplant, onion, carrot, beans, apple, papaya, melon, watermelon, corn, cucumber, rosebush, soybean, tomato, wheat, grape	类别 3 - 中度有毒 环境等级III - 危险产品 Tox. clas. 3 - Moderately toxic Env. clas. III - Dangerous	(Maxunil Técnico) Jiangsu Weunite Fine Chem. Co., Ltd. - Jinger Rd., Ind. Chem. Park-Xinyi, Jiangsu, China	百菌清 Chlorothalonil 720 g/L SC

FERBRU	ESPADA (48825)	棉布,花生,土豆,柑橘,豆,玉米,大豆植株,番茄 Cotton, peanuts, potato, citrus, beans, corn, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico FB) GSP Crop Science Pvt. Ltd. - 103, GVMM Ind. Estate, Odhav, Ahmedabad, Gujarat, India	乙酰甲胺磷 Acephate 970 g/L SG
ALLIERBRASIL	MIGHTY (48925)	蔗, 玉米 Sugarcane, corn	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mesotriona Técnico SD) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	甲磺草酮 Mesotrione 480 g/L SC
SHARDA	CABBY 480 SC (49025)	土豆,洋葱,垃圾,番茄,葡萄 Potato, onions, apple, tomato, grapes	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Captan Técnico SD) India Pesticides Ltd. - UPSIDC Ind. Area, Dewa Rd., UPSIDC Ind. Area, Chinhat, Lucknow, Lucknow, India	克菌丹 Captan 480 g/L SC
ALBAUGH	GLIDER DUO (49125)	棉布, 豆, 大豆植株, 小麦 Cotton, beans, soybean, wheat	类别 3 - 中度有毒 环境等级II - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Difenoconazole Técnico Rotam) Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China; (Chlorothalonil Técnico Rotam) Shandong Dacheng Agrochem Co., Ltd. - 25, Honggou Rd., Zhangdian Zibo, Shandong, China; (Chlorothalonil Técnico RTM) Jiangsu Weunite Fine Chem. Co., Ltd. - Jinger Rd., Ind. Chem. Park, Xinyi, Jiangsu, China	苯醚甲环唑 25 + 百菌清 500 g/L SC Difenoconazole 25+chlorothalonil 500 g/L SC
ALBAUGH	BALAZO (49225)	棉布, 土豆, 蔗, 柑橘, 菊花, 豆, 烟草, 木瓜, 袖子, 瓜, 西瓜, 玉米, 玫瑰丛, 大豆植株, 番茄, 小麦, 葡萄 Cotton, potato, sugarcane, citrus, chrysanthemum, beans, tobacco, papaya, mango, melon, watermelon, corn, rosebush, soybean, tomato, wheat, grape	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Bifenthrin Técnico Rotam) Jiangsu Chunjiang Agrochemical Co., Ltd. - 84, Panjiawan, Zhixi, 213251, Jintan, Jiangsu, China; (Bifenthrin Técnico RTM) Jiangsu Chunjiang Runtian Agrochemical Co., Ltd. - 6 Huaihong Rd., Huaian Salt Chem. Ind. Park of Hongze Area, Huaian, Jiangsu, China	联苯菊酯 Bifenthrin 100 g/L EC
PILARQUIM	PILARPOINT (49325)	米, 灌溉稻米, 蔗, 玉米, 牧场, 大豆植株, 小麦 Rice, irrigated rice, sugarcane, corn, pasture, soybean, wheat	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Técnico Pilarquim) Weihai Hanfu Biochemical Medicine Co., Ltd. - Fengtaiding, Rushanzhai, Rushan, Shandong, Shanghai, China	2,4-滴 2,4-D 806 g/L SL
AGROBEATS	GAZINA 500 SC (49425)	棉布, 土豆, 咖啡, 蔗, 洋葱, 柑橘, 桉树, 松树, 豆, 垃圾, 木薯, 玉米, 大豆植株, 小麦 Cotton, potato, coffee, sugarcane, onion, citrus, eucalyptus, pinetree, beans, apple, cassava, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Flumioxazin Técnico Lier) Lier Chem. Co., Ltd. - Econ. & Tech. Develop. Zone, Mianyang, Sichuan, China	氟噻草酮 Flumioxazina 500 g/L SC
CROPCHEM	AMPUS 125 SC (49525)	棉布, 香蕉, 咖啡, 大麦, 豆类, 大豆和小麦 Cotton, banana, coffee, barley, beans, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Epoixiconazole Técnico Cropchem) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ. & Tech. Develop. Zone, Shangyu-Zhejiang, China; (Epoixiconazole Técnico Cropchem II) Adama Hui Feng Ltd. Weier Rd., South of Ocean Econ. Develop. Zone, Dafeng, Jiangsu, China	环氧菌唑 Epoixiconazole 125 g/L SC
ALBAUGH	BALUARTE (49625)	棉布, 土豆, 茄子, 咖啡, 菊花, 豆, 黄瓜, 观赏植物, 玫瑰丛, 大豆植株, 番茄 Cotton, potato, eggplant, coffee, chrysanthemum, beans, cucumber, ornamental plants, roses, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Diafentiurom Técnico CSG) Jiangsu Flag Chem. Ind. Co., Ltd. - 309, Changfenghe Rd., Nanjing Chem. Ind. Park Luhe, Nanjing, Jiangsu, China; (Diafentiurom Técnico Proventis II) Jiangsu Changlong Agrochemical Co., Ltd. - 8 Tuanjiede Rd., Econ. Develop. of Taixing, Jiangsu, China	丁醚脲 Diafenthiuron 500 g/L SC
ALBAUGH	SKELDON (49725)	棉布, 豆, 大豆 Cotton, beans, soybean	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Prothioconazole Técnico Rotam) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park Binhai, Jiangsu, China; (Prothioconazole Técnico RDB) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park Binhai, Jiangsu, China	丙硫菌唑 Prothioconazole 480 g/L SC
SUMITOMO	MESIC MAX (49825)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Very dangerous	(Prothioconazole Técnico Sumitomo) Jiangsu Chengyang Crop Science Co., Ltd. - 83, Guan Qu Nan Lu, Nanjing Chem. Industry Park Nanjing, Jiangsu, China; (Prothioconazole Técnico Sumitomo BR) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park Binhai, Jiangsu, China; (Picoxistrobina Técnico Sumitomo) Jiangxi Heyi Chem. Co., Ltd. - Longcheng, Pengze Jiujiang, Jiangxi, China; (Picoxistrobina Técnica) Corteva Agriscience Spain S, L, Valle de Tamón, Nubledo, Tamon, Carreño, Asturias, Spain; Corteva Agriscience France S.A.S. - Usine de Cernay, 82, Rue de Wittelsheim, Cernay Cedex, France; Deccan Fine Chem Pvt Ltd. - Santa Monica Works, Survey 281-A, Corlim, Ilhas Goa, India	丙硫菌唑 140 + 吡唑醚菌酯 140 g/L SC Prothioconazole 140 + picoxystrobin 140 g/L SC

ALBAUGH	ACETAMIPRIDO SC ALBAUGH 01 (49925)	棉布, 土豆, 西瓜, 瓜, 玉米, 大豆植株, 番茄, 小麦 Cotton, potato, beans, watermelon, melon, corn, soybean, tomato, wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acetamiprido Técnico Agristar) Jiangsu Fengshan Group Co., Ltd. - Wanggang, Dafeng, Jiangsu, China; (Acetamiprido Técnico Consagro) Jiangsu Changlong Chem., Co., Ltd. - Taixing Econ. Develop., Taixing, Jiangse, China; Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; Hebei Yetian Agrochemical Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China	啮虫脒 Acetamiprid 400 g/L SC
SUMITOMO	ZELTERA PURA (50025)	棉布, 玉米, 小麦 Cotton, corn, wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Impyrflumax Técnico) Sumitomo Chem. Co., Ltd. - Oita Works 2200, Tsurusaki, Oita-shi, Oita, Japan; Bayer AG - Alte Heerstrasse, Dormagen, Germany; Bayer AG - Industriestraße, Chemiepark Knapsack, Hürth, Germany	因皮氟酰胺 Inpyrflumax 384 g/L FS
TECNOMYL	TEC-007-B (50125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Deois flavopicta</i> , <i>Euschistus heros</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Tecnomy S.A. - Parque Ind. Avay, Villeta, Paraguay	<i>Beauveria bassiana</i> IBCB 66 5 + <i>Metarhizium anisopliae</i> IBCB 425 5 ml/L SC
NORTOX	PICOXISTROBIN NORTOX (50225)	棉布, 豆, 大豆 Cotton, beans, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Picoxistrobin Técnico Nortox) Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China;	吡唑醚菌酯 Picoxystrobin 256 g/L SC
CROPCHEM	KAIJU 480 SL (50325)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Dicamba Técnico Cropchem I) Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal, Econ. Zone, Rudong, Nantong, Jiangsu, China	麦草畏 Dicamba 480 g/L SL
ALLIERBRASIL	CLETODIM CHDS 240 EC (50425)	棉布, 蒜, 土豆, 咖啡, 洋葱, 胡萝卜, 豆, 烟草, 木薯, 西瓜, 大豆植株, 番茄 Cotton, garlic, potato, coffee, onions, carrots, beans, tobacco, cassava, watermelon, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Cletodim Técnico CHDS) Shenyang Sciencreat Chemicals Co., Ltd. - Xihejubei St. 17 Chem. Ind. Area, Shenyang Econ. & Tech. Develop. Zone, Shenyang, Liaoning, China	烯草酮 Clethodim 240 g/L EC
HELM	HDB 187 (50525)	香蕉, 大麦, 大豆植株, 小麦 Banana, barley, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Fenpropimorph Técnico) BASF SE - Carl-Bosch Strasse, 38, Ludwigshafen, Germany	丁苯吗啉 Fenpropimorph 750 g/L EC
ALLIERBRASIL	ACAM 200 SP (50625)	棉布, 土豆, 豆, 垃圾, 木瓜, 西瓜, 瓜, 玉米, 大豆植株, 番茄, 小麦 Cotton, potato, beans, apple, papayas, watermelon, melon, corn, soybean, tomato, wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acetamiprido Técnico SD) Ningbo Sunjoy Agroscience Co., Ltd. - BeiHai Rd., Ningbo Chem. Ind. Zone, Xiepu, Zhenhai, Ningbo, Zhejiang, China	啮虫脒 Acetamiprid 200 g/kg SP
ALLIERBRASIL	PYTA (50725)	棉布, 蒜, 花生, 土豆, 咖啡, 洋葱, 胡萝卜, 豆, 烟草, 木薯, 西瓜, 大豆植株, 番茄 Cotton, garlic, peanuts, potato, coffee, onions, carrots, beans, tobacco, cassava, watermelon, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Cletodim Técnico SH) Shenyang Sciencreat Chemicals Co., Ltd. - Xihejubei St. 17 Chem. Ind. Area, Shenyang Econ. & Tech. Develop. Zone, Shenyang, Liaoning, China	烯草酮 Clethodim 240 g/L EC
ALLIERBRASIL	KOVAN 240 EC (50825)	棉布, 蒜, 花生, 土豆, 咖啡, 洋葱, 胡萝卜, 豆, 烟草, 木薯, 西瓜, 大豆植株, 番茄 Cotton, garlic, peanuts, potato, coffee, onions, carrots, beans, tobacco, cassava, watermelon, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Cletodim Técnico SH) Shenyang Sciencreat Chemicals Co., Ltd. - Xihejubei St. 17 Chem. Ind. Area, Shenyang Econ. & Tech. Develop. Zone, Shenyang, Liaoning, China	烯草酮 Clethodim 240 g/L EC
ALLIERBRASIL	D-RAY 806 SL (50925)	米, 灌溉稻米, 咖啡, 蔗, 玉米, 牧场, 大豆植株, 小麦 Rice, irrigated rice, coffee, sugarcane, corn, pasture, soybean, wheat	类别 4 - 轻微毒性 环境等级III - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Técnico GHA) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China	2,4-滴 2,4-D 806 g/L SL
ALLIERBRASIL	BIODYN 806 SL (51025)	米, 灌溉稻米, 咖啡, 蔗, 玉米, 牧场, 大豆植株, 小麦 Rice, irrigated rice, coffee, sugarcane, corn, pasture, soybean, wheat	类别 4 - 轻微毒性 环境等级III - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Técnico GHA) Jiangsu Good Harvest - Loagang, Qidong, Jiangsu, China	2,4-滴 2,4-D 806 g/L SL
ALLIERBRASIL	DICAT 480 SL (51125)	棉布, 转基因棉花, 大豆植株, 转基因大豆 Cotton, GMO cotton, soybean, GMO soybean	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Dicamba Técnico SD) Jiangsu Good Harvest - Loagang, Qidong, Jiangsu, China;	麦草畏 Dicamba 480 g/L SL

KOPPERT	KBR-T1H57WP2 (51225)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Rhizoctonia solani</i> , <i>Pythium</i> spp., <i>Fusarium solani</i> , <i>Sclerotinia sclerotiorum</i> , <i>Meloidogyne incognita</i> , <i>Meloidogyne javanica</i> , <i>Pratylenchus brachyurus</i> , <i>Heterodera glycines</i> , <i>Macrophomina phaseolina</i> , <i>Phytophthora sojae</i> , <i>Phytophthora infestans</i> , <i>Setophoma terrestris</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Koppert do Brasil Holding S.A. - Rod. Margarida da Graça Martins, SP, Brazil 135, km 17, Água Seca, Piracicaba, SP, Brazil; Koppert do Brasil Holding S.A. - Via Vicente Verdi, 758, Bela Vista, Dist. Ind. 3, Charqueada, SP, Brazil; Koppert B.V. - Veilingweg, 2651, Berkel en Rodenrijs, Netherlands	<i>Trichoderma asperelloides</i> ESALQ 1306 57 g/kg WP
CAC	GLEBA 325 SC (51325)	棉布, 豆, 玉米, 大豆植株, 小麦 Cotton, beans, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Prothioconazole Technical II CAC) Jiangxi Tianyu Chem. Co., Ltd. - Yanhua Rd., Xingan Salt Chem. Ind. Park Xingan, Jiangxi, China; (Trifloxystrobin Técnico CAC) CAC Nantong Chem. Co., Ltd. - 4th Huanghai Rd., Yangkou Chem. Ind. Park, Nantong, Jiangsu, China; Jiangxi Tianyu Chem. Co., Ltd. - Yanhua Rd., Xingan Salt Chem. Ind. Park Xingan, Jiangxi, China	肟菌酯 + 丙硫菌唑 Trifloxystrobin 150 + prothioconazole 175 g/L SC
SYNGENTA	REFLECT (51425)	大豆植株 Soybean	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Isopyrazam Técnico) Syngenta Nantong Crop Protection Co., Ltd. - 1 Zhongyang Rd., Nantong Econ. & Tech. Develop. Area, Nantong, Jiangsu, China; Deccan Fine Chemicals Pvt Ltd. - 16 Meter Rd. B1, Ind. Estate, Bharuch, Gujarat, India; Syngenta Crop Protection Monthey S.A., Ltd. - Route de l'Île-au Bois, 1870 Monthey, Switzerland; Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China	异唑吡酰胺 Isopyrazam 125 g/L EC
ALLIERBRASIL	ASAFAT SG 5 (51525)	棉布, 花生, 土豆, 柑橘, 豆, 玉米, 大豆植株, 番茄 Cotton, peanuts, potato, citrus, beans, corn, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico RL) Rallis India Ltd. - Plot D-26 MIDC, Lote Parshuram Taluka-Khed, Ratnagiri Lote, Maharashtra, India	乙酰甲胺磷 Acephate 970 g/kg SG
ALLIERBRASIL	HOSANNA (51625)	棉布, 蔗, 豆, 向日葵, 玉米, 大豆 Cotton, sugarcane, beans, sunflower, corn, soybean	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(S-Metolachlor Técnico SD) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - Yongxin Rd., Binbei, Binzhou, Shandong, China	S-异丙甲草胺 S-metolachlor 960 g/L EC
HELM	HDB 171 (51725)	土豆, 豆, 大豆植株, 棉布, 玉米, 向日葵, 咖啡, 柑橘 类水果 Potato, beans, soybean, cotton, corn, sunflower, coffee, citrus	类别 1 - 剧毒 环境等级II - 非常危险 Tox. clas. 1 - Extremely toxic Env. clas. II - Very dangerous	(Diquat NH Técnico Helm) Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun, Nanjing, Jiangsu, China; Diquat ZF Técnico Helm) Zhejiang Funong Biotech Co., Ltd. - Liantian Yongqiang, Wenzhou, China; (Diquate Técnico LA) Dezhou Luba Fine Chem. Co., Ltd. - 288 Hengdong Rd., Tianqu Ind. Park, Dezhou, Shandong, China	敌草快二溴盐 Diquat dibromide 374 g/L SL
TECNOMYL	PIRACLOSTROBINA 130 + TEBUCONAZOL 200 EC TECNOMYL (51825)	花生, 玉米, 大豆 Peanuts, corn, soybean	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Tebuconazol Técnico Tecnomyl) Jiangsu Sevencontinent Green Chem. Co., Ltd. - 28 Chengbei Rd., Zhangjiagang, Jiangsu, China; Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Gulf Fine Chem. Zone, Zhejiang, China; Jiangsu Sevencontinent Green Chem. Co., Ltd. - North area of Dongsha Chem. Zone, Zhangjiagang Jiangsu, China; (Piraclostrobina Técnico Tecnomyl) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiahuang, Hebei, China; Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Shandong, Weifang China; Shijiazhuang Sentay Chem. Co., Ltd. - Xingze Rd., Econ. Develop. Zone, Shenze, Hebei China	吡唑醚菌酯 130 + 戊唑醇 Pyraclostrobin 130 + tebuconazole 200 g/L EC
ALLIERBRASIL	BOSCAVI 500 WG (51925)	甜菜, 针叶樱桃, 胡萝卜, 蒜, 菊苣, 黑莓, 土豆, 茄子, 咖啡, 洋葱, 胡萝卜, 菊苣, 菊花, 菠菜, 豆, 覆盆子, 吉洛茄, 瓜, 西瓜, 草莓, 芥末, 胡椒, 胡椒, 秋葵, 玫瑰丛, <i>Spondias purpurea</i> , 番茄 Chard, <i>Malpighia emarginata</i> , lettuce, garlic, endive, blackberry, potato, eggplant, coffee, onion, carrot, chicory, chrysanthemum, Spinach, beans, raspberry, jilo, melon, watermelon, strawberry, mustard, pepper, paprika, okra, rosebush, <i>Spondias purpurea</i> , tomato	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Boscalida Técnico Sharda) Jingbo Agrochem. Tech. Co., Ltd. - Econ. Develop. Zone, Boxing, Shandong, China	啶酰菌胺 Boscalid 500 g/kg WG

ALLIERBRASIL	BUSY 500 WG (52025)	甜菜, 针叶樱桃, 胡萝卜, 蒜, 菊苣, 黑莓, 土豆, 茄子, 咖啡, 洋葱, 胡萝卜, 菊苣, 菊花, 菠菜, 豆, 覆盆子, 吉洛茄, 瓜, 西瓜, 草莓, 芥末, 胡椒, 胡椒, 秋葵, 玫瑰丛, <i>Spondias purpurea</i> , 番茄 Chard, <i>Malpighia emarginata</i> , lettuce, garlic, endive, blackberry, potato, eggplant, coffee, onion, carrot, chicory, chrysanthemum, spinach, beans, raspberry, jilo, melon, watermelon, strawberry, mustard, pepper, paprika, okra, rosebush, <i>Spondias purpurea</i> , tomato	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Boscalida Técnico Sharda) Jingbo Agrochem. Tech. Co., Ltd. - Econ. Develop. Zone, Boxing, Shandong, China	啮酰菌胺 Boscalid 500 g/kg WG
ALLIERBRASIL	DIQUATE LB 200 SL (52125)	土豆, 豆, 咖啡, 柑橘, 大豆 Potato, beans, coffee, citrus, soybean	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Diquate Técnico LA) Dezhou Luba Fine Chem. Co., Ltd. - 288, Hengdong Rd., Tianqu Ind. Park, Dezhou, Shandong, China	敌草快二溴盐 Diquat dibromide 200 g/L SL
MONSANTO	ROUNDUP TRANSORB B (52225)	棉布, 转基因棉花, 玉米, 转基因玉米, 大豆植株, 转基因大豆 Cotton, GMO cotton, corn, GMO corn, soybean, GMO soybean	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Glifosato Técnico Monsanto) Monsanto do Brasil Ltda. - Av. Carlos Marcondes, 1200, km 159, Limoeiro, São José dos Campos, SP, Brazil; Monsanto Argentina SRL - Ruta 12, km 83, 100, Zarate, 2800, Argentina; Monsanto Europe S.A. - Haven 627, Scheldelaan 460, Antwerp, Lillo, 2040, Belgium	草甘膦钾盐 Glyphosate potassium 705 g/L SL
NUTRIEN	MALLE 250 SL (52325)	棉布, 豆, 大豆 Cotton, beans, soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Fomesafen Técnico BRA) Qingdao Hansen Biologic Science Co., Ltd. - 210 Shenzhen South Rd., Laixi, Qingdao, Shandong, China	氟磺胺草醚 Fomesafen 250 g/L SL
CHDS	FORS II (52425)	牛油果, 菠萝, agrião, 莴苣, 菊苣, 棉布, 蒜, 花生, 灌溉稻米, 燕麦, 土豆, 茄子, 西兰花, 咖啡, 洋葱, 黑麦, 大麦, chicória, 柑橘, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜 espinafre, estévia, 桉树, 豌豆, 豆, 豇豆, 蚕豆, 绿豆, 豆角, 鹰嘴豆, 吉洛茄, 扁豆, 木瓜, 袖子, 西瓜, 瓜, 粟, 玉米, 牧场, 胡椒, 胡椒, 秋葵, 卷心菜, 芝麻菜, 大豆植株, 高粱, 番茄, 小麦, 小黑麦 Avocado, pineapple, chard, watercress, lettuce, endive, cotton, garlic, peanuts, irrigated rice, oats, potato, eggplant, broccoli, coffee, onion, shallot, rye, barley, chicory, citrus, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, Spinach, stevia, eucalyptus, peas, beans, cowpea, lima beans, pigeon peas, mung beans, snap beans, chickpeas, jilo, lentils, papaya, mango, watermelon, melon, millet, corn, mustard, pasture, pepper, paprika, okra, cabbage, arugula, soybean, sorghum, tomato, wheat, triticale	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acetamiprido Técnico Macroseeds) Ningbo Sunjoy Agrosience Co., Ltd. - Benhai Rd., Chem. Ind. Zone, of Ningbo-Ningbo, Zhejiang, China; (Bifenthrin Técnico Bharat) Bharat Rasayan Ltd. - 2 km Madina-Mokhra Rd., Mokhra, Rohtak, Haryana, India	啮虫脒 250 + 联苯菊酯 250 g/kg WG Acetamiprid 250 + bifenthrin 250 g/kg WG
SYNGENTA	ELESTAL FIT (52525)	咖啡树 Coffee	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Spiropidion Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'Île-au-Bois, Monthey, Switzerland	螺虫乙酯 Spiropidion 300 g/L SC
SYNGENTA	ACOMPLE (52625)	棉布, 花生, 燕麦, 黑麦, 蔗, 大麦, 豌豆, 豆, 豆子, 鹰嘴豆, 扁豆, 粟, 玉米, 大豆植株, 高粱, 小麦, 小黑麦 Cotton, peanuts, oats, rye, sugarcane, barley, peas, beans, chickpeas, lentils, millet, corn, soybean, sorghum, wheat, triticale	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Benzoato de Emamectina Técnico) Syngenta Nantong Crop Protection Ltd. - 1 Zhong Xing Rd., Nantong Econ. Tech. Develop. Zone, China; (Isocycloseram Técnico) Syngenta Crop Protection Monthey S.A. - Route de l'Île-au-Bois, 1870, Usine de Monthey, Switzerland; Syngenta Ltd. - Huddsfield Manufacturing Centre, A38, Leeds Rd., Huddsfield West Yorkshire, HD2 1FF, UK; Syngenta Crop Protection Münchwilen AG - Breitenloh 5, Münchwilen, Switzerland; Syngenta Crop Protection AG, Rue de l'Île-au-Bois, Monthey, Switzerland	甲氨基阿维菌素苯甲酸盐 50 + 异环虫酰胺 200 g/L SC Emamectin benzoate 50 + isocycloseram 200 g/L SC
RAINBOW	MUFEROX (52725)	棉布, 豆类, 大豆 Cotton, beans, soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Fomesafen Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China	氟磺胺草醚 Fomesafen 250 g/L SL

BRANDT	BRANDT #66 (52825)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Bemisia tabaci</i> , <i>Cosmopolites sordidus</i> , <i>Tetranychus urticae</i> , <i>Dalbulus maidis</i> , <i>Sphenophorus levis</i> , <i>Hypothenemus hampei</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Toyobo do Brasil Produtos Biológicos Ltda. - Padre Bento, 858, Dist. Ind. II, Salto, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 100 g/kg WP
MONSANTO	ROUNDUP XTENDICAM (52925)	棉布, 转基因棉花, 玉米, 转基因玉米, 大豆植株, 转基因大豆 Cotton, GMO cotton, corn, GMO corn, soybean, GMO soybean	未分类 环境等级II - 非常危险 No classification Env. clas. II - Very dangerous	(Dicamba Técnico Monsanto I) Gharda Chem. Ltd. - D-1/2 MID, Lote Parshuram, Taluka Khed, Ratnagiri, Maharashtra, India; (Glifosato Técnico Monsanto) Monsanto do Brasil Ltda. - Av. Carlos Marcondes, 1200, km 159, 5, Limoeiro, São José dos Campos, SP, Brazil; Bayer CropScience LP - 2500 Wiggins Rd., Muscatine, Iowa, USA; Monsanto Europe S.A. - Haven 627, Scheldelaan 460, Antwerp, Lillo, 2040, Belgium; Monsanto Argentina SRL - Ruta 12, km 83, 100, Zarate, 2800, Argentina	麦草畏 204.2 + 草甘膦 435.6 g/kg WG Dicamba 204.2 + glyphosate 435.6 g/L SL
BIORISK	DEURA 430 SC (53025)	棉布, 花生, 水稻种植园, 燕麦, 咖啡, 黑麦, 大麦, 豆, 粟, 玉米, 大豆植株, 高粱, 小麦, 小黑麦 Cotton, peanuts, rice, oats, coffee, rye, barley, beans, millet, corn, soybean, sorghum, wheat, triticale	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Tebuconazole Técnico GSP) GSP Crop Science Pvt. Ltd. - Nandesari, Baroda, Gujarat, India	戊唑醇 Tebuconazole 430 g/L SC
AGROIMPORT	TRIFLOXISTROBINA 490 + CIPROCONAZOL 210 WG AGROIMPORT (53125)	咖啡, 玉米, 大豆植株, 小麦 Coffee, corn, soybean, wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Ciproconazol Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Weifang, Shandong, China; (Trifloxistrobina Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China	肟菌酯 490 + 环丙唑醇 210 g/kg WG Trifloxystrobin 490 + cyproconazole 210 g/kg WG
ALBAUGH	GLIFOSATO K ALBAUGH 02 (53225)	棉布, 转基因棉花, 花生, 水稻种植园, 蔗, 香蕉, 甘薯, 甜菜, 可可, 咖啡, 腰果, <i>Diospyros kaki</i> , <i>Dioscorea</i> spp., <i>Averrhoa carambola</i> , 胡萝卜, 柑橘, 豌豆, 桉树, 豆, 豇豆, 如图, 烟草, 姜, 番石榴, 鹰嘴豆, 薯, 扁豆, 垃圾, 木薯, 秘鲁胡萝卜 (<i>Arracacia xanthorrhiza</i>), 玉米, 转基因玉米, 茼蒿, 松树, 萝卜, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, GMO cotton, peanuts, rice, sugarcane, banana, sweet potato, yacon potato, beetroot, cocoa, coffee, cashew, persimmon, yam, star fruit, carrot, citrus, pea, eucalyptus, beans, cowpea, fig, tobacco, ginger, guava, chickpea, yam, lentil, apple, cassava, cassava, parsley, corn, GMO corn, turnip, pinetree, radish, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico CSG) Hubei Trisun Chemicals Co., Ltd. - 66 Xiaoting Av, Xiaoting-Yichang, Hubei, China; (Glifosato Técnico Atanor III) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China; (Glifosato Técnico Monsanto) Monsanto do Brasil Ltda. - Av. Carlos Marcondes, 1200, km 159, Limoeiro, SP, Brazil; Monsanto Argentina SRL - Ruta 12, km 83, 100, Zarate 2800, Argentina; Monsanto Europe S.A. - Haven 627, Scheldelaan 460, Antue, Lillo, 2040, Belgium; (Shadow Técnico Consagro) Jingma Chemicals Co., Ltd. - 50, Baota Rd., Longyou, Zhejiang, China	草甘膦钾盐 Glyphosate potassium 662 g/L SL
CHDS	BOMBEIRO MAX (53325)	棉布, 蒜, 花生, 豌豆, 豆, 豆子, 鹰嘴豆, 扁豆, 土豆, 洋葱, 卷心菜, 桉树, 木瓜, 百香果, 瓜, 西瓜, 玉米, 粟, 高粱, 草莓, 观赏植物, 胡椒, 卷心菜, 大豆植株, 番茄 Cotton, garlic, peanuts, peas, beans, chickpeas, lentils, potato, onions, kale, eucalyptus, papaya, passion fruit, melon, watermelon, corn, millet, sorghum, strawberries, ornamental plants, peppers, cabbage, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Chlorfenapyr Técnico CHDS) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China	虫螨腈 Chlorfenapyr 720 g/L SC
PILARQUIM	TARKAN (53425)	米, 灌溉稻米, 蔗, 玉米, 牧场, 大豆植株, 小麦 Rice, irrigated rice, sugarcane, corn, pasture, soybean, wheat	类别 4 - 轻微毒性 环境等级III - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Técnico Pilarquim) Weihai Hanfu Biochemical Medicine Co., Ltd. - Fengtaiding, Rushanzhai, Rushan, Shandong, Shanghai, China	2,4-滴 2,4-D 806 g/L SL
TECNOMYL	PERGAM (53525)	棉布, 玉米, 牧场, 大豆 Cotton, corn, pasture, soybean	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Fluroxipir Técnico Tecnomyl) Shandong Luba Chem. Co., Ltd. - Loujia, Tangwang, Licheng Jinan, Shandong, China; (Fluroxipyr-Meptyl Técnico Lier) Lier Chem. Co., Ltd. - Econ. & Tech. Develop. Zone, Mianyang, Sichuan, China	氟氯吡啶酯 Fluroxypyr-meptyl 480 g/L EC

ALTA	DICLOSULAM ALTA 840 WG (53625)	蔗, 大豆 Sugarcane, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Diclosulam Técnico Alta) Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China	二氯喹啉酸 Diclosulam 840 g/kg WG
CROPCHEM	SALANDER DUO (53725)	棉布, 豆, 玉米, 大豆植株, 小麦 Cotton, beans, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Prothioconazol Técnico Cropchem) Ningxia Yifan Biotechnology Co., Ltd. - 6, Guangfu Rd., New Chem. Material Park, Ningdong Energy Chem. Ind. Base, Ningxia, China; (Prothioconazole Técnico Cropchem II) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China; Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; (Trifloxistrobin Técnico Cropchem) Yongnong Biosciences Co., Ltd. - 3 Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China; Zhejiang Bosst CropScience Co., Ltd. - 1, Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China; (Trifloxistrobin Técnico Nortox) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China; (Trifloxistrobin Técnico Nortox II) Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	丙硫菌唑 175 + 肟菌酯 150 g/L SC Prothioconazole 175 + trifloxystrobin 150 g/L SC
CROPCHEM	ARANHA 840 WG (53825)	蔗, 大豆 Sugarcane, soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Diclosulam Técnico Cropchem) Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China; Inner Mongolia Join Dream Fine Chem. Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China	二氯喹啉酸 Diclosulam 840 g/kg WG
CROPCHEM	KOLEOS 250 EC (53925)	菠萝, 南瓜, 西葫芦, 棉布, 番荔枝, 蒜, 花生, 燕麦, 香蕉, 土豆, 甜菜, 咖啡, 蔗糖, 薯蓣, 洋葱, 胡萝卜, 大麦, 佛手瓜, 柑橘, 库布阿苏, 菊花, 桉树, 豆, 豇豆, 观赏花卉, 鹰嘴豆, 瓜拉那, 薯, 猕猴桃, 扁豆, 木薯, 欧芹, 垃圾, 木瓜, 袖子, 西瓜, 瓜, 百香果, 小黄瓜, 玉米, 萝卜, 黄瓜, 胡椒, 松树, 萝卜, 石榴, 玫瑰丛, 橡胶树, 大豆, 番茄, 小麦 Pineapple, pumpkin, zucchini, cotton, annonaceae, garlic, peanuts, oats, banana, potato, yacon potato, beetroot, coffee, sugarcane, yam, onion, carrot, barley, chayote, citrus, cupuaçu, chrysanthemum, eucalyptus, beans, cowpea, ornamental flowers, chickpeas, guarana, yam, kiwi, lentils, cassava, parsley, apple, papaya, mango, watermelon, melon, passion fruit, gherkin, corn, turnip, cucumber, pepper, pinetree, radish, pomegranate, rosebush, rubber tree, soybean, tomato, wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Piraclostrobina Técnico Cropchem) Shijiazhuang Richem Co., Ltd. - Xingwang Rd., Biological Ind. Park Shijiazhuang, Hebei, China; Shijiazhuang Sentay Chem. Co., Ltd. - Xingze Rd., Econ. Develop. Zone, Shenze, Hebei, China	吡唑醚菌酯 Pyraclostrobin 250 g/L EC
CROPCHEM	EMERITUS 500 SC (54025)	花生, 香蕉, 土豆, 茄子, 胡萝卜, 豆, 西瓜, 瓜, 黄瓜, 胡椒, 玫瑰丛, 大豆植株, 番茄, 葡萄 Peanuts, bananas, potato, eggplant, carrots, beans, watermelon, melon, cucumber, peppers, roses, soybean, tomato, grapes	类别 3 - 中度有毒 环境III级 - 危险产品 Tox. clas. 3 - Moderately toxic Env. clas. III - Dangerous	(Clorotalonil Técnico Cropchem) Jiangsu Weunite Fine Chem. Co., Ltd. - Jinger Rd., Ind. Chem. Park, Xinyi, Jiangsu, China	百菌清 Chlorothalonil 500 g/L SC
CROPCHEM	APURE 500 WG (54125)	棉布, 六出花, 秋海棠, 鸡冠花, 菊花, 非洲菊, 芙蓉, 兰花, 一品红, 土豆, 西兰花, 卷心菜, 大白菜, 抱子甘蓝, 花椰菜, 卷心菜, 烟草, 西瓜, 瓜, 黄瓜, 玫瑰丛, 番茄 Cotton, alstroemeria, begonia, celosia, chrysanthemum, gerbera, hibiscus, orchid, poinsettia, potato, broccoli, cabbage, Chinese cabbage, Brussels sprouts, cauliflower, cabbage, tobacco, watermelon, melon, cucumber, rosebush, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Pimetrozina Técnico Cropchem) Nanjing Red Sun Co., Ltd. - 8 Dongfeng Rd. Yaxi, Gaochun Nanjing, Jiangsu, China; (Pimetrozine Técnico Nortox) Hebei Veyong Bio-Chem. Co., Ltd. - 06, Middle Huangong Rd. Circulation Chem. Ind. Park Shijiazhuang, Hebei, China; (Pimetrozine Técnico Nortox II) Anhui Futian Agrochemical Co., Ltd. - Xiangyu Chem. Ind. Zone, Dongzhi Chizhou, Anhui, China	吡蚜酮 Pymetrozine 500 g/kg WG

SYNCROM	2,4-D + PICLORAM EA (54225)	米, 蔗, 牧场, 桉树 Rice, sugarcane, pasture, eucalyptus	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(2,4-D Técnico EA) Jiangsu Lionchem Co., Ltd. - 16, 2nd Haibin Rd., Chem. Ind. Park, Yangkou Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; (Picloram Técnico YN) Zhejiang Yongnong Chem Ind, Co., Ltd. - Lantian, Yongqiang, Wenzhou, China	2,4-滴 240 + 皮克洛拉姆 64 g/L SL 2,4-D 240 + picloram 64 g/L SL
ALLIERBRASIL	CLETODIM CROP 240 BC (54325)	棉布, 蒜, 土豆, 咖啡, 洋葱, 胡萝卜, 豆, 烟草, 木薯, 西瓜, 大豆植株, 番茄 Cotton, garlic, potato, coffee, onions, carrots, beans, tobacco, cassava, watermelon, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Cletodim Técnico SH) Shenyang Sciencreat Chemicals Co., Ltd. - Xihejubei St. 17 Chem. Ind. Area, Shenyang Econ. & Tech. Develop. Zone, Shenyang, Liaoning, China	烯草酮 Clethodim 240 g/L EC
ALLIERBRASIL	TACOMA 200 SL (54425)	莴苣, 棉布, 转基因棉花, 香蕉, 土豆, 咖啡, 柑橘, 桉树, 豆, 垃圾, 玉米, 转基因玉米, 油桃, 桃子, 卷心菜, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Lettuce, cotton, GMO cotton, banana, potato, coffee, citrus, eucalyptus, beans, apple, corn, GMO corn, nectarine, peach, cabbage, soybean, GMO soybean, wheat, grapes	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato-Amonium Técnico GHA) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Loagang, Qidong, Jiangsu, China	草铵膦铵盐 Glufosinate ammonium 200 g/L SL
SUMITOMO	LACTUS (54525)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Prothioconazole Técnico Sumitomo) Jiangsu Chengyang Crop Science Co., Ltd. - 83, Guan Qu Nan Lu, Nanjing Chem. Industry Park Nanjing, Jiangsu, China; (Prothioconazole Técnico Sumitomo BR) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park Binhai, Jiangsu, China; (Picoxistrobina Técnico Sumitomo) Jiangxi Heyi Chem. Co., Ltd. - Longcheng, Pengze Jiujiang, Jiangxi, China; (Picoxistrobina Técnica) Corteva Agriscience Spain S, L, Valle de Tamón, Nubledo, Tamon, Carreño, Asturias, Spain; Corteva Agriscience France S.A.S. - Usine de Cernay, 82, Rue de Wittelsheim, Cernay Cedex, France; Deccan Fine Chem Pvt Ltd. - Santa Monica Works, Survey 281, Corlim, Ilhas Goa, India	丙硫菌唑 140 + 吡唑醚菌酯 140 g/L SC Prothioconazole 140 + picoxystrobin 140 g/L SC
NORTOX	HALOXIFOP NORTOX (54625)	棉布, 豆, 大豆 Cotton, beans, soybean	类别 4 - 轻微毒性 环境等级III - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Haloxifop Técnico Nortox) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	高效氟吡甲禾灵 Haloxifop-P-methyl 249.4 g/L EC
PERTERRA	ULTIMARE (54725)	棉布, 咖啡, 大麦, 向日葵, 玉米, 大豆植株, 小麦 Cotton, coffee, barley, sunflower, corn, soybean and wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobin Técnico Perterra) Jiangsu Jiannong ABA Agrochemical Co., Ltd. - Huanghai Rd., Yanhai Ind. Park Binhai, Jiangsu, China; (Cyproconazole Técnico JN) Jiangsu Sword Agrochemical Co., Ltd. - Binhai Econ. Develop. Zone, Coastal Ind. Park, Binhai, Jiangsu, China	肟菌酯 375 + 环丙唑醇 160 g/L SC Trifloxystrobin 375 + cyproconazole 160 g/L SC
BRA	FRENTE ME (54825)	牧场 Pasture	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Picloram Técnico BRA) Zhejiang Funong Biotech Co., Ltd. - Lantian Yongqiang, Wenzhou, China; (Fluroxipir-Metílico Técnico BRA); Lier Chem. Co., Ltd. - 329 South Mianzhou Av., Econ. & Tech. Develop. Zone, of Mianyang, Sichuan, China	氟吡甲氧乙酸 115 + 氨基吡啶酸 129.42 g/L ME Fluroxypyr-meptyl 115 + picloram 129.42 g/L ME
ALLIERBRASIL	DICASH 480 SL (54925)	棉布, 转基因棉花, 大豆植株, 转基因大豆 Cotton, GMO cotton, soybean, GMO soybean	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Dicamba Técnico SD) Jiangsu Good Harvest - Loagang, Qidong, Jiangsu, China	麦草畏 Dicamba 480 g/L SL
ALLIERBRASIL	DISTANT 480 SL (55025)	棉布, 转基因棉花, 大豆植株, 转基因大豆 Cotton, GMO cotton, soybean, GMO soybean	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Dicamba Técnico SD) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China	麦草畏 Dicamba 480 g/L SL
GAIA	BGT (55125)	棉布, 转基因棉花, 咖啡, 柑橘, 桉树, 葡萄, 蔗, 玉米, 转基因玉米, 牧场, 大豆植株, 转基因大豆 Cotton, GMO cotton, coffee, citrus, eucalyptus, grape, sugarcane, corn, GMO corn, pasture, soybean, GMO soybean	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato XW Técnico) Hubei Trisun Chemicals Co., Ltd. - 66 Xiaong Av., Xiaong, Yichang, Hubei, China; Inner Mongolia Xingfa Tech. Co., Ltd. - Wuda Ind. Park, Wuhai, Inner Mongolia, China; (Glyphosate Técnico Fuhua) Sichuan Leshan Fuhua Tongda Agro-Chem. Tech. Co., Ltd. - Qiaogou, Wutongqiao, Leshan, Sichuan, China	草甘膦异丙胺盐 Glyphosate isopropylamine 248.5 g/L SL
ALLIERBRASIL	GOLEIRO 200 SP (55225)	棉布, 土豆, 豆, 垃圾, 木瓜, 西瓜, 瓜, 玉米, 大豆植株, 番茄, 小麦 Cotton, potato, beans, apple, papayas, watermelon, melon, corn, soybean, tomato and wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acetamiprido Técnico SD) Ningbo Sunjoy Agroscience Co., Ltd. - Benhai Rd., Chem. Ind. Zone, of Ningbo-Zhenhai, Ningbo, Zhejiang, China; Hebei Yetian Agrochemical Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China	啶虫脒 Acetamiprid 200 g/kg SP

ALLIERBRASIL	GOLMAL 200 SP (55325)	棉布, 土豆, 豆, 垃圾, 木瓜, 西瓜, 瓜, 玉米, 大豆植株, 番茄, 小麦 Cotton, potato, beans, apple, papayas, watermelon, melon, corn, soybean, tomato, wheat	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acetamiprido Técnico SD) Ningbo Sunjoy Agroscience Co., Ltd. - BeiHai Rd., Ningbo Chem. Ind. Zone, Xiepu, Zhenhai, Ningbo, Zhejiang, China; Hebei Yetian Agrochemical Co., Ltd. - Ind. Zone, South of Yuanshi, China	啉虫脒 Acetamiprid 200 g/kg SP
BIOPAR	TRIXMA (55425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Rhizoctonia solani</i> , <i>Fusarium oxysporum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Biopar Produtos Biológicos do Paraná Ltda. - Área Rural de Toletto Estrada J. Ad. Bombard, Toledo, PR, Brazil	<i>Trichoderma harzianum</i> IBLF1278 15 + <i>Trichoderma harzianum</i> IBLF1282 15 + <i>Trichoderma viride</i> IBLF1275 15 + <i>Trichoderma viride</i> IBLF1276 15 g/L SC
IHARABRAS	FUSÃO FIX (55525)	大豆植株 Soybean	T类别 2 - 剧毒产品 环境等级II - 非常危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Metomino Técnico) Iharabras S.A. Indústrias Químicas - Av. Liberdade 1701, Cajuru do Sul, Sorocaba, SP, Brazil; PI Industries Ltd. - 237, GIDC Panoli, Bharuch, Gujarat, India; Huaian Glory Chem. Co., Ltd - 2, Guaoqiao Rd., Huaian Salt Chem. Ind. Park, Hongze, Huaian, Jiangsu, China; Osaka Organic Chem. Ind. Ltd. - 1600, Matsumoto-Machi, Hakusan, Ishikawa, Japan; Junsei Chem. Co., Ltd. - Aza Houtubo Hitana Nagakou-Machi, Ibaraki, Ibaraki, Japan; PI Industries Ltd. - Sterling SEZ, AT & PO, Sarod, Jambusar, Bharuch, Gujarat, India; Jinzhou Chemjoy Co., Ltd. - Xinghai Rd., 1-1-3, Binhai Xinqu Jinzhou Liaoning, China; (Tebuconazol Técnico CN) Jiangsu Fengdeng Crop Science Co., Ltd. - Dengguan, Jintan, Changzhou, Jiangsu, China; Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd, High-tech Develop. Zone, Changzhou, Jiangsu, China; Yangcheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone Coastal Ind. Park, Jiangsu, China; Sumitomo Chem. India Ltd. - 6/2 Ruvapari Rd., Bhavnagar, Gujarat, India; Liaoning Zhonghui BioTech. Co., Ltd. - Fluorine Ind. Develop. Zone, Yimatu Village, Yimatu, Fumeng, Fuxin, Liaoning Province, China; Meghmani Industries Limited-Plot Z-6, Dahej SEZ, Dahej TA-Vagra, Bharuch, Gujarat, India; (Folicur Técnico) Lanxess GmbH-Alte Heerstrasse, Dormagen, Germany; Bayer Cropsience LP - 8400 Hawthorn, Kansas, MO, EUA; Jiangsu Sword AgroChem. Co., Ltd. - Binhai Econ. Develop. Zone, Coastal Ind. Park, Binhai, Jiangsu, China; Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. and Tech. Develop. Area, Zhejiang, China; Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Jiangsu, Zhangjiagang, China; Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China; Folicur Técnico USA Bayer Cropsience LP - Kansas, MO, EUA; (Tebuconazole Técnico Oxon Astec Lifesciences Limited-B-17, MIDC Mahad, Raigad, Maharashtra, India; (Tebuconazole Tech Oxon) Oxon Italia SpA. Strada Provinciale km 2.6, Mezzana Bigli, Provincia di Pavia, Italy; (Tebuconazole Técnico Proventis) Shangyu Nutrichem Co., Ltd. - 9 Weijiu Rd., Hangzhou Gulf Fine Chem. Zone, Hangzhou, Zhejiang, China; (Tebuconazole Técnico Nortox BR) Nortox S.A. - Rod. BR 369, km 197, Arapongas, PR, Brazil; (Tebuconazole Técnico Nortox CH) Excel Crop Care Limited. 6/2 Ruvapari Rd., Bhavnagar, Gujarat, India; Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Gulf Fine Chem. Zone, Hangzhou, Zhejiang, China; Jiangsu Sevencontinent Green Chem. Co., Ltd. - 28 Chengbei Road, Zhangjiagang, Jiangsu, China; Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem. Zone, Zhangjiagang, Jiangsu, China; (Tebuconazole Técnico IV) Jiangsu Fengdeng Crop Science Co. Ltd. - Dengguan, Jintan-Changzhou, Jiangsu, China; (Tebuconazole Técnico Nortox V) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone Coastal Ind. Park, Jiangsu, China; (Clorotalonil Técnico CN) Jiangsu Xinhe Agrochemical Co., Ltd. - 19 Xingang Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China; Jiangsu Weunite Fine Chemical Co., Ltd. - Jinger Rd., Ind. Chem. Park Xinyi, Jiangsu, China; Jiangsu Agrochem. Laboratory - 1218, North Changing Rd, High-tech Develop. Zone, Changzhou, Jiangsu, China; Jiangsu Xinhe AgroChem. Co., Ltd. - Jingjiu 55, Jingjiu Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China; Jiangsu Xinhe AgroChem. Co., Ltd. - 19, Xingang Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China; Suli Ningxia Chem. Co., Ltd. - Dunhou Rd., International Chem. Park, Ningdong Energy and Chem. Base, Ningdong, Ningxia, China; (Pilarich Técnico) Pilarquim Shanghai Co., Ltd. - 1500 Hang-Tang Rd., Jin-Hui, Feng Xian, Shaghai, China; Jiangsu Weunite Fine Chem. Co., Ltd. - Jinger Rd., Ind. Chem. Park, Xinyi, Jiangsu, China	甲氧基丙烯酸酯菌酯 40 + 戊唑醇 60 + 百菌清 500 g/L SC Metominostrobin 40 + tebuconazole 60 + chlorothalonil 500 g/L SC

HELM	HDB 239B (55625)	蔗, 大豆 Sugarcane, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(S-metolaclo B Técnico Helm) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - Yongxin Rd., Binbei, Binzhou, Shandong, China; (S-metolaclo JC Técnico Helm) Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal, Econ. Zone, Rudong, Nantong, Jiangsu, China; (S-metolaclo Técnico Proventis) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay, Shangyu Econ. & Tech. Develop. Area, Zhejiang, China; Hangzhou Nutrichem Co. Ltd. - 9777, Hong-Shiwu Rd., Linjiang Ind. Park, Xiaoshan, Hangzhou, Zhejiang, China; (Sulfentrazone OL Técnico Helm) Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Lushou, Sichuan, China; (Sulfentrazone T Técnico Helm) Tagros Chemicals India Ltd. - SIPCOT Ind. Complex Pachayankuppam, Cuddalore, Tamil Nadu, India; Tagros Chemicals India Pvt. Ltd. - Plot 431, Amod Rd., Dehej 1, Taluka Vagra, Bharuch, Gujarat, India; (Sulfentrazone Técnico Proventis) Jianxi Heyi Chem. Co., Ltd. - Longcheng Pengze, Jiujiang, Jiangxi, China; (Sulfentrazone A Técnico Helm) Jiangsu Agrochem Laboratory Co., Ltd. - 1218 North Changjiang Rd., Hi Tech Develop. Zone, Changzhou, Jiangsu, China	S-异丙甲草胺 700 + 磺草酮 100 g/L EC S-metolachlor 700 + sulfentrazone 100 g/L EC
HELM	HDB 239A (55725)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(S-metolaclo B Técnico Helm) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - Yongxin Rd., Binbei, Binzhou, Shandong, China; (S-metolaclo JC Técnico Helm) Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal, Econ. Zone, Rudong, Nantong, Jiangsu, China; (S-metolaclo Técnico Proventis) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay, Shangyu Econ. & Tech. Develop. Area, Zhejiang, China; Hangzhou Nutrichem Co. Ltd. - 9777, Hong-Shiwu Rd., Linjiang Ind. Park, Xiaoshan, Hangzhou, Zhejiang, China; (Sulfentrazone OL Técnico Helm) Oriental Luzhou Agrochemical Co., Ltd. - Xinle, Naxi, Lushou, Sichuan, China; (Sulfentrazone T Técnico Helm) Tagros Chemicals India Ltd. - SIPCOT Ind. Complex Pachayankuppam, Cuddalore, Tamil Nadu, India; Tagros Chemicals India Pvt. Ltd. - Plot 431, Amod Rd., Dehej 1, Taluka Vagra, Bharuch, Gujarat, India; (Sulfentrazone Técnico Proventis) Jianxi Heyi Chem. Co., Ltd. - Longcheng Pengze, Jiujiang, Jiangxi, China; (Sulfentrazone A Técnico Helm) Jiangsu Agrochem Laboratory Co., Ltd. - 1218 North Changjiang Rd., Hi Tech Develop. Zone, Changzhou, Jiangsu, China	S-异丙甲草胺 700 + 磺草酮 100 g/L EC S-metolachlor 700 + sulfentrazone 100 g/L EC
ALLIERBRASIL	GLIFORCE WG (55825)	棉布, 李子, 水稻种植园, 香蕉, 可可, 咖啡, 蔗, 柑橘, 桉树, 垃圾, 玉米, 油桃, 牧场, 梨, 桃, 松树, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Cotton, plum, rice, banana, cocoa, coffee, sugarcane, citrus, eucalyptus, apple, corn, nectarine, pasture, pear, peach, pinetree, soybean, GMO soybean, wheat, grape	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Glifosato Técnico GHA) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Loagang, Qidong, Jiangsu, China	草甘膦 Glyphosate 792.5 WG
ALLIERBRASIL	OLASOJA SC (55925)	棉布, 土豆, 咖啡, 蔗, 洋葱, 柑橘, 桉树, 豆, 玉米, 松树, 大豆 Cotton, potato, coffee, sugarcane, onion, citrus, eucalyptus, beans, corn, pinetree, soybean	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(FMX Técnico) Max Rudong Chemicals Co., Ltd. - Yangkou Chem. Ind. Park, Rudong, Jiangsu, China	氟噁草酮 Flumioxazin 500 g/L SC
ALLIERBRASIL	MAXUNITECH 500 SC (56025)	棉布, 豆, 大豆 Cotton, beans and soybean	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(FMX Técnico) Max Rudong Chemicals Co., Ltd. - Yangkou Chem. Ind. Park, Rudong, Jiangsu, China	氟噁草酮 Flumioxazin 500 g/L SC
NORTOX	DICLOSULAM NORTOX (56125)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Diclosulam Técnico Nortox) Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., High-tech Develop. Zone, Changzhou, Jiangsu, China	二氯喹啉酸 Diclosulam 840 g/kg WG
OXON	DOGE (56225)	棉布, 蒜, 洋葱, 青葱, 李子, 榲桲, 油桃, <i>Eriobotrya japonica</i> , 桃, 土豆, 蔗, 油菜籽, 向日葵, 豆, 垃圾, 草莓, 梨, 大豆植株, 番茄 Cotton, garlic, onion, shallot, plum, quince, nectarine, loquat, peach, potato, sugarcane, canola, sunflower, beans, apple, strawberry, pear, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Fluazinam Técnico Oxon) Taizhou Bailly Chem. Co., Ltd. - Zhonggang Rd., Taixing Econ. Develop. Zone, Taixing, Jiangsu, China	氟啶胺 Fluazinam 500 g/L SC

NORTOX	FLUROXIPIR A NORTOX (56325)	牧场 Pasture	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Aminopiralde Técnico Nortox II) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ. & Tech. Develop. Zone, Shangyu, Zhejiang, China; (Fluroxipir-Meptílico Técnico Nortox) Excel Crop Care Ltd. - 62 Ruvapari Rd., Bhavnagar, Gujarat, India; Shandong Luba Chem. Co., Ltd. - Loujia, Tangwang, Licheng, Jinan, Shandong, China; (Fluroxipir-Meptílico Técnico Nortox BR) Lier Chem. Co., Ltd. - Econ. & Tech. Develop. Zone, Mianyang, Sichuan, China	氨基吡啶酸 47.36 + 氟氯吡啶酯 115.3 g/L EO Aminopyralid 47.36 + fluroxypyr-meptyl 115.3 g/L EO
NORTOX	2,4-D A NORTOX (56425)	牧场 Pasture	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Aminopiralde Técnico Nortox) Lianyungang Avilive Chem. Co., Ltd. - Duigou Port Chem. Ind. Park, Guannan, Lianyungang, Jiangsu, China; (2,4-D Técnico Nortox) Jiamusi Heilong Agricultural and Ind. Chem. Ltd. - 114, Changan Rd., Jiamusi, Heilongjiang, China; Hubei Sanonda Co., Ltd. - 93 East Beijing Rd., Jingzhou, Hubei, China; Changzhou Wintafone Chem. Co., Ltd. - West Weitang Chem. Ind. Zone, Chunjiang, Xinbei, Changzhou, Jiangsu, China; (2,4-D Técnico Nortox IV) Weihai Hanfu Biochemical Medicine Co., Ltd. - Fengtaiding, Rushanzhai, Rushan, Shandong, Shangai, China; (2,4-D Técnico Nortox V) Adama Huifeng Ltd. - Weier Rd., South of Ocean Econ. Develop. Zone, Danfeng, Yancheng, Jiangsu, China; (2,4-D Técnico Nortox CH) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China; CAC Nantong Chem. Co., Ltd. - 4th Huanghai Rd. Yangkou, Chem. Ind. park, Rudong, Nantong, Jiangsu, China	2,4-滴 596 + 氨基吡啶酸 76 g/L SL 2,4-D 596 + aminopyralid 76 g/L SL
ALBAUGH	DAKOTA ULTRA (56525)	大豆植株, 玉米, 蔗, 小麦 Soybean, corn, sugarcane, wheat	类别 4 - 轻微毒性 环境III级 - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Dicamba Técnico Atanor) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China; Yashashvi Rasayan Pvt., Ltd. - Plot Z96E, Dahej Sez Part II, Vagra, Bharuch, Gujarat, India	麦草畏 Dicamba 708 g/L SL
TECNOMYL	DICLOSULAM 840 WG TECNOMYL (56625)	蔗, 大豆 Sugarcane, soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Diclosulam Técnico Tecnomyl) Inner Mongolia Join Dream Fine Chem. Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China	二氯喹啉酸 Diclosulam 840 g/kg WG
HELM	ULTRON (56725)	香蕉, 大麦, 大豆植株, 小麦 Banana, barley, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Fenpropimorph Técnico EA) Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	丁苯吗啉 Fenpropimorph 750 g/L EC
SYNCROM	DIQUAT 200 SL EA (56825)	豆, 棉布, 向日葵, 玉米, 大豆植株, 咖啡, 柑橘, 土豆 Beans, cotton, sunflower, corn, soybean, coffee, citrus and potatoes	类别 2 - 剧毒产品 环境III级 - 危险产品 Tox. clas. 2 - Highly toxic Env. clas. III - Dangerous	(Diquat Técnico EA) Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun Nanjing, Jiangsu, China	敌草快 Diquat dibromide 200 g/L SL
ALBAUGH	DIAFENTIURUM SC ALBAUGH 02 (56925)	棉布, 土豆, 茄子, 咖啡, 菊花, 观赏植物, 豆, 黄瓜, 玫瑰丛, 大豆植株, 番茄 Cotton, potato, eggplant, coffee, chrysanthemum, ornamental plants, beans, cucumber, roses, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Diafentiurum Técnico CSG) Jiangsu Flag Chem. Ind. Co., Ltd. - 309, Changfenghe Rd., Nanjing Chem. Ind. Park Luhe, Nanjing, Jiangsu, China; (Diafentiurum Técnico Proventis II) Jiangsu Changlong Agrochemical Co., Ltd. - 8 Tuanjiehe Rd., Econ. Develop. of Taixing, Jiangsu, China	丁醚脲 Diafentiuron 500 g/L SC
CROPCHEM	KENZO 700 WG (57025)	土豆, 蔗, 大豆植株, 番茄 Potato, sugarcane, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Metribuzim Técnico GSP) GSP Crop Science Pvt. Ltd. - Plot 1, GIDC Estate, Nandesari, Gujarat, India	灭草松 Metribuzin 700 g/kg WG
TOTAL	DEF-MIC-089-24-B (57125)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Fusarium solani</i> , <i>Meloidogyne incognita</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Tacto Biotecnologia e Agropecuária Ltda. - Av. Adília Barbosa Neves, 3350, Portão, Arujá, SP, Brazil; Total Biotecnologia Ind. e Comércio S.A. - Emilio Romani, 1190, CIC, Curitiba, PR, Brazil; Total Biotecnologia Industria e Comercio S.A. - Rodolpho Hatschbach, 1309, CIC, Curitiba, PR, Brazil	<i>Bacillus velezensis</i> CCTB09 800 g/L SC
TOTAL	DEF-MIC-089-24-A (57225)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Fusarium solani</i> , <i>Meloidogyne incognita</i>	未分类 环境等级IV - 低危险性 No classification Env. clas. IV - Slightly dangerous	Total Biotecnologia Ind. e Comércio S.A. - Emilio Romani, 1190, CIC, Curitiba, PR, Brazil; Tacto Biotecnologia e Agropecuária Ltda. - Av. Adília Barbosa Neves, Portão, Arujá, SP, Brazil; Total Biotecnologia Ind. e Comércio S.A. - Rodolpho Hatschbach, 1309, CIC, Curitiba, PR, Brazil	<i>Bacillus velezensis</i> SVG00049-B 800 g/L SC

NITRO QUÍMICA	PLC 02 (57325)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne incognita</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Companhia Nitro Química Brasileira - Av. Marginal João Olézio Marques, 3563, Chácara Recreio Planalto, Sertãozinho, SP, Brazil	<i>Paecilomyces lilacinus</i> CCT 8068 200 g/kg WP
NITRO QUÍMICA	PLC 01 (57425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne incognita</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Companhia Nitro Química Brasileira - Av. Marginal João Olézio Marques, 3563, Chácara Recreio Planalto, Sertãozinho, SP, Brazil	<i>Paecilomyces lilacinus</i> CCT 8068 200 g/kg WP
COMPOSTEC	TURIMAX (57525)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Meloidogyne incognita</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Compostec Soluções Agroambientais Ltda. - Rod. PR 137, km 6-Zona Rural, Toledo, PR, Brazil	<i>Bacillus thuringiensis</i> kurstaki HD-1 (S1450) 50 g/L SC
ALLIERBRASIL	GUERRA 200 SL (57625)	莴苣, 棉布, 转基因棉花, 香蕉, 土豆, 咖啡, 柑橘, 桉树, 豆, 垃圾, 玉米, 转基因玉米, 油桃, 桃子, 卷心菜, 大豆植株, 转基因大豆植株, 小麦, 葡萄 Lettuce, cotton, GMO cotton, banana, potato, coffee, citrus, eucalyptus, beans, apple, corn, GMO corn, nectarine, peach, cabbage, soybean, GMO soybean, wheat, grapes	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Glufosinato-Amonium Técnico GH) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China	草铵膦铵盐 Glufosinate ammonium 200 g/L SL
CHDS	FENPROPIX (57725)	棉布, 大豆植株, 小麦 Cotton, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Fenpropimorph Técnico EA) Lion Agrevo Co., Ltd. - Forth Yangkou Rd., Chem. Ind.Park, Yangkou Coastal Econ. Develop. Zone, Rudong, Nantong, Jiangsu, China; (Protiocanazol Técnico Solus) Yancheng Huihuang Chem. Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park Binhai, Jiangsu, China; (Picoxystrobin Técnico ABT) Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China	丙硫吡啶 87.5 + 丁苯吗啉 250 + 啶氧菌酯 60 g/L OD Prothioconazole 87.5 + fenpropimorph 250 + picoxystrobin 60 g/L OD
RAINBOW	ALIDMOX (57825)	牧场 Pasture	类别 4 - 轻微毒性 环境等级III - 危险产品 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Aminopiramide Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Weifang, Shandong, China; 2,4-D Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop., Weifang, Shandong, China	氨基吡啶酸 76.9 + 2,4-滴 596.9 g/L SL Aminopyralid 76.9 + 2,4-D 596.9 g/L SL
TIDE	ACETIDE (57925)	棉布, 花生, 土豆, 柑橘, 豆, 玉米, 大豆植株, 番茄 Cotton, peanuts, potato, citrus, beans, corn, soybean, tomato	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico Tide) Jiangsu Lanfeng Biochemical Co., Ltd. - Suhua Rd., Xinyi Econ. Tech. Develop. Zone, Xinyi, Jiangsu, China	乙酰甲胺磷 Acephate 970 g/kg SG
RAINBOW	GRAVO 200 EC (58025)	牧场 Pasture	类别 5 - 产品不可能引起严重损坏 环境等级III - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Fluroxipir Técnico Rainbow) Shandong Luba Chem. Co., Ltd. - Loujia, Tangwang, Lincheng, Jinan Shandong, China	氟氧吡氧乙酸异辛酯 Fluroxypyr-meptyl 287.9 g/L EC
CHDS	RALLY (58125)	棉布, 蒜, 土豆, 洋葱, 卷心菜, 菊花, 桉树, 豆, 木瓜, 百香果, 瓜, 西瓜, 玉米, 草莓, 胡椒, 观赏植物, 卷心菜, 玫瑰丛, 大豆植株, 番茄 Cotton, garlic, potato, onions, cabbage, chrysanthemum, eucalyptus, beans, papaya, passion fruit, melon, watermelon, corn, strawberries, peppers, ornamental plants, cabbage, roses, soybean, tomato	类别 5 - 产品不可能引起严重损坏 环境等级III - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Very dangerous	(Chlorfenapyr Técnico CT) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ. & Tech. Develop. Zone, Shangyu, Zhejiang, China	虫螨腈 Chlorfenapyr 240 g/L SC

CHDS	RALLY SC (58225)	大蒜, 土豆, 洋葱, 卷心菜, 菊花, 桉树, 豆, 木瓜, 百香果, 瓜, 西瓜, 玉米, 草莓, 胡椒, 卷心菜, 玫瑰丛, 番茄, 大豆 Garlic, potato, onions, cabbage, chrysanthemum, eucalyptus, beans, papaya, passion fruit, melon, watermelon, corn, strawberries, peppers, cabbage, rosebush, tomato, soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Chlorfenapyr Técnico CT) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ. & Tech. Develop. Zone, Shangyu, Zhejiang, China	虫螨腈 Chlorfenapyr 240 g/L SC
MACROBIO	SUPPLAY MIX (58325)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Rhizoctonia solani</i> , <i>Fusarium oxysporum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Ind. de Fertilizantes Macrobio Ltda. - Ângelo Cattani, Chácara 363, Zona Rural, Santa Helena, PR, Brazil	<i>Trichoderma harzianum</i> IBLF 1278 12.5 + <i>Trichoderma harzianum</i> IBLF 1282 12.5 + <i>Trichoderma viride</i> IBLF 1275 12.5 + <i>Trichoderma viride</i> IBLF 1276 12.5 g/L SC
MACROBIO	SUPPLAY (58425)	任何受到这种农业害虫侵扰的农作物 Any crop with <i>Rhizoctonia solani</i> , <i>Fusarium oxysporum</i>	类别 5 - 产品不可能引起严重损坏 环境等级IV - 低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Ind. de Fertilizantes Macrobio Ltda. - Ângelo Cattani, Chácara 363, Zona Rural, Santa Helena, PR, Brazil	<i>Trichoderma harzianum</i> IBLF 1278 12.5 + <i>Trichoderma harzianum</i> IBLF 1282 12.5 + <i>Trichoderma viride</i> IBLF 1275 12.5 + <i>Trichoderma viride</i> IBLF 1276 12.5 g/L SC
OXON	CERVINO GOLD (58525)	大豆植株 Soybean	类别 5 - 产品不可能引起严重损坏 环境等级II - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Clomazone Técnico Oxon) Shandong Cynda Chem. Co., Ltd. - Econ. Develop., Boxing, Shandong, China; Weifang Cynda Chem. Co., Ltd. - 2 East Parial Lingang Chem. Zone, Binhai Econ. Develop., Shandong, China; (Clomazone Técnico Oxon II) Jiangsu Chagqing Agrochemical Co., Ltd. - 8 Sanjiang Rd., Jiangdu Econ. Develop. Zone, Yangzhou, Jiangsu, China; Clomazone Técnico Oxon) Sipcam Oxon SPA-Strada Provinciale per Torre Bere, km 2, Mezzana Bigli, Italy; (Flumioxazina Técnico SBT) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	异噁草酮 500 + 丙炔氟草胺 31.25 g/L EC Clomazone 500 + flumioxazin 31.25 g/L EC
ZHONGSHAN	BUGÃO (58625)	棉布, 蔗, 油菜籽, 豆, 向日葵, 木薯, 玉米, 大豆植株, 葡萄 Cotton, sugarcane, canola, beans, sunflower, cassava, corn, soybean, grapes	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(S-Metolachlor Technical ZS) Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Ecological Chem. Ind. Park, Xiangshui, Yancheng, Jiangsu, China	精异丙甲草胺 S-metolachlor 960 g/L EC
SYNGENTA	VICTRATO PRO (58725)	棉布, 胡萝卜, 豆, 玉米, 大豆植株, 小麦 Cotton, carrots, beans, corn, soybean, wheat	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	Syngenta Crop Protec Monthey S.A. - Rue de l'le-au-Bois, Switzerland, 6, 2, Syngenta Crop Protecon AG - Breitenloh 5, Münchwilen, Switzerland, 6, 3, Syngenta Ltd. - Grangemouth Manufacturing Centre, Earls Rd. FK3 8XG, Grangemouth, UK	环丁氟酰胺 Cyclobutrifluram 500 g/L FS
OURO	TERZZO DOKO MEMPHIS (58825)	棉布, 豆, 大豆 Cotton, beans, soybean	类别 5 - 产品不可能引起严重损坏 环境III级 - 危险产品 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Cletodim Técnico Ouro Fino) Liaoning Cynda Chemical Co., Ltd. - Econ. Develop. Zone, Huludao, Liaoning, China; (Haloxifop-P-Metilico Técnico Ouro Fino) Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochum, Nanjing, China; Shandong Binnong Technology Co., Ltd. - 518 Yongxin Rd., Binbei, Binzhou, Shandong, China	烯草酮 240 + 高效氟吡甲禾灵 123.6 g/L EC Clethodim 240 + haloxifop-P-methyl 123.6 g/L EC
LEMMA	STAY UP (58925)	豆, 大豆 Beans, soybean	类别 4 - 轻微毒性 环境等级II - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	Cefa-Cilinas Biotics Pvt Ltd. - Plot W8, Chikalthana MIDC, Aurangabad Maharashtra, India	2,3,5-三碘苯甲酸 2,3,5-Triiodobenzoic acid 60 g/L SC

第64 号法案 2025年12月26日 - 发布于2025年12月29日 - 技术产品及预混料的农药登记审批
Act No. 64 from 12/26/25 - Published on 12/29/25 - Technical product registration approvals

登记持有人 Registrant	商品名(注册号) Brand Name (Registration)	笔记 Note	原药生产商 Manufacturer	产品 Product
YONON	INDOXACARB TÉCNICO IT (TC28425)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ., Tech. Zone, Shangyu, Zhejiang, China	印虫威 Indoxacarb
TECNOMYL	CLORFENAPIR TÉCNICO TECNOMYL III (TC28525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China	虫螨腈 Chlorfenapyr
BRILLIANCE	CLOMAZONE TÉCNICO BRILLIANCE (TC28625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Liaoning Cynda Chem. Co., Ltd. - Hanjiang Rd., Comprehensive Ind. Park, Econ. Develop. Zone, Huludao, Liaoning, China	异噁草酮 Clomazone
TECNOMYL	ETEFOM TÉCNICO TECNOMYL (TC28725)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	乙烯利 Ethephon
TECNOMYL	ISOXAFLUTOLE TÉCNICO TECNOMYL (TC28825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Ecological Chem. Ind. Park, Xiangshui, Yancheng Jiangsu, China	异噁唑草酮 Isoxaflutole
OURO FINO	CLORFENAPIR TÉCNICO OURO FINO (TC28925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China	虫螨腈 Chlorfenapyr
CROPCHEM	CLORFENAPIR TÉCNICO CROPCHEM II (TC29025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China	虫螨腈 Chlorfenapyr
BIORISK	METHOXYFENOZIDE TÉCNICO GC (TC29125)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Yingde Greatchem Chemicals Co., Ltd. - Shakou, Yingde, Guangdong, China	甲氧虫酰肼 Methoxyfenozide
BIORISK	CHLORFENAPYR TÉCNICO SAU (TC29225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue Taian, Shandong, China	虫螨腈 Chlorfenapyr
HEMANI	V PERMETRINA TÉCNICO (TC29325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hemani Industries Ltd. - GIDC Ind. Estate, Dahej, Vagra Bharuch, Gujarat, India	氯菊酯 Permethrin
ALLIERBRASIL	CLOMAZONE TÉCNICO SD (TC29425)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁草酮 Clomazone
OURO FINO	TIAMETOXAM TÉCNICO OF (TC29525)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Crystal Crop Protection Ltd. - MIDC Ind. Estate, Butibori Nagpur, Maharashtra, India	噻虫嗪 Thiamethoxam
RAINBOW	CIMOXANIL TÉCNICO RAINBOW (TC29625)	等效毒理学概况 环境等级IV - 低危险性 Tox. clas. - Equivalent Env. clas. IV - Slightly dangerous	Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	霜脲氰 Cymoxanil
BIORISK	FLUXAPYROXAD TÉCNICO HN (TC29725)	等效毒理学概况 环境等级IV - 低危险性 Tox. clas. - Equivalent Env. clas. IV - Slightly dangerous	Qingdao Hengning Biotechnology Co., Ltd. - 12, Haipu North Rd., Xinhe Ecological Chem. Tech. Ind. Base Pingdu, Qingdao, Shandong, China	氟苯吡菌胺 Fluxapyroxad
ALTA	CLOMAZONE TÉCNICO ALTA (TC29825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁草酮 Clomazone
LEMMA	FOMESAFEN TÉCNICO SINO-AGRI (TC29925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Binnong Tech. Co., Ltd. - Yongxin Rd., Binbei, Binzhou, Shandong, China	氟磺胺草醚 Fomesafen
ALBAUGH	CLOMAZONE TÉCNICO ALBAUGH (TC30025)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁草酮 Clomazone
LEMMA	DICAMBA TÉCNICO SINO- AGRI (TC30125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China	麦草畏 Dicamba
BRILLIANCE	CLOMAZONE TÉCNICO BRILLIANCE II (TC30225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁草酮 Clomazone

AGROALLIANZ	AZOXYSTROBIN TÉCNICO FB (TC30325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Anhui Guangxin Agrochemical Co., Ltd. - Caijiashan Pengcun, Guangde, Xinhang, Anhui, China	啉菌酯 Azoxystrobin
BIORISK	BOSCALID TÉCNICO BIOSSEN (TC30425)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Inner Mongolia Join Dream Fine Chem. Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China	啉酰菌胺 Boscalid
NORTOX	LAMBDA-CIALOTRINA TÉCNICA NORTOX III (TC30525)	等效毒理学概况 环境危害等级I - 极度危险 Tox. clas. - Equivalent Env. clas. I - Highly dangerous	Guangdong Liwei Chem. Ind. Co., Ltd. - Jintang, Maonan Maoming, Guangdong, China	高效氯氟氰菊酯 Lambda- cyhalothrin
TECNOMYL	ETIPROLE TÉCNICO TECNOMYL II (TC30625)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Econ., Tech. Develop. Zone, Shangyu, Zhejiang, China	乙虫腈 Ethiprole
CROPCHEM	TEBUCONAZOLE TÉCNICO CROPCHEM IV (TC30725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Agrochem Laboratory Co., Ltd. - 1218 North Changjiang Rd., Hi-tec. Develop. Zone, Changzhou, Jiangsu, China	戊唑醇 Tebuconazole
RAINBOW	CIAZOFAMIDA TÉCNICO RAINBOW (TC30825)	等效毒理学概况 环境等级IV - 低危险性 Tox. clas. - Equivalent Env. clas. IV - Slightly dangerous	Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	氟霜唑 Ciazofamid
ADAMA	CLOMAZONE TÉCNICO MIL (TC30925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁草酮 Clomazone
CROPCHEM	AMINOPYRALIDE TÉCNICO CROPCHEM (TC31025)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhejiang Avilive Chem. Co., Ltd. - 335 Jiangnan Rd., Hengdian Dongyang, Zhejiang, China	氯吡啶酸 Aminopyralid
CROPCHEM	METRIBUZIM TÉCNICO CROPCHEM (TC31125)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Repont Agrochemical Co., Ltd. No 18 Haibin 2 Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	三嗪酮 Triazinona
CROPCHEM	QUIZALOFOPÉ TÉCNICO CROPCHEM (TC31225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Fengshan Group Co., Ltd. Wanggang, Dafeng, Jiangsu, China	精喹禾灵 Quizalofop-P-ethyl
CROPCHEM	HALOXIFOPÉ TÉCNICO NHP-CROPCHEM (TC31325)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun, Nanjing, Jiangsu, China	精喹禾灵 Quizalofop-P-ethyl
ZHONGSHAN	IMAZAPIQUE TÉCNICO ZS (TC31425)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Weifang Cynda Chem. Co., Ltd. - 2 East Paral Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	甲咪唑烟酸 Imazapic
CROPCHEM	PICOXISTROBINA TÉCNICO CROPCHEM (TC31525)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Rudong Zhongyi Chem. Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	啉氧菌酯 Picoxystrobin
NORTOX	CLOMAZONE TÉCNICO NORTOX III (TC31625)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁草酮 Clomazone
PILARQUIM	CLOMAZONE TÉCNICO PILARQUIM (TC31725)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁草酮 Clomazone
OXON	CLOMAZONE TÉCNICO OXON III (TC31825)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Weifang Cynda Chem. Co., Ltd. - 2 East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁草酮 Clomazone
PROREGISTROS	OXYFLUORFEN TÉCNICO YN (TC31925)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Ningxia Yifan Biotechnology Co., Ltd. - 6, Guangfu Rd., New Chem. Material Park, Ningdong Energy Chem. Ind. Base, Ningxia, China	乙氧氟草醚 Oxyfluorfen
ZHONGSHAN	PENOXULAM TÉCNICO CX (TC32025)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Ecological Chem. Ind. Park, Xiangshui Yancheng, Jiangsu, China	五氟磺草胺 Penoxsulam
IHARABRAS	ESPIRODICLOFENO TÉCNICO IHARA II (TC32125)	等效毒理学概况 环境III级 - 危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Kangqiao Bio-Tech. Co., Ltd. - Lvvi Ind. Park, Boxing, Shandong, China	螺螨酯 Spirodiclofen
ZHONGSHAN	PICOXISTROBINA TÉCNICO CX (TC32225)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Ecological Chem. Ind. Park, Xiangshui Yancheng, Jiangsu, China	啉氧菌酯 Picoxystrobin
NORTOX	CLOMAZONE TÉCNICO NORTOX IV (TC32325)	等效毒理学概况 环境等级II - 非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Liaoning Cynda Chem. Co., Ltd. - Econ. Develop. Zone, Huludao, Liaoning, China	异噁草酮 Clomazone



GCF: FAST-GROWING BRAZILIAN AGRIBUSINESS GROUP

GCF is a fast-growing Brazilian agribusiness group, operating in biological inputs, specialty products, crop protection and logistics across South America.

We operate with a nationwide sales network of more than 70 representatives, ensuring strong market presence and consistent demand generation across Brazil.

Our international business is led by SOLUS, responsible for global sourcing, strategic partnerships and international trade. In 2025, SOLUS handled approximately 1,000 containers from China and over 300 containers from India, reinforcing our strong presence and long-term commitment in Asia.

We connect reliable global manufacturers with one of the most competitive agricultural markets in the world.




grupocropfield.com.br/cropfield    [cropfield_do_brasil](https://www.instagram.com/cropfield_do_brasil)

grupocropfield.com.br/solus    [solusdobrasil](https://www.instagram.com/solusdobrasil)

anderson.faustino@solusdobrasil.com.br

Address: Apucarana Br 376, km 1441,
Bairro Cropfert, Apucarana City, State of Paraná, Brazil



look2agroTM

全球农业企业网络搜索平台 (AgSearch) 网站

THE Global Networking AgSearch Website

汇集来自巴西、印度和中国的超过十五万家农业企业。即将扩展至巴拉圭和玻利维亚。
150,000+ agribusiness companies from Brazil, India and China. Soon Paraguay and Bolivia.

汇集来自巴西、印度和中国的超过十五万家农业企业。即将扩展至巴拉圭和玻利维亚。

List your company for free, search the market, find new partners.

请升级您的企业套餐，创建专属的个性化页面。

Upgrade your company plan and create a personalized page.

搜索与查找 SEARCH and FIND

化肥 — 种子 — 无人机 — 农药 — 农用化学品 — 动物健康 — 农业机械 — 服务
Fertilizers — Seeds — Drones — Pesticides — Agrochemicals — Animal Health — Machinery — Services
经销商 — 分销商 — 制造商 — 配方商 — 顾问
Dealers — Distributors — Manufacturers — Formulators — Consultants
营业收入 — 员工人数 — 纳税人识别号 — 行业领域
Revenue — Number of employees — Taxpayer ID — Sector
国家 — 州/省 — 城市 — 产品
Country — State/Province — City — Products
联系人姓名 — 地址 — 邮箱 — 电话/手机 — 网站
Contact name — Address — E-mail — Phone/Mobile — Website
直接聊天渠道 Direct chat channel

请立即加入look2agroTM 平台 Join look2agroTM today

networking@look2agro.com.br