


巴西农药登记 – 2026年上半年 Pesticide Registrations in Brazil – 1H26



338项登记获批 截至2026年6月30

**338 registration approvals
as of June 30th, 2026**



农药登记

Pesticide registration

法规培训

Regulatory training

市场准入

Market access

合作伙伴开发

Partnership
development

**自1999年以来，一直是推动农企
发展的领军企业**

Leading company promoting
agribusiness since 1999

产品价格与进口调研

Product price and
import surveys

2023至2025年制剂产品获批数量位列第

一（共121项获批登记）

2006至2025年累计获批登记365项

#1 in formulated product approvals
from 2023 to 2025 (121 approved registrations)
365 registrations approved from 2006 to 2025

Agritour、Brasil AgrochemShow 及

Forum AllierBrasil 的主办方

Organizer of Agritour, Brasil AgrochemShow
and Forum AllierBrasil



+55(11) 99330-4717



flavio.hirata@uol.com.br



www.allierbrasil.com.br



目录 | Content

Act No. 6 _____ 20 制定产品注册批件 Pesticide registration approval of formulated products 第6 号法案 2026年2月2日- 发布于2026年2月9日 From 2/2/2026 - Published on 2/9/2026 注册号 Registration 126 - 4526	Act No. 20 _____ 41 制定产品注册批件 Pesticide registration approval of formulated products 第20 号法案 2026年4月1日- 发布于2026年4月7日 From 4/1/2026 - Published on 4/7/2026 注册号 Registration 8226 - 12626
Act No. 9 _____ 27 技术产品及预混料的农药登记审批 Pesticide registration approval of technical products 第9 号法案 2026年2月13日- 发布于2026年2月18日 From 2/13/2026 - Published on 2/18/2026 注册号 Registration TC00126 - TC03126	Act No. 25 _____ 47 制定产品注册批件 Pesticide registration approval of formulated products 第25 号法案 2026年4月30日- 发布于2026年5月4日 From 4/30/2026 - Published on 5/4/2026 注册号 Registration 12726 - 16526
Act No. 11 _____ 30 制定产品注册批件 Pesticide registration approval of formulated products 第11 号法案 2026年2月27日- 发布于2026年3月13日 From 2/27/2026 - Published on 3/13/2026 注册号 Registration 4626 - 8126	Act No. 29 _____ 54 技术产品及预混料的农药登记审批 Pesticide registration approval of technical products 第29 号法案 2026年5月7日- 发布于2026年5月11日 From 5/7/2026 - Published on 5/11/2026 注册号 Registration TC8026 - TC12326
Act No. 16 _____ 37 技术产品及预混料的农药登记审批 Pesticide registration approval of technical products 第16 号法案 2026年3月27日- 发布于2026年3月31日 From 3/27/2026 - Published on 3/31/2026 注册号 Registration TC03226 - TC07926	Act No. 34 _____ 57 制定产品注册批件 Pesticide registration approval of formulated products 第34 号法案 2026年5月29日- 发布于2026年6月15日 From 5/29/2026 - Published on 6/15/2026 注册号 Registration 16626 - 21526



NANTONG SHIZHUANG CHEMICAL CO.,LTD.

EXPERTISE-TECHNOLOGY-QUALITY

We: nantong shizhuang chemical co.,ltd are agrochemical manufacturer in china.we have close cooperation (industry-commerce combination) with china jiangsu international co.,ltd. We have already registered the indoxacarb 96% TC in brazil. the registration no. is TC17226.

We can authorize brazilian company to register indoxacarb 96% TC in brazil.



INSECTICIDE: INDOXACARB(95%TC,150g/l SC, 30%WG,15% EC,20% EC)

PYMETROZINE(96%TC, 50%WP)

PYRIPROXYFEN(95%TC,10%EC)

METAFLUMIZONE (20%EC ,22%SC)

SOIL FUMIGANT: DAZOMET(98%TC ,98%GR)

BACTERICIDE: COPPER QUINOLATE (98%TC)

FUNGICIDE: CYMOXANIL(98%TC)

PLANT GROW REGULATOR: MEPIQUAT CHLORIDE(98% TC)



HOPE THAT WE CAN COOPERATE !

Add: No. 22, Huanghai 2nd Road, Yangkou
Chemical Industry Park, Rudong
Coastal Economic Development Zone

Contact: Mr Lu Hong Jun (Mr.Larry Lu)

Http: //www.shizhuang.net.cn

Mobile / Wechat:0086-13806293450

Tel: 0513-81560994

Fax: 0513-83518656

E-mail: sxcun@hotmail.com

QQ: 439842003@qq.com

Editorial

This is the 6th edition of **"Pesticide Registration Approvals in Brazil"**, a compendium containing all pesticide registrations approved in the first half of 2026, marked by a total of 338 registered products.

For each approved registration, we list the most important information, such as product description, active ingredient, use and recommendation, registering company, manufacturer/formulator and address.

This material is the most complete source of information on pesticide registrations available in Portuguese, English and Mandarin, in both print and online versions.

To ensure technical rigor and regulatory accuracy, we invited AllierBrasil, a consulting firm specialized in pesticide registration, to prepare this compendium.

AgriBrasilis is an international company focused on publishing independent news on agribusiness in Brazil and Latin America, directly from the source.

Londrina | Curitiba | Porto Alegre | São Paulo, Brazil
Albuquerque, USA
Shijiazhuang, China

Editorial board

AgriBrasilis

Inside Agribusiness

Independent

社论

这是《巴西农药登记批准》的第六版。本汇编收录了2026年上半年获批的所有农药登记信息，该期间共有338个产品获得登记。

对于每一项获批登记，我们列出了最重要的信息，包括产品描述、有效成分、用途及推荐、登记企业、生产商/制剂加工商以及地址。

本资料是目前以葡萄牙语、英语和中文发布的最完整的农药登记信息来源，提供印刷版和在线版。

为确保技术严谨性和监管信息的准确性，我们邀请了专门从事农药登记咨询的AllierBrasil编制本汇编。

AgriBrasilis是一家国际公司，专注于直接从源头发布有关巴西和拉丁美洲农业综合产业的独立新闻。

@AgriBrasilis



contact@agribrasilis.com

www.agribrasilis.com

 **AgriBrasilis**
Inside Agribusiness



巴西农药登记：审批大增，注销走高

Brazil Reaches Records on Pesticide Registration Approvals, while Regulatory Requirements and Costs Increase Withdrawals and Cancellations

Flavio Hirata 是 **AllierBrasil** 咨询公司的合伙人，也是 look2agro™ 平台的创始人。他毕业于圣保罗大学高等农业学院 (Esalq/USP) 农业工程专业，持有工商管理硕士学位，是农药登记领域的资深专家。

AllierBrasil 是一家专注于产品登记的专业咨询机构，深耕行业 25 余年，长期为巴西及海外农业企业提供专业服务。

Flavio Hirata is a partner at **AllierBrasil** and founder of look2agro™, graduated in Agronomic Engineering from Esalq/USP, MBA, specialist in pesticide registration. **AllierBrasil** is a consulting firm specialized in product registration. For more than 25 years, it has supported agribusiness in Brazil and abroad.




Flavio Hirata, AllierBrasil
flavio.hirata@uol.com.br

在2021–2025这五年间，巴西农业部累计批准3344项农药登记，较2016–2020年上一个五年周期增长59.39%。2025年，巴西农药登记获批数量达912项，创下历史新高，同比上年增长38%。截至2026年6月30日，本年度已有338项农药登记获批，包含215项制剂产品、123项原药产品，2026年整体获批量有望再度刷新历史纪录。

登记产品数量大幅增长，并不代表巴西农业创新水平实现同等幅度提升。大量获批的登记申请为往期遗留申报项目，对应产品当前的市场认可度，已远低于企业最初提交登记申请时的水平。

巴西农药登记审批周期长期过长，这一现状促使众多企业通过司法诉讼加快监管部门的评审进度。企业主要通过两类法律程序推进审批，分别是临时禁令和履行令，其中前者的应用最为广泛。2019至2025年，巴西国家卫生监督局 (Anvisa) 通过司法判决获批的化学制剂产品毒理学评审项目数量从21项增至104项，大幅增长395.24%；巴西环境与可再生自然资源研究所 (Ibama) 涉环境评审的司法获批数量从3

2019–2025年农药登记获批与注销情况对比
Pesticide Registration Approvals vs. Cancellations (2019–2025)



信息来源：巴西农业部、巴西官方公报；由AllierBrasil公司整理
Source: MAPA, Official Gazette of Brazil; adapted by AllierBrasil

In the last five years (2021–2025), the Ministry of Agriculture of Brazil approved 3,344 pesticide registrations, 59.39% more than in the previous five-year period (2016–2020). In 2025, it was approved 912 registrations, a historical record and 38% more than in the previous year. In 2026, as of June 30th, 338 registrations were approved: 215 formulated products and 123 technical products. A new record is expected in 2026.

More registered products do not mean, in the same proportion, more innovation in agriculture. A considerable number of approved registrations are of old requests with products that no longer have the same market acceptance they had when registration was requested.

The time required for approval remains excessively long, which has led companies to file lawsuits in order to expedite evaluations by regulatory authorities. There are two types of lawsuits: preliminary injunctions and writs of mandamus, with the former being

项增至83项，获批项目增幅高达2666.67%。

截至2026年6月19日，巴西国家卫生监督局已完成550项农药评审，其中61项通过司法诉讼途径获批，占总获批量的11.09%。2025年同期该局共获批495项农药评审，其中56项依托司法诉讼获批，占比11.31%。2026年较之2025年同期上升11.11%。

巴西环境与可再生自然资源研究所2026年农药环境评审的阶段数据尚未完整公布。2025年，该机构共获批475项制剂化学品评审，其中84项通过司法诉讼完成审批，占比17.68%。

当前巴西农药行业呈现两极化态势：一方面，各监管机构推出评审提速举措，农药登记获

used the most. Between 2019 and 2025, toxicological evaluations approved by Anvisa through court decisions of chemical formulated products increased 395.24%, from 21 to 104. In the case of Ibama, lawsuits involving environmental evaluations increased 2,666.67%, from 3 to 83 approvals.

As of June 19th, 2026, Anvisa had approved 550 pesticide evaluations, 61 of them following court decisions (11.09% of the total). This represented an 11.11% increase in the total number of evaluations by Anvisa when compared with the same period in 2025, when the agency approved 495 evaluations, 56 of them following court decisions (11.31% of the total).

Regarding environmental evaluations by Ibama, partial data for 2026 are not yet available. In 2025, it was approved 475 evaluations of chemical formulated products, in which 84 of them after lawsuits, representing 17.68%.

On one hand, there are measures to accelerate evaluations by the involved agencies and record numbers of approvals and lawsuits. On the other hand, there has also been an increase in registration cancellations and suspensions. In 2025, MAPA published 158 cancellations, 44.95% more than in 2024. In 2026, 55 registrations have already been cancelled.

The graph on the left shows the number of approved and cancelled registration per year, whether at the request from the registrant company, or due to the banning of the molecule, or for other reasons.


Regulatory demands are increasing and involve high costs. Three ministries are involved in the registration process, each one with specific rules, in addition to joint regulations.

The costs of maintaining a registration, which include annual fees and, in some cases, environmental and/or toxicological re-evaluations, which may cost several million dollars and could take more than 10 years for conclusion, are among the reasons of registration voluntary withdrawn. Other frequent reasons include registrations based on suppliers that no longer or never existed, or do not have legal accreditation support, etc.

As for ongoing registrations, each change and/or legislation interpretation it is required to be adapted to new evaluation conditions. Considering the time needed to complete the evaluation, several adjustments and additional costs should be required for each application, which becomes an important aspect for decision to continue or cancel the process. In addition, failure to comply such rules and requirements within the established deadlines results in the rejection of the process.

2019–2025年农药登记获批与注销情况对比

Pesticide Registration Approvals vs. Cancellations (2019–2025)



信息来源：巴西农业部、巴西官方公报；由AllierBrasil公司整理

Source: MAPA, Official Gazette of Brazil; adapted by AllierBrasil

批量、企业司法维权审批数量双双创下新高；另一方面，农药登记注销、暂停数量持续攀升。2025年，巴西农业部公示158项农药登记注销案例，较2024年增长44.95%；2026年至今，已有55项农药登记完成注销。

上图统计了2019至2025年每年农药登记获批及注销数量，注销原因包含企业主动申请、有效成分被禁用及其他合规问题。

巴西农药登记监管要求持续升级，合规成本居高不下。农药登记流程涉及三大主管部门，各部门均有专属监管规则，同时需遵守跨部门联合监管条例，合规体系复杂。

农药登记的存续成本是企业主动撤销登记的核心原因之一，包含年度合规费用，部分产品还需开展环境、毒理学复审，单项复审成本可达数百万美元，且整体周期超10年。此外，诸多登记对应的上游供应商已停业、从未实际经营或无合法资质支撑，也是企业注销登记的常见原因。

巴西最新农药登记相关监管规则 | Recent Rules Related to Pesticide Registration

类型 Type	主管机构 Institution	规则内容 Description	行业影响 Impact	法规依据 Regulation
⁽¹⁾ Flora 系统新规 (1) Flora	巴西国家卫生监督局 Anvisa	上线自动化评审系统，实现农药毒理学评估、分类流程提速；对未在规定时间内完成合规要求的登记申请，自动予以驳回 Tool that automates and accelerates toxicological evaluation and classification, as well as the rejection of registration applications when requirements are not met within the established deadlines	已有31家企业的92项农药登记申请被驳回 92 registration requests from 31 companies were rejected	2024年12月13日发布《RDC 950/2024》、2025年12月17日发布《RDC 1005/2025》 RDC 950/2024, from December 13th, 2024; RDC 1005/2025, from December 17th, 2025
⁽²⁾ 农业部公告 (2) Notice	巴西农业部 MAPA	更新草甘膦、2,4-滴农药登记备案材料，启动产品资质核验与样品抽检工作 Update of documents and verification of glyphosate and 2,4-D registrations, as well as the submission of samples	97项农药登记被暂停，其中33项已恢复，64项仍处于暂停状态 97 registration suspensions; 33 were reinstated; 64 remain suspended	2025年6月23日第1号公告 Notice No. 1, from June 23 rd , 2025
农业部公告 Notice	巴西农业部 MAPA	更新草铵膦、莠去津、虫螨腈、乙酰甲胺磷、灭多威、氟环唑农药登记材料，开展资质核验、质量管控及样品提交核查 Update of documents and verification, and quality control of glufosinate, atrazine, chlorfenapyr, acephate, methomyl and epoxiconazole registrations, as well as the submission of samples	相关合规时限已全部到期 Deadlines have expired	2025年11月7日第2号公告、2025年11月6日第3/4号公告、2025年11月7日第5号公告、2025年11月11日第6/7号公告 Notice No. 2, from November 7th, 2025; Notice No. 3, from November 6th, 2025; Notice No. 4, from November 6th, 2025; Notice No. 5, from November 7th, 2025; Notice No. 6, from November 11th, 2025; Notice No. 7, from November 11th, 2025 RDC 998/2025, from November 21st, 2025
农药暴露风险评估 Pesticides Exposure Risk Assessment	巴西国家卫生监督局 Anvisa	出台草甘膦、2,4-滴农药暴露风险评估准则，明确操作人员、农户、周边居民及路人的农药暴露风险评估与防控方法 Guidelines and methods for estimating and preventing the exposure of operators, farmworkers, residents, and bystanders to glyphosate and 2,4-D	已正式实施 In force	2025年11月21日《RDC 998/2025》 RDC 998/2025, from November 21st, 2025
⁽³⁾ Sispa电子系统 (3) Sispa	巴西农业部 MAPA	上线统一化电子信息申报、受理及评审系统，实现农药登记全流程数字化办理 Unified Electronic Information, Petition and Evaluation System — digital platform	已正式实施 In force	2026年5月26日农业部第1631号政令 SDA/MAPA Ordinance No. 1631, from May 26th, 2026
环境与毒理学再评估 Environmental and toxicological re-evaluations	巴西国家卫生监督局 巴西环境与可再生自然资源管理局 Ibama; Anvisa	巴西环境与可再生自然资源研究所、巴西国家卫生监督局针对已完成登记的农药有效成分，重启环境风险、人体健康风险复审工作 Process that re-evaluates environment and/or human health risk assess of an active ingredient already registered	已正式实施 In force	多项专项监管法规 Various regulations
⁽⁴⁾ 新版农药法 Pesticides Law	巴西农业部、巴西国家卫生监督局、巴西环境与可再生自然资源研究所 MAPA; Anvisa; Ibama	全面规范农药的研发试验、生产、包装、标签、运输、仓储、销售、使用、进出口、废弃物及包装处置、登记、分类、监管、稽查执法等全链条环节 Governs research, experimentation, production, packaging, labelling, transportation, storage, commercialization, use, import, export, disposal of waste and packaging, registration, classification, control, inspection and enforcement	已正式实施 In force	2023年12月27日《第14785/2023号法案》 Law No. 14785/2023, from December 27th, 2023

信息来源：巴西国家卫生监督局、巴西环境与可再生自然资源研究所、巴西农业部；由AllierBrasil咨询公司整理
Sources: Anvisa, Ibama, and MAPA; adapted by AllierBrasil.

一、国家卫生监督局Flora系统——登记申请驳回数据统计

⁽¹⁾ Anvisa Flora — Rejection of Registration Applications Related to Flora

登记申请提交年份	登记申请提交份数	占比%
2021 - 2025	53	57.6
2010 - 2020	39	42.4
合计 Total	92	100

信息来源：巴西国家卫生监督局2026年1月19日第176号决议；由AllierBrasil咨询公司整理
Source: Anvisa, Resolution No. 176 – published on 01/19/26; adapted by AllierBrasil

二、农业部1号公告——登记暂停数据统计

(2) MAPA Notice — Registration Suspensions Related to Notice No. 1

产品类别	登记获批年份	暂停登记数量	占比%
制剂产品 Formulated product 原药产品 Technical product	2021 - 2025	2	15.46
		13	
制剂产品 Formulated product 原药产品 Technical product	2010 - 2020	4	84.54
		78	
合计 Total		97	100

信息来源：巴西农业部2025年12月23日第61号政令、2026年3月17日第15号政令、2026年6月22日第38号政令；由 AllierBrasil咨询公司整理

Sources: MAPA, Act No. 61 - published 12/23/25, Act No. 15 – published 03/17/26, Act No. 38 – published 06/22/2026; adapted by AllierBrasil.

对于正在推进的登记项目，法律法规及评审标准的每一次更新调整，都要求企业同步适配新的评审要求。由于评审周期漫长，单个登记项目往往需要多次整改、叠加多项额外合规成本，成为企业决定是否继续推进或终止登记的关键考量因素。同时，企业若未在规定时间内满足监管要求、完成合规整改，登记申请将被直接驳回。

三、Sispa电子申报系统合规要求

Sispa系统的合规申报时限根据产品类型划分，涵盖农药组分、新原药、等效原药、制剂产品、预混剂等品类。首轮合规申报截止时间为2026年8月24日，为该政令发布后的90日内。

该系统线上填报流程极为复杂，且部分合规材料需从境外获取、受限调取，企业难以在短期时限内完成全部合规要求。目前各农药企业均通过扩充内部团队、外包境外服务等方式，全力冲刺合规申报。

若监管部门不放宽现有申报时限，大量农药登记资质及在审申请或将被注销、驳回。

四、新版农药法核心条款

2023年《第14785号农药法案》明确规定：农药登记获批后，企业需在两年内实现产品商业化上市，逾期将被注销登记资质。该法案配套细则落地实施后，预计将有大批量农药登记被集中注销。

农药是保障农业增产增收的核心生产资料，而农药登记审批流程繁琐、周期冗长，仍是外资及本土企业进入巴西农资市场的最大瓶颈。

市场内农药产品品类、供应商数量越丰富，行业竞争越充分，能够推动产品定价、付款条件优化，倒逼行业技术创新、产品及服务品质升级。这不仅直接惠及巴西种植户，更能显著提升巴西农业在全球市场的核心竞争力。

(3) Sispa

Deadlines to comply with Sispa depend on the type of product, such as: components, new technical products, equivalent technical products, formulated products and premix. The first deadline expires on August 24th, 2026, within 90 days after the publication of the Ordinance.

Given the complexity involved in filling out the online spreadsheets, which includes obtaining restricted documents from abroad, to comply with the requirement is practically impossible within such a short timeframe. Companies are expanding their teams and outsourcing services, including abroad, in order to meet the required deadlines.

Unless the established deadlines are made more flexible, a large number of registrations and requests are expected to be cancelled or rejected.

(4) New Pesticides Law

Law No. 14785/2023 establishes “once a registration is approved, the product should be commercialized within two years, under penalty of registration cancellation”. Therefore, once the Law is regulated, several registrations are expected to be cancelled.

The use of pesticides is an indispensable tool for increasing agricultural yields. Grating registration, however, remains the main bottleneck for access to the Brazilian market.

The greater the range of products and suppliers available, the greater the competition. More options result in better prices and payment terms and encourage innovation and improvements in the quality of products and services. All of this directly benefits farmers and increases the competitiveness of Brazilian agriculture in the international market.



NANJING
AGRIGLORY CHEMICAL
CO., LIMITED

Agriglory works more than 25 years in pesticides market, export Chinese Insecticides, Herbicides, Fungicides, Intermediates, Formulation equipments to different countries. Agriglory will keep on supplying quality products world wide in future.

Main Products:

Herbicides:

Atrazine
S-Metolachlor
Glufosinate-ammonium
Diquat dibromide
Clethodim
Triclopyr-butotyl
Flumioxazin
Haloxyp-P-methyl
Isoxaflutole
Thidiazuron

Insecticides:

Bifenthrin
Acetamiprid
Lambda-cyhalothrin
Chlorfenapyr
Emmamectin Benzoate
Ethiprole
Chlorantraniliprole
Fipronil
Lufenuron
Cyantraniliprole

Fungicides:

Tebuconazole
Prothioconazole
Difenoconazole
Fluazinam
Fluxapyroxad
Fluopyram

PGR:

Ethephon
Brassinolide
Gibberellic Acid
NAA
Paclobutrazole


农药登记 – 2026年上半年

Pesticide Registration Approvals in Brazil – 1H26

#	登记持有人 Company	注册号 Reg. No.	商品名 Brand Name	产品 Product
1	ALLIERBRASIL	126	GLUCCI	草铵膦 Glufosinate-ammonium
2	CCAB	226	FLUTRIAFOL CCAB 500 SC	粉唑醇 Flutriafol
3	SYNGENTA	326	KARATE DUO	联苯菊酯 + 高效氯氟氰菊酯 Bifenthrin + lambda-cyhalothrin
4	PROREGISTROS	426	DICAMBA 480 G/L SL WYNCA	麦草畏 Dicamba
5	ALTA	526	PETREN	双氯磺草胺 Diclosulam
6	BAYER	626	XIVANA PRIME	氟沙匹罗林 Fluoxapiprolin
7	PERTERRA	726	CLETHODIM R 240 EC B2	烯草酮 Clethodim
8	PERTERRA	826	GLIFOSATO 720 WG B2	草甘膦铵盐 Glyphosate-ammonium
9	KOPPERT	926	KBR- T1H57OD1	<i>Trichoderma asperelloides</i>
10	PERTERRA	1026	GLUFOSINATO 200 SL B2	草铵膦 Glufosinate-ammonium
11	PERTERRA	1126	S-METOLACLOR 960 EC B2	精异丙甲草胺 S-metolachlor
12	PERTERRA	1226	TRIFLOXY + PROTHIO B2	丙硫菌唑 + 肟菌酯 Prothioconazole + trifloxystrobin
13	PERTERRA	1326	ACETA+BIF B2	啞虫脒 + 联苯菊酯 Acetamiprid + bifenthrin
14	PERTERRA	1426	CLOROTALONIL C 720 SC B2	百菌清 Chlorothalonil
15	PERTERRA	1526	TRICLOPIR 667 EC B2	三氯吡氧乙酸丁氧基乙酯 Triclopyr-butyl
16	PERTERRA	1626	LUFENURON 50 EC B2	虱螨脲 Lufenuron
17	PERTERRA	1726	ATRAZINA 900 WG B2	莠去津 Atrazine
18	CROPCHEM	1826	KANKAN EC MAX	高效氟吡甲禾灵 Haloxyfop-P-methyl
19	PERTERRA	1926	DOMANI	烯草酮 + 高效氟吡甲禾灵 Clethodim + haloxyfop-P-methyl
20	NORTOX	2026	CLORANTRANILIPROLE NORTOX	氯虫苯甲酰胺 Chlorantraniliprole
21	CHDS	2126	BUDA	氯氟吡氧乙酸异辛酯 + 咪唑乙烟酸 Fluroxypyr-meptyl + imazethapyr
22	INFLOA	2226	IN- 24- 40	<i>Trichoderma harzianum</i>
23	INFLOA	2326	IN- 24- 35	<i>Trichoderma harzianum</i> + <i>Trichoderma viride</i>
24	TECNOMYL	2426	LISOR	氟啶胺 Fluazinam
25	PERTERRA	2526	TEBUCONAZOLE 750 WG PERTERRA	戊唑醇 Tebuconazole
26	PERTERRA	2626	DAVERO	2,4-滴 + 氨基吡啶酸 2,4-D + picloram
27	ALLIERBRASIL	2726	ASAFAT SG 7	乙酰甲胺磷 Acephate
28	ALLIERBRASIL	2826	ASAFAT SG 6	乙酰甲胺磷 Acephate
29	UPL	2926	DECCOZIL 500 EC	抑霉唑 Imazail
30	CROPCHEM	3026	NAVOLI	苯嘧磺草胺 Saflufenacil
31	MEGHMANI	3126	MOL PUNCH 250 CS	高效氯氟氰菊酯 Lambda-cyhalothrin
32	PARTNER	3226	BUCCULA	虱螨脲 + 吡丙醚 Lufenuron + pyriproxyfen
33	ALBAUGH	3326	FOMESAFEM SL ALBAUGH 01	氟磺胺草醚 Fomesafen
34	ALBAUGH	3426	ILUSTRE DUO	丙硫菌唑 + 肟菌酯 Prothioconazole + trifloxystrobin
35	CROPCHEM	3526	VENCER DUO	啞氧菌酯 + 丙硫菌唑 Picoxystrobin + prothioconazole
36	YONON	3626	2,4-D + PICLORAM 304 SL YONON	2,4-滴 + 氨基吡啶酸 2,4-D + picloram
37	SUMITOMO	3726	WEEDAR FULL	2,4-滴 2,4-D
38	TOTAL	3826	BIOHAKKA	<i>Ocimum gratissimum</i>
39	SUMITOMO	3926	OPTERASEED	氯虫苯甲酰胺 Chlorantraniliprole
40	LEMMA	4026	PROTIOCONAZOL SY 480 SC	丙硫菌唑 Prothioconazole
41	ADAMA	4126	ADM.03504.I.1.B	乙酰甲胺磷 + 联苯菊酯 Acephate + bifenthrin
42	INDOFIL	4226	GRUMA 04 SC	苯醚甲环唑 + 代森锰锌 Difenoconazole + mancozeb

43	SYNGENTA	4326	RIKALI SC	环丙唑醇 + 吡唑萘菌胺 Cyproconazole + isopyrazam
44	TECNOMYL	4426	ERRADICUR MAX	戊唑醇 Tebuconazole
45	AGRIBIOL	4526	METATOP	<i>Metarhizium anisopliae</i>
46	SYNCROM	TC00126	ESPIRODICLOFENO TÉCNICO SYNCROM	螺螨酯 Spirodiclofen
47	ALLIERBRASIL	TC00226	PROPICONAZOL TÉCNICO SOLUS	丙环唑 Propiconazole
48	MONSANTO	TC00326	XTEND MEA PREMIX	麦草畏 Dicamba
49	HELM	TC00426	MESOTRIONA D TÉCNICO HELM	硝磺草酮 Mesotrione
50	TECNOMYL	TC00526	AMICARBAZONA TÉCNICO TECNOMYL	氨基草酮 Amicarbazone
51	BIORISK	TC00626	AIMCO ERVATOX TÉCNICO	三氯吡氧乙酸丁氧基乙酯 Triclopyr-butotyl
52	HEMANI	TC00726	V METRIBUZIN TÉCNICO	噻草酮 Metribuzin
53	BIORISK	TC00826	CLORFENAPYR TÉCNICO HAILIR	虫螨腈 Chlorfenapyr
54	ALLIERBRASIL	TC00926	INDOXACARBE TÉCNICO SOL	茚虫威 Indoxacarb
55	PROSPECTA	TC01026	TEBUCONAZOLE TÉCNICO ZH	戊唑醇 Tebuconazole
56	PROSPECTA	TC01126	TRIFLOXYSTROBIN TÉCNICO ZH	肟菌酯 Trifloxystrobin
57	SOLAGRO	TC01226	MESOTRIONE TÉCNICO DAGONG	硝磺草酮 Mesotrione
58	BIORISK	TC01326	SPIRODICLOFEN TÉCNICO KANGQIAO	螺螨酯 Spirodiclofen
59	CROPCHEM	TC01426	ESPIRODICLOFENO TÉCNICO CROPCHEM II	螺螨酯 Spirodiclofen
60	CHANGQING	TC01526	FLONICAMID TÉCNICO SJ	氟啉虫酰胺 Flonicamid
61	ADAMA	TC01626	ESPIRODICLOFENO TÉCNICO ADA	螺螨酯 Spirodiclofen
62	CHANGQING	TC01726	TIAMETOXAM TÉCNICO HY- GREEN	噻虫嗪 Thiamethoxam
63	SYNCROM	TC01826	PROTIOCONAZOL TECNICO EA	丙硫菌唑 Prothioconazole
64	BIORISK	TC01926	ETIPROLE TÉCNICO YN	乙虫腈 Ethiprole
65	HELM	TC02026	NICOSSULFUROM JR TÉCNICO HELM	烟嘧磺隆 Nicosulfuron
66	PROREGISTROS	TC02126	FORWARD PROTHIOCONAZOLE TÉCNICO	丙硫菌唑 Prothioconazole
67	CHANGQING	TC02226	EPOXICONAZOL TÉCNICO HY- GREEN	氟环唑 Epoxiconazole
68	BRA	TC02326	BIFENTRINA TÉCNICO BRA II	联苯菊酯 Bifenthrin
69	SYNCROM	TC02426	2,4-D TÉCNICO NGC	2,4-滴 2,4-D
70	NORTOX	TC02526	TERBUTILAZINA TÉCNICO NORTOX	特丁津 Terbutylazine
71	MEGHMANI	TC02626	TÉCNICO MEGANIL	氟虫腈 Fipronil
72	ZHONSHAN	TC02726	FLUMIOXAZINA TÉCNICO ZS	丙炔氟草胺 Flumioxazin
73	UPL	TC02826	CLORFENAPIR TÉCNICO UPL BR	虫螨腈 Chlorfenapyr
74	ZHONSHAN	TC02926	PROPICONAZOLE TÉCNICO ZS	丙环唑 Propiconazole
75	TECNOMYL	TC03026	CLOROTALONIL TÉCNICO TECNOMYL II	百菌清 Chlorothalonil
76	PROREGISTROS	TC03126	FLUMIOXAZINA TÉCNICO GREENCHEM	丙炔氟草胺 Flumioxazin
77	MONSANTO	4626	ROUNDUP TRANSORB TOP	草甘膦 Glyphosate
78	RL CONTROLE BIOLÓGICO	4726	AGRITÉZIA	<i>Cotesia flavipes</i>
79	VIVA	4826	DOUBLECOMBAT	<i>Beauveria bassiana + Metarhizium anisopliae</i>
80	BELLACOTESIA	4926	BELLACOTESIA CONTROLE BIOLÓGICO	<i>Cotesia flavipes</i>
81	SYNGENTA	5026	BOUNDARY	精异丙甲草胺 + 噻草酮 S-metolachlor + metribuzin
82	SYNGENTA	5126	VICTRATO FLEX	环丁氟菌胺 Cyclobutrifluram
83	BAYER	5226	FOX XPRO CLONE B	联苯吡菌胺 + 丙硫菌唑 + 肟菌酯 Bixafen + prothioconazole + trifloxystrobin
84	ALTA	5326	PROTIOCONAZOL + TRIFLOXISTROBINA ALTA 325 SC	丙硫菌唑 + 肟菌酯 Prothioconazole + trifloxystrobin
85	OXON	5426	NKF 144	硝磺草酮 + 特丁津 Mesotrione + terbutylazine
86	BIORISK	5526	ATRAZINA 900 WG EAGROW	莠去津 Atrazine
87	NOOA	5626	DUETTUS	<i>Beauveria bassiana + Metarhizium anisopliae</i>
88	BC	5726	CRISOCARE	<i>Chrysoperla externa</i>
89	NAVE	5826	AGTRICH	<i>Trichoderma harzianum</i>
90	SOLOESTE	5926	TIDIL	噻苯隆 Thidiazuron
91	ADAMA	6026	LIMUKILL EW	螺螨酯 + 联苯菊酯 Spirodiclofen + bifenthrin
92	NORTOX	6126	CLETODIM H NORTOX	烯草酮 + 氟吡甲禾灵 Clethodim + haloxyfop-methyl


93	NORTOX	6226	SULFENTRAZONE NORTOX	甲磺草胺 Sulfentrazone
94	OURO FINO	6326	ROAD FOUR AMINE 806 SL	2,4-D二甲胺盐 2,4-D dimethylamine salt
95	CCAB	6426	GLUFOSINATO 200 SL CCAB	草铵膦 Glufosinate-ammonium
96	SYNCROM	6526	APSM L	啉虫脒 + 吡丙醚 Acetamiprid + pyriproxyfen
97	PROREGISTROS	6626	AZOXYSTROBIN + DIFENOCONAZOLE SC LIMIN	啞菌酯 + 苯醚甲环唑 Azoxystrobin + difenoconazole
98	TECNOMYL	6726	FAVORITO 600 FS	吡虫啉 Imidacloprid
99	SOMAX	6826	GLUFIM	草铵膦 Glufosinate-ammonium
100	FMC	6926	TECORLA	氯虫苯甲酰胺 Chlorantraniliprole
101	AGRIBIOL	7026	BOVEBIOL	<i>Beauveria bassiana</i>
102	PROREGISTROS	7126	SHLEM 480 SC	除虫脲 Diflubenuron
103	OXON	7226	ARLEQUIN	甲氧虫酰肼 Methoxyfenozide
104	AGRIBIOL	7326	ACCURATE PLUS	<i>Bacillus thuringiensis</i>
105	BIO	7426	CERA TRAP	水解猪肠黏膜蛋白 Hydrolyzed porcine intestinal mucosa protein
106	MEGHMANI	7526	MEGAMORE	啉虫脒 + 联苯菊酯 Acetamiprid + bifenthrin
107	TOPBIO	7626	NOBIC	<i>Chrysoperla externa</i>
108	NORTOX	7726	TRIFLOXISTROBINA NORTOX	肟菌酯 Trifloxystrobin
109	FMC	7826	ZIRCON	联苯菊酯 + 氯虫苯甲酰胺 Bifenthrin + chlorantraniliprole
110	CHDS	7926	HOMERO	噻虫胺 Clothianidin
111	BAYER	8026	FOX XPRO CLONE A	联苯吡菌胺 + 丙硫菌唑 + 肟菌酯 Bixafen + prothioconazole + trifloxystrobin
112	KIMITEC	8126	REDXODUS (TU- F1)	香叶醇 + 蓝桉 <i>Eucalyptus globulus</i> Geraniol + <i>Eucalyptus globulus</i> essential oil
113	NORTOX	TC03226	FLUROXIPIR- MEPTÍLICO TÉCNICO NORTOX	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl
114	BIORISK	TC03326	CHLORANTRANILIPROLE TÉCNICO INNER	氯虫苯甲酰胺 Chlorantraniliprole
115	AVGUST	TC03426	MESOTRIONE TÉCNICO AVGUST	硝磺草酮 Mesotrione
116	RAINBOW	TC03526	CLORANTRANILIPROLE TÉCNICO CROPCHM VI	氯虫苯甲酰胺 Chlorantraniliprole
117	BIORISK	TC03626	LUFENURON TÉCNICO JN	虱螨脲 Lufenuron
118	BRILLIANCE	TC03726	PICOXISTROBINA TÉCNICO BRILLIANCE	啞氧菌酯 Picoxystrobin
119	ALLIERBRASIL	TC03826	CLORANTRANILIPROLE TÉCNICO AGROW ALLIED	氯虫苯甲酰胺 Chlorantraniliprole
120	CROPCHM	TC03926	BOSCALIDA TÉCNICO CROPCHM	啞酰菌胺 Boscalid
121	GHARDA	TC04026	TRICLOPIR- BUTOTÍLICO TÉCNICO GHARDA	三氯吡氧乙酸丁氧基乙酯 Triclopyr-butotyl
122	SYNCROM	TC04126	FOSETYL- AL TÉCNICO NGC	三乙膦酸铝 Fosetyl-aluminium
123	BIORISK	TC04226	PICOXYSTROBIN TÉCNICO JD	啞氧菌酯 Picoxystrobin
124	CHDS	TC04326	PYMETROZINE TÉCNICO CHDS	吡蚜酮 Pymetrozine
125	CHDS	TC04426	TIABENDAZOL TÉCNICO CHDS	噻菌灵 Thiabendazole
126	SYNCROM	TC04526	CAPTAN TÉCNICO NGC	克菌丹 Captan
127	SYNCROM	TC04626	LUFENURON TECNICO NGC	虱螨脲 Lufenuron
128	PROREGISTROS	TC04726	NICOSULFURON TÉCNICO WYNCA	啞啞磺隆 Nicosulfuron
129	SOLAGRO	TC04826	HEXAZINONA TÉCNICO AGX II	环嗪酮 Hexazinone
130	ZHONGSHAN	TC04926	ACEFATO TÉCNICO ZS	乙酰甲胺磷 Acephate
131	SYNGENTA	TC05026	HEXAZINONE TECNICO SYNGENTA	环嗪酮 Hexazinone
132	BIORISK	TC05126	CLORANTRANILIPROLE TÉCNICO SAU	氯虫苯甲酰胺 Chlorantraniliprole
133	BIORISK	TC05226	ACETAMIPRID TÉCNICO YANGNONG	啉虫脒 Acetamiprid
134	BIORISK	TC05326	GLUFOSINATE - AMMONIUM TÉCNICO BINNONG	草铵膦 Glufosinate-ammonium
135	BIORISK	TC05426	NICOSULFURON TÉCNICO YN	啞啞磺隆 Nicosulfuron
136	BIORISK	TC05526	TERBUTILAZINA TÉCNICO BINNONG	特丁津 Terbutylazine
137	CHDS	TC05626	GLUFOSINATO TÉCNICO CHDS II	草铵膦 Glufosinate-ammonium
138	RAINBOW	TC05726	FOLPETE TÉCNICO RAINBOW	灭菌丹 Folpet
139	NORTOX	TC05826	PICOXISTROBIN TÉCNICO NORTOX VI	啞氧菌酯 Picoxystrobin
140	NORTOX	TC05926	TIDIAZURON TÉCNICO NORTOX	噻苯隆 Thidiazuron



All GLP studies for technical and formulated product registration. In one place.

Plantec is Brazil's leading GLP-certified lab for agrochemical and biopesticide registration studies.

With our own experimental stations across multiple biomes, we generate robust data that meets international regulatory requirements — from China to Latin America, Europe, and beyond.



Strategic field stations across Brazil ensure seasonality, biodiversity and regulatory precision.

Our portfolio includes:

- ✓ Physical-chemical and five-batch studies
- ✓ Residue and efficacy trials in field conditions
- ✓ In vitro and in vivo toxicology
- ✓ Genotoxicity and ecotoxicology
- ✓ Semi-field studies with bees (OECD 75)
- ✓ Microbiological and stability testing



**Certified to Deliver.
Trusted Worldwide**

We follow globally recognized protocols: OECD, EPA, CIPAC, IBAMA, ANVISA, MAPA, SENASA, SENAVE — with full GLP compliance.

Beyond testing: a strategic partner for your global ambitions.



+55 11 97163 7381 | +55 19 98151 9338
+55 11 94495 5554 | +55 19 99902 8884



comercial.agro@plantecclab.com



www.plantecclab.com



237	BIOPAR	15826	HARZI- ONE	<i>Trichoderma harzianum</i>
238	CHDS	15926	METOMIL 900 SP CHD'S	灭多威 Methomyl
239	CHDS	16026	KADOSH	高效氯氟氰菊酯 Lambda-cyhalothrin
240	J.A MOURA	16126	AVAST PLUS	<i>Beauveria bassiana</i> + <i>Cordyceps fumosorosea</i> + <i>Metarhizium anisopliae</i>
241	ZHONGSHAN	16226	METOMIL ZS	灭多威 Methomyl
242	ADAMA	16326	DT-CE-MPP-460-23T-BR	啉氧菌酯 + 丙硫菌唑 + 代森锰锌 Picoxystrobin + prothioconazole + mancozeb
243	LALLEMAND	16426	LALSTOP K61 WS	<i>Streptomyces griseoviridis</i>
244	RAINBOW	16526	TSTAR	肟菌酯 Trifloxystrobin
245	BIORISK	TC08026	VALIFENALATE TÉCNICO ISAGRO	霜霉灭 Valifenalate
246	SOLAGRO	TC08126	FLUMIOXAZIN TÉCNICO JINGBO	丙炔氟草胺 Flumioxazin
247	SOLAGRO	TC08226	PICOXYSTROBIN TÉCNICO AVILIVE	啉氧菌酯 Picoxystrobin
248	PROREGISTROS	TC08326	PROTIOCONAZOLE TÉCNICO GREENCHEM	丙硫菌唑 Prothioconazole
249	PROREGISTROS	TC08426	CAPTAN TÉCNICO KND	克菌丹 Captan
250	NORTOX	TC08526	TRICLOPIR BUTOTÍLICO TÉCNICO NORTOX III	三氯吡氧乙酸丁氧基乙酯 Triclopyr-butotyl
251	PROREGISTROS	TC08626	FORWARD S-METOLACHLOR TÉCNICO	精异丙甲草胺 S-metolachlor
252	TECNOMYL	TC08726	DIFENOCONAZOL TÉCNICO TECNOMYL II	苯醚甲环唑 Difenoconazole
253	SOLAGRO	TC08826	AZOXYSTROBIN TÉCNICO SCH II	啉菌酯 Azoxystrobin
254	SOLAGRO	TC08926	CHLORANTRANILIPROLE TÉCNICO KK	氯虫苯甲酰胺 Chlorantraniliprole
255	PROVENTIS	TC09026	IPRODIONE TÉCNICO PROVENTIS	异菌脲 Iprodione
256	ADAMA	TC09126	CLORANTRANILIPROLE TÉCNICO ADAMA	氯虫苯甲酰胺 Chlorantraniliprole
257	ADAMA	TC09226	CLORANTRANILIPROLE TÉCNICO ADAMA 4	氯虫苯甲酰胺 Chlorantraniliprole
258	ADAMA	TC09326	CLOMAZONE TÉCNICO MIL 2	异噁草酮 Clomazone
259	ADAMA	TC09426	IPRODIONE TÉCNICO ADA	异菌脲 Iprodione
260	ADAMA	TC09526	S-METOLACOLORO TÉCNICO ADA	精异丙甲草胺 S-metolachlor
261	UPL	TC09626	ETIPROLE TÉCNICO UPL	乙虫腈 Ethiprole
262	ADAMA	TC09726	PICOXISTROBINA TÉCNICO ADAMA 3	啉氧菌酯 Picoxystrobin
263	BIORISK	TC09826	DIFENOCONAZOLE TÉCNICO GSP	苯醚甲环唑 Difenoconazole
264	CHDS	TC09926	ZETA- CIPERMETRINA TÉCNICO CHDS	六氯氟菊酯 Zeta-cypermethrin
265	BIORISK	TC10026	CAPTAN TÉCNICO GSD	克菌丹 Captan
266	AGROLEAD	TC10126	FENPROPIMORPH TÉCNICO AGROLEAD	丁苯吗啉 Fenpropimorph
267	BIORISK	TC10226	FLUDIOXONIL TÉCNICO VFC	咯菌腈 Fludioxonil
268	SOLAGRO	TC10326	BOSCALID TÉCNICO SJ	啉酰菌胺 Boscalid
269	LEMMA	TC10426	ISOXAFLUTOLE TÉCNICO WYNCA	异噁唑草酮 Isoxaflutole
270	WILLOWOOD	TC10526	CLOMAZONE TÉCNICO WW	异噁草酮 Clomazone
271	ADAMA	TC10626	PIMETROZINA TÉCNICO ADAMA	吡蚜酮 Pymetrozine
272	IHARABRAS	TC10726	TRICLOPIR TÉCNICO IHARA II	三氯吡氧乙酸丁氧基乙酯 Triclopyr-butotyl
273	CCAB	TC10826	BOSCALID TÉCNICO CCAB I	啉酰菌胺 Boscalid
274	PILARQUIM	TC10926	DIAFENTHIURON TÉCNICO PILARQUIM	丁醚脲 Diafenthion
275	TRADECORP	TC11026	CLORFENAPIR ASCENZA TÉCNICO	虫螨腈 Chlorfenapyr
276	TIDE	TC11126	S-METOLACOLORO TÉCNICO TIDE	精异丙甲草胺 S-metolachlor
277	CCAB	TC11226	FLUXAPIROXADE TÉCNICO CCAB	氟苯吡菌胺 Fluxapyroxad
278	PERTERRA	TC11326	ACETAMIPRID CQ TÉCNICO PERTERRA	啉虫脒 Acetamiprid
279	PERTERRA	TC11426	CLOROTALONIL WU TÉCNICO PERTERRA	百菌清 Chlorothalonil
280	PERTERRA	TC11526	DIFENOCONAZOL TÉCNICO PERTERRA	苯醚甲环唑 Difenoconazole
281	PERTERRA	TC11626	FLUROXIPIR TÉCNICO PERTERRA	氯氟吡氧乙酸 Fluroxypyr
282	PERTERRA	TC11726	ISOXAFLUTOLE TÉCNICO PERTERRA	异噁唑草酮 Isoxaflutole
283	PERTERRA	TC11826	PROPICONAZOL TÉCNICO PERTERRA	丙环唑 Propiconazole
284	VOAGRI	TC11926	DIFENOCONAZOLE TÉCNICO JXT	苯醚甲环唑 Difenoconazole
285	PROREGISTROS	TC12026	IMAZETAPIR TÉCNICO GREENCHEM	咪唑乙烟酸 Imazethapyr
286	CCAB	TC12126	FLUMIOXAZIN TÉCNICO CCAB	丙炔氟草胺 Flumioxazin
287	RAINBOW	TC12226	TIABENDAZOL TÉCNICO RAINBOW	噻菌灵 Thiabendazole
288	CHDS	TC12326	LAMBDA-CIALOTRINA TÉCNICO CHD'S II	高效氯氟氰菊酯 Lambda-cyhalothrin
289	SOMAX	16626	CAPPO	硝磺草酮 Mesotrione
290	PILARQUIM	16726	PILARCAMBA	麦草畏 Dicamba
291	ISK	16826	IPPATSU	环溴虫酰胺 + 氟啉脲 Cyclaniliprole + chlorfluazuron

141	NORTOX	TC06026	PROTIOCONAZOLE TÉCNICO NORTOX VII	丙硫菌唑 Prothioconazole
142	NORTOX	TC06126	FLUDIOXONIL TÉCNICO NORTOX II	咯菌腈 Fludioxonil
143	NORTOX	TC06226	FOSETIL TÉCNICO NORTOX	三乙膦酸铝 Fosetyl-aluminium
144	NORTOX	TC06326	CAPTANA TÉCNICO NORTOX	克菌丹 Captan
145	RAINBOW	TC06426	IMAZAMOX TÉCNICO RAINBOW	甲氧咪草烟 Imazamox
146	RAINBOW	TC06526	DICLOSULAM TÉCNICO RAINBOW	双氯磺草胺 Diclosulam
147	ZHONGSHAN	TC06626	FLONICAMIDA TÉCNICO ZS	氟啉虫酰胺 Flonicamid
148	TECNOMYL	TC06726	PICOXISTROBINA TÉCNICO TECNOMYL III	啉氧菌酯 Picoxystrobin
149	SOLAGRO	TC06826	FLUXAPYROXAD TÉCNICO NF	氟苯吡菌胺 Fluxapyroxad
150	BRILLIANCE	TC06926	FLONICAMID TÉCNICO BRILLIANCE	氟啉虫酰胺 Flonicamid
151	BIORISK	TC07026	CHLORANTRANILIPROLE TÉCNICO KINGTAI	氯虫苯甲酰胺 Chlorantraniliprole
152	COROMANDEL	TC07126	BOSCALIDA TÉCNICO COROMANDEL	啉酰菌胺 Boscalid
153	TECNOMYL	TC07226	CLORANTRANILIPROLE TÉCNICO TECNOMYL	氯虫苯甲酰胺 Chlorantraniliprole
154	SOLAGRO	TC07326	LAMBDA- CYHALOTHRIN TÉCNICO LIWEI	高效氯氟氰菊酯 Lambda-cyhalothrin
155	OURO FINO	TC07426	BENZOATO DE EMAMECTINA TÉCNICO OURO FINO	甲氨基阿维菌素苯甲酸盐 Emamectin benzoate
156	PERTERRA	TC07526	CLORANTRANILIPROLE FC TÉCNICO PERTERRA	氯虫苯甲酰胺 Chlorantraniliprole
157	RAINBOW	TC07626	FLUOPICOLIDA TÉCNICO RAINBOW	氟吡菌胺 Fluopicolide
158	BIORISK	TC07726	LUFENURON TÉCNICO DEZHOU LUBA	虱螨脲 Lufenuron
159	WYNCA	TC07826	CAPTANA TÉCNICO WYNCA	克菌丹 Captan
160	MEGHMANI	TC07926	MEGAPYRI TÉCNICO	吡丙醚 Pyriproxyfen
161	VIVA	8226	TRICHOCOMBAT SC	<i>Trichoderma harzianum</i>
162	VALEOURO	8326	DERMAOURO	<i>Trichoderma harzianum</i>
163	GAIA	8426	GAIA CONTROL NEEM	印楝素 + 印楝油 Azadirachtin + neem oil
164	INDOFIL	8526	AVARAAN INDOFIL	苯醚甲环唑 + 代森锰锌 Difenconazole + mancozeb
165	INDOFIL	8626	NIVARAAN INDOFIL	丙硫菌唑 + 苯醚甲环唑 + 代森锰锌 Prothioconazole + difenoconazole + mancozeb
166	SYNGENTA	8726	ONVIVIS PRO	环丁氟菌胺 Cyclobutrifluram
167	SYNGENTA	8826	PERZAVO PRO	环丁氟菌胺 Cyclobutrifluram
168	SYNGENTA	8926	PERZAVO	环丁氟菌胺 Cyclobutrifluram
169	INDOFIL	9026	MANCOZEB INDOFIL 445 SC	代森锰锌 Mancozeb
170	PROVENTIS	9126	ACETAMIPRID 200 SP PROVENTIS	啉虫脒 Acetamiprid
171	SYNGENTA	9226	ONVIVIS	环丁氟菌胺 Cyclobutrifluram
172	INDOFIL	9326	GRUMA 07 INDOFIL SC	啉氧菌酯 + 丙硫菌唑 + 代森锰锌 Picoxystrobin + prothioconazole + mancozeb
173	TECNOMYL	9426	ATRIVO	敌草快 Diquat dibromide
174	B PLANT	9526	ISFU	<i>Cordyceps javanica</i>
175	TECNOMYL	9626	MAGMA	丙炔氟草胺 Flumioxazin
176	RAINBOW	9726	CATEROLE PLUS	茚虫威 + 甲氧虫酰肼 Indoxacarb + methoxyfenozide
177	RAINBOW	9826	SAFENCIL	苯噻磺草胺 Saflufenacil
178	RAINBOW	9926	DOTHIURON	丁噻脲 Diafenthiuron
179	RAINBOW	10026	MASIPRO	氯虫苯甲酰胺 Chlorantraniliprole
180	RAINBOW	10126	ESFORÇO XTRA	啉菌环胺 + 咯菌腈 Cyprodinil + fludioxonil
181	RAINBOW	10226	AGILICA	唑草酮 Carfentrazone-ethyl
182	RAINBOW	10326	QUICKER	乙烯利 Ethephon
183	RAINBOW	10426	IMARADO	甲咪唑烟酸 + 咪唑烟酸 Imazapic + imazapyr
184	RAINBOW	10526	ESIFON	乙烯利 Ethephon
185	RAINBOW	10626	LASTROLE	氯虫苯甲酰胺 + 高效氯氟氰菊酯 Chlorantraniliprole + lambda-cyhalothrin
186	SOMAX	10726	TACÓN	精异丙甲草胺 S-metolachlor
187	SOMAX	10826	FLOWZIN	丙炔氟草胺 Flumioxazin
188	NORTOX	10926	ETEFOM C NORTOX	环丙酰胺酸 + 乙烯利 Cyclanilide + ethephon
189	SOMAX	11026	DECCAPTOR	草铵膦 Glufosinate-ammonium

190	ALTA	11126	ACCIPITER	联苯菊酯 Bifenthrin
191	PROREGISTROS	11226	FLUROXYPYR 200 EC LIER	氯氟吡氧乙酸异辛酯 Fluroxypyr-meptyl
192	BIORISK	11326	MANCOZEB 75% WG LIMIN	代森锰锌 Mancozeb
193	RAINBOW	11426	ROFEN FULL	虱螨脲 Lufenuron
194	BIORISK	11526	ANTÜ 50 EC	虱螨脲 Lufenuron
195	ASCENZA	11626	RIKOLTO PRO	啉虫脒 + 吡丙醚 Acetamiprid + pyriproxyfen
196	SYNGENTA	11726	INVENCIS	异环虫酰胺 + 虫螨腈 Isocycloseram + chlorfenapyr
197	ZHONGSHAN	11826	GLUFO ZS	草铵膦 Glufosinate-ammonium
198	SYNGENTA	11926	ORIAM	环丁氟菌胺 Cyclobutrifluram
199	ADAMA	12026	MIL FH 0329/05	异噁草酮 Clomazone
200	ADAMA	12126	ATREUS	乙虫腈 + 氟酰脲 Ethiprole + novaluron
201	SYNCROM	12226	GLUFOSINATE-AMMONIUM 200 G/L EA SL	草铵膦 Glufosinate-ammonium
202	TECNOMYL	12326	ELIPSE	啉虫脒 + 联苯菊酯 Acetamiprid + bifenthrin
203	BIORISK	12426	ESTEEM 320 SC	嘧菌酯 + 戊唑醇 Azoxystrobin + tebuconazole
204	MEGHMANI	12526	MEGAZOMBIE	高效氯氟氰菊酯 + 丙溴磷 Lambda-cyhalothrin + profenofos
205	GSP	12626	TRIPOLE	丙硫菌唑 + 肟菌酯 Prothioconazole + trifloxystrobin
206	SUMITOMO	12726	PLANITY EVO	啉氧菌酯 + 苯醚甲环唑 + 茚吡菌胺 Picoxystrobin + difenoconazole + inpyrfluxam
207	CHDS	12826	KINGSUN	啉氧菌酯 + 环丙唑醇 + 代森锰锌 Picoxystrobin + cyproconazole + mancozeb
208	FMC	12926	BENEVIA BR	溴氟虫酰胺 Cyantraniliprole
209	CHDS	13026	METRIBUZIN CHD'S	噻草酮 Metribuzin
210	AGROBEATS	13126	TEBUFORCE 430 SC	戊唑醇 Tebuconazole
211	AGROBEATS	13226	PYKILL	啉氧菌酯 + 戊唑醇 Picoxystrobin + tebuconazole
212	SM AGRO CARE	13326	BITAXAM	联苯菊酯 + 吡虫啉 Bifenthrin + imidacloprid
213	ASCENZA	13426	TUNDRA	丙炔氟草胺 Flumioxazin
214	SYNGENTA	13526	SEGURIS	丙硫菌唑 + 吡唑萘菌胺 Prothioconazole + isopyrazam
215	SYNGENTA	13626	TERXAVO	环丁氟菌胺 Cyclobutrifluram
216	SYNGENTA	13726	VALNIVIO	环丁氟菌胺 Cyclobutrifluram
217	ADAMA	13826	BALTIC BR	氨基草酮 + 异噁唑草酮 Amicarbazone + isoxaflutole
218	ADAMA	13926	TRIVOR BR	啉虫脒 + 吡丙醚 Acetamiprid + pyriproxyfen
219	ADAMA	14026	MIL FO 0738/14	乙烯利 Ethephon
220	SUMITOMO	14126	TOPGRAIN	诱抗素 Absciscic acid
221	CROP CHEM	14226	DURDEM 300 SC	氟苯脲 Teflubenzuron
222	NITRO	14326	GLÁDIOS	<i>Paecilomyces lilacinus</i>
223	MS BIO	14426	CICLO COMBAT	<i>Beauveria bassiana</i> + <i>Metarhizium anisopliae</i>
224	AGCONTROL	14526	AGMACRO	<i>Phytoseiulus macropilis</i>
225	VALENTTO	14626	TETRA- MAX	<i>Tetrastichus howardi</i>
226	TOTAL	14726	BTP 170- 21A	<i>Melaleuca alternifolia</i>
227	VITAL	14826	BIOTHREE	<i>Bacillus subtilis</i> + <i>Bacillus amyloliquefaciens</i> + <i>Bacillus licheniformis</i>
228	CAC	14926	FLOXCON SC	戊唑醇 + 肟菌酯 Tebuconazole + trifloxystrobin
229	TOPBIO	15026	SUPRESS- H	<i>Trichoderma harzianum</i>
230	UPL	15126	NEO TACKLER	<i>Beauveria bassiana</i>
231	BC	15226	TRICHOCARE P	<i>Trichogramma pretiosum</i>
232	VSF	15326	BARKCONTROL	<i>Neoseiulus barkeri</i>
233	BIORISK	15426	MALATHION LUBA 1000 EC	马拉硫磷 Malathion
234	INFLORA	15526	IN- 24- 29	<i>Bacillus thuringiensis</i>
235	VSF	15626	ARRIÉGUA	<i>Trichoderma harzianum</i> + <i>Trichoderma viride</i>
236	SOLUBIO	15726	TEC WHITE OF	<i>Beauveria bassiana</i>



CHEMICAL SOL



SOLUTIONS
THAT PROTECT,
RESULTS THAT
TRANSFORM.

Efficient solutions for managing
your crops with **safety**,
technology and **results**.



FUNGICIDES

Complete protection
against diseases
and higher productivity.



INSECTICIDES

Effective action
in pest control for
healthier crops.



HERBICIDES

Smart weed
management with
maximum efficiency.



PROTECTION

Efficiency in controlling
pests, diseases and
weeds.



PERFORMANCE

Greater productivity
and profitability
for your business.



TRUST

Quality, technology
and safety in every
solution.



www.chemicalsol.com.br



ana@chemicalsolutionpara.com.br



contato@chemicalsolutionpara.com.br



+55 91 99161-1065



+55 19 98239-1065

Visit our booth!

DISCOVER OUR SOLUTIONS

AND ACHIEVE GREATER RESULTS
FOR YOUR CROP!

292	SYNCROM	16926	NEO GLIFO	草甘膦 Glyphosate
293	NORTOX	17026	FLUMIOXAZINA C NORTOX	氯嘧磺隆 + 丙炔氟草胺 Chlorimuron-ethyl + flumioxazin
294	ALLIERBRASIL	17126	ASAFAT SG 8	乙酰甲胺磷 Acephate
295	ALBAUGH	17226	TANDEM	百菌清 + 烯酰吗啉 Chlorothalonil + dimethomorph
296	RAINBOW	17326	ANOLINEX	2,4-滴 + 氯氮吡啶酸 2,4-D + aminopyralid
297	RAINBOW	17426	BASTNATE FULL	草铵膦 Glufosinate-ammonium
298	BIORISK	17526	MESOTRIONE 480 SC BINNONG	硝磺草酮 Mesotrione
299	RAINBOW	17626	TITULO PLUS	精异丙甲草胺 + 甲磺草胺 S-metolachlor + sulfentrazone
300	SOMAX	17726	FULLTIME	敌草快 Diquat
301	LEMMA	17826	GLYPHOSATE SINO-AGRI 720 WG	草甘膦 Glyphosate
302	PILARQUIM	17926	SAMURAI TOP	高效氯氟氰菊酯 + 虱螨脲 Lambda-cyhalothrin + lufenuron
303	RAINBOW	18026	BOTAIM XTRA	甲咪唑烟酸 + 咪唑烟酸 Imazapic + imazapyr
304	OURO FINO	18126	HAXXIS	高效氟吡甲禾灵 Haloxyfop-P-methyl
305	IMP	18226	SARGAS EVO	<i>Bacillus thuringiensis</i>
306	SYNGENTA	18326	REFLECT TOP SC	苯醚甲环唑 + 吡唑萘菌胺 Difenoconazole + isopyrazam
307	HELM	18426	HDB 340	草铵膦 + 精喹禾灵 Glufosinate-ammonium + quizalofop-P-ethyl
308	RAINBOW	18526	BOSPEL PLUS	啶酰菌胺 + 啉菌环胺 Boscalid + cyprodinil
309	RAINBOW	18626	BESTROLE PLUS	氯虫苯甲酰胺 + 虫螨腈 Chlorantraniliprole + chlorfenapyr
310	AGROBEATS	18726	HALOLAND XTRA	烯草酮 + 高效氟吡甲禾灵 Clethodim + haloxyfop-P-methyl
311	RAINBOW	18826	DITAILB	敌草隆 + 甲磺草胺 Diuron + sulfentrazone
312	PERTERRA	18926	TRIFLOXISTROBIN YN 500 WG PERTERRA	肟菌酯 Trifloxystrobin
313	BIORISK	19026	AMETRINA 500 SC BINNONG	莠灭净 Ametryn
314	NOVA	19126	BIONOVA SANUS BOVE SC	<i>Beauveria bassiana</i>
315	CHDS	19226	FLASHER MAX	乙虫腈 Ethiprole
316	TECNOMYL	19326	ISOXAFLUTOLE 750 WG TECNOMYL	异噁唑草酮 Isoxaflutole
317	TECNOMYL	19426	CETRIX	乙虫腈 Ethiprole
318	SOLUS	19526	IMAZETAPIR 700 WG CROP	咪唑乙烟酸 Imazethapyr
319	SYNGENTA	19626	CYPRESS BOLD	苯醚甲环唑 + 戊唑醇 Difenoconazole + tebuconazole
320	ALLIERBRASIL	19726	TOFORDEE	2,4-滴 2,4-D
321	CHDS	19826	TRELLUS	丁苯吗啉 Fenpropimorph
322	ALBAUGH	19926	ISOXAFLUTOL WG ALBAUGH 02	异噁唑草酮 Isoxaflutole
323	SYNCROM	20026	CLETOWEED 240 EC	烯草酮 Clethodim
324	PERTERRA	20126	ESPIRODICLOFEN 240 SC PERTERRA	螺螨酯 Spirodiclofen
325	PERTERRA	20226	DIQUAT YN 200 SL PERTERRA	敌草快 Diquat
326	SOLUS	20326	SURRATEIRO BR	高效氯氟氰菊酯 Lambda-cyhalothrin
327	NAVE	20426	QUALYBIO META CONTROL	<i>Metarhizium anisopliae</i>
328	PROREGISTROS	20526	CLODINAFOP-PROPARGYL 240 EC LIER	炔草酯 Clodinafop-propargyl
329	BIORISK	20626	DIFLUBENZURON 480 SC GHARDA	除虫脲 Diflubenzuron
330	ALLIERBRASIL	20726	SENHA 648 SL	草甘膦异丙胺盐 Glyphosate-isopropylammonium
331	AGROBEATS	20826	SUPERQUAT 200 SL	敌草快 Diquat
332	PERTERRA	20926	AZOXISTROBINA 250 SC PERTERRA	啉菌酯 Azoxystrobin
333	ALBAUGH	21026	ACETAMIPRIDO+BIFENTRINA SC ALBAUGH 02	啉虫脒 + 联苯菊酯 Acetamiprid + bifenthrin
334	ADAMA	21126	FANTASTIC SUPRA BR	联苯菊酯 + 氟啉虫酰胺 Bifenthrin + sulfoxaflor
335	HELM	21226	KRIEGER	吡虫啉 + 高效氯氟氰菊酯 Imidacloprid + lambda-cyhalothrin
336	GHEENVET	21326	CINERAGRO METARHIZIUM	<i>Metarhizium anisopliae</i>
337	ALBAUGH	21426	PREFER MAX	草铵膦 Glufosinate-ammonium
338	SUMITOMO	21526	OPTERAEVO	氯虫苯甲酰胺 Chlorantraniliprole

农药登记 – 2026年上半年

Pesticide Registration Approvals in Brazil – 1H26

2026年2月2日第6号法令 – 2026年2月9日发布 – 批准制剂产品登记 Act No. 6 from 2/2/26 – Published on 2/9/26 – Approval of registrations of formulated products				
登记持有人 Registrant	商品名(注册号) Brand Name (registration)	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
ALLIERBRASIL	GLUCCI (126)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato-Amonium Técnico SD) Jiangsu Good Harvest-Weien Agrochem. Co., Ltd. - Laogang, Qidong, Jiangsu, China	草铵膦 Glufosinate-ammonium 200 g/L SL
CCAB	FLUTRIAFOL CCAB 500 SC (226)	类别4 - 轻微毒性 环境等级 III - 危险 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Flutriafol Técnico Proventis) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. & Tech. Develop. Area, Zhejiang, China	粉唑醇 Flutriafol 500 g/L SC
SYNGENTA	KARATE DUO (326)	毒性等级 2 - 剧毒 环境危害等级 I - 对环境高度危险 Tox. clas. 2 - Highly toxic Env. clas. I - Highly dangerous	(Bifenthrin Técnico Yangnong) Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Bifenthrin Técnico Bharat) Bharat Rasayan Ltd. - 2 Km Stone, Madina-Mokhra Rd., Mokhra, Rohtak, Haryana, India; (Lambda-Cyhalothrin Técnico SYN) Youth Chemical Co., Ltd. - 3 Dalian Rd., Yangzhou Chem. Ind. Zone, Yzheng, Yangzhou, Jiangsu, China; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Bharuch, Gujarat, India; Bharat Rasayan Ltd. - 42/4, Amod Rd., GIDC, Ind. Estate, Dahej, Bharuch, Gujarat, India; (Lambda-cyhalothrin Técnico ICI) Syngenta Ltd. - Huddersfield Manufacturing Centre, A 38, Huddersfield, West Yorkshire, England	联苯菊酯 300 + 高效氯氟氰菊酯 200 Bifenthrin 300 + lambda-cyhalothrin 200 g/L EC
PROREGISTROS	DICAMBA 480 G/L SL WYNCA (426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Dicamba Técnico Wynca) Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	麦草畏 Dicamba 578 g/L SL
ALTA	PETREN (526)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Diclosulam Técnico Alta) Jiangsu Agrochem Laboratory Co., Ltd. - 1218, North Changjiang Rd., Hi-Tech Develop. Zone, Changzhou, Jiangsu, China	双氯磺草胺 Diclosulam 840 g/kg WG
BAYER	XIVANA PRIME (626)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Fluoxapirolin Técnico) Bayer AG - Yodogawa Factory, Chem. Park, Dormagen, Germany	氟沙匹罗林 Fluoxapirolin 20 g/L SC
PERTERRA	CLETHODIM R 240 EC B2 (726)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Cletodim Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong China; Ningxia Rainbow Chemical Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	烯草酮 Clethodim 240 g/L EC
PERTERRA	GLIFOSATO 720 WG B2 (826)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato G Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	草甘膦铵盐 Glyphosate-ammonium 792.5 g/kg WG
KOPPERT	KBR- T1H57OD1 (926)	毒性类别 5 – 产品不太可能造成急性危害 环境分类 IV级 - 低危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Koppert do Brasil Holding S.A. - Rod. Margarida da Graça Martins, SP-135, km. 17, 5, Água seca, Piracicaba, SP, Brasil; Koppert do Brasil Holding S.A. - Via Vicente Verdi, 758- Ind.- Charqueada, SP, Brasil; Koppert B.V. - Veilingweg 14, 155, Berkel en Rodenrijs, Netherlands	<i>Trichoderma asperelloides</i> ESALQ 1306 29 g/L OD

PERTERRA	GLUFOSINATO 200 SL B2 (1026)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato de Amônio Técnico Sino-Agri) Hebei Veyong Bio - Chemical Co., Ltd. - 6, Middle Huagong Rd. Circula on Chem. Ind. Park Shijiazhuang, Hebei, China; Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Shijiazhuang, Hebei, China	草铵膦 Glufosinate-ammonium 200 g/L SL
PERTERRA	S-METOLACLOR 960 EC B2 (1126)	类别4 - 轻微毒性 二级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(S- Metolachlor Técnico Sino- Agri) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - 516, Yongxin Rd., Binbei, Binzhou, Shandong, China	精异丙甲草胺 S-metolachlor 960 g/L EC
PERTERRA	TRIFLOXY + PROTHIO B2 (1226)	毒性类别 5 – 产品不太可能造成急性危害 二级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxystrobin Técnico Perterra) Jiangsu Jiannong ABA Agrochem. Co., Ltd. - Huanghai Rd., Yanhai Ind. Park Binhai, Jiangsu, China; (Prothio Técnico Perterra) Aba Chem. Nantong Ltd. - 26, 4th Haibin Rd. Coastal Econ. Develop. Zone Rudong, Jiangsu, China	丙硫菌唑 175 + 肟菌酯 150 g/L SC Prothioconazole 175 + trifloxystrobin 150 g/L SC
PERTERRA	ACETA+BIF B2 (1326)	毒性等级 4 - 轻微毒性 环境 I 级 - 高度危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Acetamidrido Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Zone Weifang, Shandong, China; (Bifentrina Técnico Rainbow) Qingdao Rainbow Chemical Co., Ltd. - Xinha Eco-Chem. Science and Tech. Industry Base Qingdao, Shandong, China	啶虫脒 250 + 联苯菊酯 250 g/kg WG Acetamidrid 250 + bifenthrin 250 g/kg WG
PERTERRA	CLOROTALONIL C 720 SC B2 (1426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Clorotalonil Técnico Agrisor) Jiangsu Xinha Agrochemical Co., Ltd. - 19 Xingang Rd., Econ. Develop. Zone - Xinyi, Jiangsu, China; Jiangsu Xinha Agrochemical Co., Ltd. - 55, Jingjiu Rd., Econ. Develop. Zone, Xinyi, Jiangsu, China	百菌清 Chlorothalonil 720 g/L SC
PERTERRA	TRICLOPIR 667 EC B2 (1526)	毒性等级 4 - 轻微毒性 二级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Triclopyr- Butotyl Técnico Sino- Agri) Lier Chemical Co., Ltd. - Econ. and Technical Develop. Zone, Mianyang, Sichuan, China	三氯吡氧乙酸丁氧基乙酯 Triclopyr-butotyl 667 g/L EC
PERTERRA	LUFENURON 50 EC B2 (1626)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Lufenuron Técnico Sino- Agri) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian Shijiazhuang, Hebei, China	虱螨脲 Lufenuron 51.5 g/L EC
PERTERRA	ATRAZINA 900 WG B2 (1726)	毒性类别 5 – 产品不太可能造成急性危害 二级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Atrazine Técnico Sino- Agri) Shandong Dehao Chemical Co., Ltd. - Lingang Chem. Park Binhai Econ., Weifang, China; Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	莠去津 Atrazine 900 g/kg WG
CROPCHAM	KANKAN EC MAX (1826)	毒性等级 3 - 中等毒 环境等级 III - 危险 Tox. clas. 3 - Moderately toxic Env. clas. III - Dangerous	(Haloxifope Técnico NHP- Cropchem) Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun, Nanjing, Jiangsu, China; (Haloxifope Técnico Cropchem II) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	高效氟吡甲禾灵 Haloxifop-P-methyl 249.4 g/L EC
PERTERRA	DOMANI (1926)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Cletodim Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; Ningxia Rainbow Chemical Co., - Taisha Ind. Park, Pingluo, Ningxia, China; (Haloxifop-p- Methyl Técnico Rainbow) Shandong Luba Chem. - Loujia, Tangwang, Licheng, Shandong, China; Ningxia Rainbow Chemical Co., Ltd. - Taisha Ind. Park Pingluo Ningxia, China	烯草酮 240 + 高效 氟吡甲禾灵 123.6 g/L EC Clethodim 240 + haloxifop-P-methyl 123.6 g/L EC
NORTOX	CLORANTRANILIPROLE NORTOX (2026)	毒性类别 5 – 产品不太可能造成急性危害 二级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Cloranthraniliprole Técnico Nortox) Nortox S.A. - Rod. BR 369, Km 197, Aricanduva, Arapongas, PR, Brasil	氯虫苯甲酰胺 Chloranthraniliprole 400 g/L SC
CHDS	BUDA (2126)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Imazetapir Sapec Técnico) Jiangsu Flag Chem. Ind. Co., Ltd. - 309 Changfenghe Rd., Nanjing Chem. Ind. Park, Nanjing, China; (Imazethapyr Técnico Imazet) Jiangsu Flag Chem. Ind. Co., Ltd. - 309 Changfenghe Rd., Nanjing Chem. Ind. Park, Nanjing, China; (Fluroxypyr- Meptyl Técnico Lier) Lier Chemical Co., Ltd. - Econ. and Technical Develop. Zone, Mianyang, Sichuan, China	氯氟吡氧乙酸异辛酯 340 + 咪唑乙烟酸 167.2 g/L ME Fluroxypyr-meptyl 340 + imazethapyr 167.2 g/L ME



AgriTour - AllierBrasil 这是前往中国、印度和巴西的专属商务考察之旅。

行程将安排参观并与农化产品及生物投入品的生产商、配方商、分销商及贸易商进行会面交流。

AgriTour - AllierBrasil organizes business trips
to China, India and Brazil

Visits and meetings with manufacturers, formulators, distributors
and traders of agrochemicals and bioinputs



**Brazil - Mato Grosso, Goiás, São Paulo,
Rio Grande do Sul, Paraná**



**China - Beijing, Nanjing, Shanghai,
Hangzhou**



India - Mumbai, New Delhi, Hyderabad



+55 (11) 99330-4717



flavio.hirata@uol.com.br



www.allierbrasil.com.br



INFLORA	IN- 24- 40 (2226)	毒性和类别 5 – 产品不太可能造成急性危害 环境分类 IV级 - 低危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Inflorea Biociência Ltda. - Via Major Hilario Tavares Pinheiro, 2843, Sorocabano, Jaboticabal, SP, Brasil	<i>Trichoderma harzianum</i> IB 19/17 50 g/L EC
INFLORA	IN- 24- 35 (2326)	毒性和类别 5 – 产品不太可能造成急性危害 环境分类 IV级 - 低危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Inflorea Biociência Ltda. - Via Major Hilario Tavares Pinheiro, 2843, Sorocabano, Jaboticabal, SP, Brasil	<i>Trichoderma harzianum</i> IBLF1278 100 + <i>Trichoderma harzianum</i> IBLF1282 100 + <i>Trichoderma viride</i> IBLF1275 100 + <i>Trichoderma viride</i> IBLF1276 100 g/kg WP
TECNOMYL	LISOR (2426)	毒性和类别 5 – 产品不太可能造成急性危害 二级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Fluazinam Técnico Crystal) Cropnosys India Pvt Ltd. - 5303, Phase IV, GIDC, Vapi, Valsad, Gujarat, India; Inner Mongolia Join Dream Fine Chemical Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China; (Fluazinam Técnico CCAB) Hebei Wanquan Lihua Chemical Co., Ltd. - Kongjiazhuang, Wanquan, Hebei, China; Zhejiang Hetian Chemical Co., Ltd. - Xiasha Economical Zone, Hangzhou, Zhejiang, China; Huaian Glory Chemical Co., Ltd. - 2, Guoqiao Rd. - salt Chem. Ind. Park, Hongze, Huaian, China	氟啶胺 Fluazinam 500 g/L SC
PERTERRA	TEBUCONAZOLE 750 WG PERTERRA (2526)	毒性和类别 5 – 产品不太可能造成急性危害 二级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Tebuconazole Técnico Sulphur Mills) Sulphur Mills Ltd. - 1904, GIDC, Panoli Ind. Area, Bharuch Ankleshwar, Gujarat, India	戊唑醇 Tebuconazole 750 g/kg WG
PERTERRA	DAVERO (2626)	毒性等级 4 - 轻微毒性 二级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Picloram Técnico YN) Zhejiang Yongnong Chem. Ind. Co., Ltd. - Lantian, Yongqiang, Wenzhou, China; (2,4-D Técnico Agrisor) CAC Nantong Chemical Co., Ltd. - 4th Huanghai Rd., Yangkou Chem. Ind. Park, Rudong, Nantong, Jiangsu, China; Jiangxi Tianyu Chemical Co., Ltd. - Yanhua Rd., Xingan Salt Chem. Ind. Park, Xingan, Jiangxi, China	2,4-滴 447.22 + 氨基吡啶酸 114.76 g/L SL 2,4-D 447.22 + picloram 114.76 g/L SL
ALLIERBRASIL	ASAFAT SG 7 (2726)	类别4 - 轻微毒性 二级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico RL) Rallis India Ltd. - Plot D 26 MIDC, Lote Parshuram, Taluka-Khed, Ratnagiri, Maharashtra, India	乙酰甲胺磷 Acephate 970 g/kg
ALLIERBRASIL	ASAFAT SG 6 (2826)	类别4 - 轻微毒性 二级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico RL) Rallis India Ltd. - Plot D 26 MIDC, Lote Parshuram, Taluka-Khed, Ratnagiri, Maharashtra, India	乙酰甲胺磷 Acephate 970 g/kg
UPL	DECCOZIL 500 EC (2926)	毒性等级 4 - 轻微毒性 二级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Neozil Técnico) Laboratórios Agrochem S.L. - Tres Rieres, 10 Pol. Ind. Sur Esparreguera, Barcelona, Spain	抑霉唑 Imazalil 500 g/L EC
CROPChem	NAVOLI (3026)	毒性和类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Saflufenacil Técnico Cropchem II) Chizhou Bioagriland Multichem Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi Chizhou, Anhui, China	苯噻磺草胺 Saflufenacil 700 g/kg WG
MEGHMANI	MOL PUNCH 250 CS (3126)	毒性等级 2 - 剧毒 环境类别 II - 危险 Tox. clas. 2 - Highly toxic Env. clas. II - Dangerous	Meghmani Organics Ltd., Bharuch, Ankleshwar, Gujarat, India	高效氯氟氰菊酯 Lambda-cyhalothrin 250 g/L CS
PARTNER	BUCCULA (3226)	毒性和类别 5 – 产品不太可能造成急性危害 二级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Lufenuron Técnico Biorisk) Lianyungang Hetian Chemical Co., Ltd. - Guannan Duigougang Lianyungang, Jiangsu, China; (Pyriproxyfen Técnico ZY) Rudong Zhongyi Chemical Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone Rudong, Jiangsu, China	虱螨脲 30 + 吡丙醚 100 g/L EC Lufenuron 30 + pyriproxyfen 100 g/L EC
ALBAUGH	FOMESAFEM SL ALBAUGH 01 (3326)	毒性等级 4 - 轻微毒性 环境等级 III - 危险 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Fomesafen Técnico Agristar) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay, Shangyu Econ. & Tech. Develop. Area, Zhejiang, China; (Fomesafen Técnico Albaugh BN) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	氟磺胺草醚 Fomesafen 500 g/L SL

ALBAUGH	ILUSTRE DUO (3426)	毒性类别 5 – 产品不太可能造成急性危害 二级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobina Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Prothioconazol Técnico Albaugh I) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Prothioconazol Técnico Adama BR) Adama Brasil S/A - Av. Júlio de Castilhos, 2085, Taquari, RS, Brasil; (Prothioconazol Técnico Adama Brasil) Adama Makhteshim Ltd. - Neot Hovav, Eco-Ind. Park Beer Sheba, Israel	丙硫菌唑 175 + 腈菌酯 150 g/L SC Prothioconazole 175 + trifloxystrobin 150 g/L SC
CROPChem	VENCER DUO (3526)	毒性等级 4 - 轻微毒性 二级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Prothioconazol Técnico Cropchem) Ningxia Yifan Biotech. Co., Ltd. - 6, Guangfu Rd., New Chem. Material Park, Ningdong Energy Chem. Ind. Base, Ningxia, China; (Prothioconazol Técnico Cropchem II) Yancheng Huihuang Chemical Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone Coastal Ind. Park, Jiangsu, China; Shandong Hailir Chemical Co., Ltd. - Lingang Ind. Zone Coastal Econ. Develop. Zone Weifang, Shandong, China; (Prothioconazol Técnico Cropchem III) Anhui Jiuyi Agriculture Co., Ltd. - Hefei Circulate Econ. Zone Hefei, Anhui, China; (Prothioconazol Técnico Cropchem IV) Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone Haiyan, Zhejiang, China; (Picoxistrobina Técnico Cropchem) Rudong Zhongyi Chemical Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; (Picoxistrobina Técnico Cropchem III) Jiangsu Fopia Chemical Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone Yancheng, Jiangsu, China	啉氧菌酯 400 + 丙硫菌唑 340 g/kg WG Picoxystrobin 400 + prothioconazole 340 g/kg WG
YONON	2,4-D + PICLORAM 304 SL YONON (3626)	类别4 - 轻微毒性 二级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(2,4-D Técnico DT) Shandong Keyuan Chemical Co., Ltd. - Yinhai Ind. Park, Laizhou, Shandong, China; (Picloram Técnico YN) ZheJiang Funong Biotech Co., Ltd. - Lantian Yongqiang, Wenzhou, China	2,4-滴 422 + 氨基吡啉酸 112 2,4-D 422 + picloram 112 g/L SL
SUMITOMO	WEEDAR FULL (3726)	毒性等级 4 - 轻微毒性 环境等级 III - 危险 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Ácido Técnico Nufarm) Nufarm GmbH Co., KG - St. Peter Strasse 25, Chemiepark Linz BAU, 731, 4021, Linz, Austria; Nufarm Australia Ltd. - 103 Pipe Rd., Laverton North, Victoria 3026, Austrália; Jiangxi Tianyu Chemical Co., Ltd. - Yanhua Rd., Xing Salt Chem. Ind. Park, Xingan, Jianxi, China; (2,4-D Técnico Agrisor) CAC Nantong Chemical Co., Ltd.; (4th Huanghai Rd.) Yangkou Chem. Ind. Park, Rudong, Nantong, Jiangsu, China; Jiangxi Tianyu Chemical Co., Ltd. - Yanhua Rd., Xing Salt Chem. Ind. Park, Xingan, Jianxi, China	2,4-滴 2,4-D 675.2 g/L SL
TOTAL	BIOHAKKA (3826)	毒性类别 5 – 产品不太可能造成急性危害 环境分类 IV级 - 低危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Total Biotecnologia Indústria e Comércio S.A. - Rua Emilio Romani, 1190, CIC, Curitiba, PR, Brasil	<i>Ocimum gratissimum</i> 309.7 g/L EW
SUMITOMO	OPTERASEED (3926)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Clorantraniliprole Técnico Sumitomo) Guangan Lier Chemical Co., Ltd. - Xinqiao Ind. Park, Econ. and Technical Develop. Zone, Guangan, Sichuan, China	氯虫苯甲酰胺 Chlorantraniliprole 625 g/L FS
LEMMA	PROTHIOCONAZOL SY 480 SC (4026)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Prothioconazole SY) Synwill Yichang Chemical Co., Ltd. - 77, Tianjiahe Ave., Baiyang Ind. Park, Yichang High-Tech Zone, Hubei, China	丙硫菌唑 Prothioconazole 480 g/L SC

ADAMA	ADM.03504.I.1.B (4126)	毒性等级 4 - 轻微毒性 二级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico Adama BR) Hubei Sanonda Co., Ltd. - 93, East Beijing Rd., Juingzhou, Hubei, China; Adama Ltd. - Nongji Rd., Shashi, Jingzhou Develop. Zone, Jingzhou, Hubei, China; (Bifentrina Técnico Adama BR) Youjia Crop Protection Co., Ltd. - Fith TongHai Rd., Rudong Coastal Econ. Develop. Zone Jiangsu, China; (Bifentrina Técnico Adama Brasil) Meghmani Organics Ltd. - GIDC Ind. Estate, Ankleshwar, Baruch, Gujarat, India; (Bifentrina Técnico Milenia) Makhteshim Chem. Works Ltd. - Ramat Hovav, Beer Sheva, Israel; Aimco Pesticides Ltd. - B1/1 MIDC Ind. Area, Lote Parshuram PB 9 Awshi Ratnagiri Maharashtra, India; (Bifentrina Técnico Mil) Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone Jiangsu, China	乙酰甲胺磷 850 + 联苯菊酯 35 Acephate 850 + bifenthrin 35 g/kg WG
INDOFIL	GRUMA 04 SC (4226)	毒性类别 5 – 产品不太可能造成急性危害 二级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Mancozeb Técnico Indofil) Indofil Industries Ltd. - Azad Nagar, Sandoz Baug, Off Ghodbunder Rd., Near Chitalsar, Manpada, Thane, India; Indofil Industries Ltd. - N7, 1/Z8, Sez Dahej Ltd., Sez Dahej Distr. Bharuch Taluka Vagra, Bharuch, Gujarat, India; (Mancozeb Técnico) Dow Agrosiences Ind. Ltda. - Av. Pres. Castelo Branco, 3200, Jacarei, SP, Brasil; (Mancozeb Técnico Nortox) Limin Chemical Co., Ltd. - 31 Xintan Rd., Ind. Develop. Zone of Xinyi, Xinyi, Jiangsu, China; (Mancozeb Técnico Nortox II) Hebei Shuangji Chemical Co., Ltd., East Suburb, Xinji, Hebei, China; (Difenoconazole Técnico Udragon) Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China; (Score Técnico) Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China	苯醚甲环唑 30 + 代森锰锌 495 g/L SC Difenoconazole 30 + mancozeb 495 g/L SC
SYNGENTA	RIKALI SC (4326)	毒性等级 4 - 轻微毒性 二级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Isopirazam Técnico) Syngenta Nantong Crop Protection Co., Ltd. - 1 Zhongyang Rd., Nantong Econ. & Tech. Develop. Area, Nantong, Jiangsu, China; Deccan Fine Chem India Pvt Ltd. - GIDC, Ind. Estate, Bharuch, Ankleshwar, Gujarat, India; Syngenta Crop Protection Monthey S.A. - Route de l'Ile-au Bois, 1870 Monthey, Switzerland; Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Ciproconazol Técnico SYN) Bayer (Schweiz) AG - Rothausstrasse 61, Muttentz 1, Switzerland; Saltigo GmbH - Operations Chem. Park Leverkusen, Leverkusen, Germany; Deccan Fine Chem India Private Ltd. - Kesavaram, Venkatanagaram Post, Payakaraopeta Mandal, Visakhapatnam, Andhra Pradesh, India; (Cyproconazole Técnico) Bayer Cropscience Schweiz AG - 61, Rothausstrasse, Muttentz, Muttentz, Switzerland	环丙唑醇 80 + 吡唑萘菌胺 125 g/L SC Cyproconazole 80 + isopirazam 125 g/L SC
TECNOMYL	ERRADICUR MAX (4426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Tebuconazol Técnico Tecnomyl) Jiangsu Sevencontinent Green Chemical Co., Ltd. - 28 Chengbei Rd., Zhangjiagang, Jiangsu, China; Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Gulf Fine Chem. Zone, Zhejiang, China; Jiangsu Sevencontinent Green Chemical Co., Ltd. - North of Dongsha Chem-Zone, Zhangjiagang Jiangsu, China; (Tebuconazol Técnico FG) Jiangsu Fengdeng Crop Science Co., Ltd. - Dengguan, Jintan, Changzhou, Jiangsu, China	戊唑醇 Tebuconazole 430 g/L SC
AGRIBIOL	METATOP (4526)	毒性类别 5 – 产品不太可能造成急性危害 环境分类 IV级 - 低危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Allbiom Biotecnologia Ltda. - Rod. Abração Assed, SP-333, Km 4, Zona Rural, Cajuru, SP, Brasil	<i>Metarhizium anisopliae</i> IBCB 425* 200 g/kg WP



Products registration in Brazil

Approval registrations 已批准登记

Glyphosate Technical 97% 草甘膦原药
 Glufosinate-ammonium Technical 95% 草铵膦原药
 2,4-D Technical 98% 2,4-D原药
 Dicamba Technical 98% 麦草畏原药
 Amicarbazone Technical 97% 氨基草酮原药
 Glyphosate ammonium Salt 720g/kg WG (SENHA WG , TRACKING 720 WG) 草甘膦颗粒剂
 Glyphosate IPA Salt 480g/L SL (SENHA SL) 草甘膦水剂
 Glyphosate IPA Salt 648g/L SL (SENHA 648 SL) 草甘膦水剂
 Glyphosate K Salt 620g/L SL (SENHA K 620 SL) 草甘膦水剂
 Glufosinate-ammonium Salt 200g/L SL (PROTERRA) 草铵膦水剂
 2,4-D DMA 806 Salt SL (CANAL) 2,4-D水剂

On-going registrations 正在开展的登记

Fungicides 杀菌剂

Shenqinmycine 1% SC 申嗟霉素悬浮剂
 Prothioconazole Technical 98% 丙硫菌唑原药
 Prothioconazole 500g/L SC 丙硫菌唑500g/L 悬浮剂
 Pyraclostrobin Technical 98% 吡唑醚菌酯原药
 Prothioconazole 20% +Pyraclostrobin20% SC 丙硫菌唑+吡唑醚菌酯 悬浮剂

Herbicides 除草剂

Amicarbazone 70% WG 氨基草酮颗粒剂
 Tembotrione Technical 96% 环磺酮原药
 Tembotrione 420g/L SC 环磺酮悬浮剂
 Glyphosate ammonium Technical 96% 草甘膦铵盐原药
 Glyphosate potassium 620g/L Salt SL 草甘膦钾盐水剂
 S-metolachlor Technical 96% 精异丙甲草胺原药
 S-metolachlor 960g/L EC 精异丙甲草胺乳油
 Dicamba 480g/L Salt SL 麦草畏水剂
 88% Glufosinate-ammonium SG 草铵膦可溶粒剂

Insecticides 杀虫剂

Diafenthiuron Technical 97%
 丁醚脲原药
 Diafenthiuron 500g/L SC
 丁醚脲悬浮剂
 Indoxacarb Technical 97%
 茚虫威原药
 Indoxacarb 30% WG
 茚虫威水分散粒剂

2026年2月13日第9号法令 – 2026年2月18日发布 – 批准原药产品登记 Act No. 9 from 2/13/26 – Published on 2/18/26 – Approval of registrations of technical products				
登记持有人 Registrant	商品名 (登记证号)	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
SYNCROM	ESPIRODICLOFENO TÉCNICO SYNCROM (TC00126)	等效毒理学概况 环境川级-危险产 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Kangqiao Bio- Tech. Co., Ltd. - Lvyi Ind. Park, Boxing, Shandong, China	螺螨酯 Spirodiclofen
ALLIERBRASIL	PROPICONAZOL TÉCNICO SOLUS (TC00226)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Heben Biochemical Co., Ltd. - 20, 2nd Haibin Rd., Yangkou Chem. Area, Rudong, Jiangsu, China	丙环唑 Propiconazole
MONSANTO	XTEND MEA PREMIX (TC00326)	未分类 环境川级-危险产品 Tox. clas. - No classification Env. clas. III - Dangerous	Bayer Cropscience LP - Luling Plant, River Rd., Luling, Louisiana, USA	麦草畏 Dicamba
HELM	MESOTRIONA D TÉCNICO HELM (TC00426)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhangye Dagong Pesticide Chemical Co., Ltd. - Northeast Suburb Ind. Zone, Ganzhou Zhangye, Gansu, China	硝磺草酮 Mesotrione
TECNOMYL	AMICARBAZONA TÉCNICO TECNOMYL (TC00526)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Eco Chem. Ind. Park - Xiangshui, Yancheng, Jiangsu, China	氨唑草酮 Amicarbazone
BIORISK	AIMCO ERVATOX TÉCNICO (TC00626)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Aimco Pesticides Ltd. - B1/1, MIDC Ind. Area, Lote Parshuram, 9, Awashi, Ratnagiri, Maharashtra, India	三氯吡氧乙酸丁 氧基乙酯 Triclopyr-butotyl
HEMANI	V METRIBUZIN TÉCNICO (TC00726)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hemani Crop Care Private Ltd. - GIDC, Sayakha, Taluka, Vagra, Bharuch, Gujarat, India	噻草酮 Metribuzim
BIORISK	CLORFENAPYR TÉCNICO HAILIR (TC00826)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Qingdao Hengning Biotech. Co., Ltd. - 12, Haipu North Rd., Xinhe ECo. Chem. Tech. Ind. Base, Pingdu, Shandong, China	虫螨腈 Chlorfenapyr
ALLIERBRASIL	INDOXACARBE TÉCNICO SOL (TC00926)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Nantong Shizhuang Chemical Co., Ltd. - 2nd Huanghai Rd., Yangkou Chem. Ind. Park, Rudong, Jiangsu, China	茚虫威 Indoxacarb
PROSPECTA	TEBUCONAZOLE TÉCNICO ZH (TC01026)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Liaoning Zhonghui Biotech. Co., Ltd. - Yimatu, Yimatu, Fluorine Industry Develop. Zone, Fumeng, Fuxin, Liaoning, China	戊唑醇 Tebuconazole
PROSPECTA	TRIFLOXYSTROBIN TÉCNICO ZH (TC01126)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Liaoning Zhonghui Biotech. Co., Ltd. - Yimatu, Yimatu, Fluorine Industry Develop. Zone, Fumeng, - Fuxin, Liaoning, China	肟菌酯 Trifloxystrobin
SOLAGRO	MESOTRIONE TÉCNICO DAGONG (TC01226)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Zhangye Dagong Pesticide Chemical Co., Ltd. - Northeast Suburb Ind. Zone, Ganzhou Zhangye, Gansu, China	硝磺草酮 Mesotrione
BIORISK	SPIRODICLOFEN TÉCNICO KANGQIAO (TC01326)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Kangqiao Bio- Tech. Co., Ltd. - Lvyi Ind. Park, Boxing, Shandong, Binzhou, China	螺螨酯 Spirodiclofen
CROPCHEM	ESPIRODICLOFENO TÉCNICO CROPCHEM II (TC01426)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Kangqiao Bio- Tech. Co., Ltd. - Lvyi Ind. Park, Boxing, Shandong, Binzhou, China	螺螨酯 Spirodiclofen
CHANGQING	FLONICAMID TÉCNICO SJ (TC01526)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Jingbo Biotech. Co., Ltd. - 112, Heng Ye 1st Rd., Econ. Develop. Zone, Zhanhua, Shandong, China	氟啶虫酰胺 Flonicamid
ADAMA	ESPIRODICLOFENO TÉCNICO ADA (TC01626)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Kangqiao Bio- Tech. Co., Ltd. - Lvyi Ind. Park, Boxing, Shandong, Binzhou, China	螺螨酯 Spirodiclofen



Bestowing Research to Life

RAHA



LIFE SCIENCES

Consultant Services

Experienced, Reliable, Fast and Dedicated

Regulatory Services in India

RAHA Life Science Consultancy offers expert services in Agrochemical/Crop Protection & Biopesticide Registration, BioStimulant & Fertilizer Inclusion in India & Overseas, Pesticide & Fertilizer Manufacturing License, Biocide Submission, Reach & Industrial Chemicals Compliance, Labels & MSDS Preparation, and Strategic Regulatory Advice.

We also provide Trademark/Patent Support, Toll Manufacturing Coordination, and assist with recognitions from DST, DBT, BIRAC, NRDC, BCIL, and Organic Certifications (CUC, EU, and more).



Rajani Devi Kashi Reddy

Email : regulatory.raha@gmail.com

Cell / WahatsApp : +91 82472 96970

CHANGQING	TIAMETOXAM TÉCNICO HY- GREEN (TC01726)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Changqing Agrochem. Co., Ltd. - 8 Sanjiang Rd., Jiangdu Econ. Develop. Zone, Yangzhou, Jiangsu, China	噻虫嗪 Thiamethoxam
SYNCROM	PROTHIOCONAZOL TECNICO EA (TC01826)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Lion Agrevo Jiangsu Co., Ltd. - 16, 2nd Haibin Rd., Chem. Ind. Park, Yangkou Coastal Econ. Develop. Zone, Rudong Jiangsu, Jiangsu, China	丙硫菌唑 Prothioconazole
BIORISK	ETIPROLE TÉCNICO YN (TC01926)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Ningxia Yifan Biotech. Co., Ltd. - 6, Guangfu Rd., New Chem. Material Park, Ningdong Energy Chem. Ind. Base, Ningxia, China	乙虫腈 Ethiprole
HELM	NICOSSULFUROM JR TÉCNICO HELM (TC02026)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Reopnt Agrochem. Co., Ltd. - 18, Haibin 2 Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China	烟嘧磺隆 Nicosulfuron
PROREGISTROS	FORWARD PROTHIOCONAZOLE TÉCNICO (TC02126)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Inner Mongolia Miraculous Crop Science Co., Ltd. - Bayin Aobao Ind. Park, Alxa Econ. Develop. Zone Alxa League - Inner Mongolia, China	丙硫菌唑 Prothioconazole
CHANGQING	EPOXICONAZOL TÉCNICO HY- GREEN (TC02226)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3 Haibin Rd., Chem. Ind. Zone, Open Coastal Econ. Zone, Rudong, Nantong, Jiangsu, China	氟环唑 Epoxiconazole
BRA	BIFENTRINA TÉCNICO BRA II (TC02326)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Meghmani Organics Ltd. - GIDC, Ind. Estate, Ankleshwar, Bharuch, Gujarat, India	联苯菊酯 Bifenthrin
SYNCROM	2,4-D TÉCNICO NGC (TC02426)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Capital Industry Construction Tech. Co., Ltd. - South of Xinyongshen Rd., Binbei, Bincheng, Binzhou, Shandong, China	2,4-滴 2,4-D
NORTOX	TERBUTILAZINA TÉCNICO NORTOX (TC02526)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhanhua Goalsun Fine Chemical Co., Ltd. - Binhai Ind. Park, Zhanhua Binzhou, Shandong, China	特丁津 Terbuthylazine
MEGHMANI	TÉCNICO MEGANIL (TC02626)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Meghmani Organics Ltd. - GIDC, Ind. State, Bharuch, Ankleshwar, Gujarat, India	氟虫腈 Fipronil
ZHONSHAN	FLUMIOXAZINA TÉCNICO ZS (TC02726)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shanxi Anrui Pharmaceuticals Co., Ltd. - Yetianshi Rd., Pharmaceutical Park, Econ. Develop. Zone, Huairan, Shanxi, China	丙炔氟草胺 Flumioxazin
UPL	CLORFENAPIR TÉCNICO UPL BR	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Qingdao Hengning Biotech. Co., Ltd. - 12, Haipu North Rd., Xinhe ECo. Chem. Tech. Ind. Base Pingdu, Shandong, China	虫螨腈 Chlorfenapyr
ZHONSHAN	PROPICONAZOLE TÉCNICO ZS (TC02926)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Weifang Shuangxing Pescide Co., Ltd. - North of Ind. Street, Binhai Develop. Zone, Weifang, Shandong, China	丙环唑 Propiconazole
TECNOMYL	CLOROTALONIL TÉCNICO TECNOMYL II (TC03026)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Dacheng Bio- Chemical Co., Ltd. - 222, Changguo East Rd., Zhangdian District, Shandong, Zibo, China	百菌清 Chlorothalonil
PROREGISTROS	FLUMIOXAZINA TÉCNICO GREENCHEM (TC03126)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Proregistros Registros de Produtos Ltda.	丙炔氟草胺 Flumioxazin

2026年2月27日第11号法令 – 2026年3月13日发布 – 批准制剂产品登记 Act No. 11 from 2/27/26 – Published on 3/13/26 – Approval of registrations of formulated products				
登记持有人 Registrant	商品名(注册号) Brand Name (registration)	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
MONSANTO	ROUNDUP TRANSORB TOP (4626)	类别4 - 轻微毒性 环境等级 III - 危险 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Glifosate Técnico Monsanto) Monsanto do Brasil Ltda. - Av. Carlos Marcondes, 1200, Km 159, 5, Limoeiro- São José dos Campos, SP, Brazil; Bayer Cropscience LP - River Rd., Luling, Louisiana, USA; Bayer Cropscience LP(Muscatine Plant) - 2.500 Wiggins Rd.- Muscatine- Iowa- 52761, USA; Monsanto Argentina S.A.I.C., Zarate Plant Ruta 12, Km 83.100, Zarate, 2800, Argentina; Monsanto Europe S.A. - Antwerp Plant, Scheldelaan 460, Antwerp, Lillo, 2040, Belgium	草甘膦 Glyphosate 705 g/L SL
RL CONTROLE BIOLÓGICO	AGRITÉZIA (4726)	未分类 环境等级IV-低危险性 Tox. clas. - No classification Env. clas. IV - Slightly dangerous	RL Controle Biológico Ltda. - Rua Baltazar Rodrigues, 900, Centro, Promissão, SP, Brazil	<i>Cotesia flavipes</i> 750 头/胶囊 wasps/capsule
VIVA	DOUBLECOMBAT (4826)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Viva Soluções Biológicas Ltda. - Rua dos Cravos, 300 Armz. 02, Distrito Ind., Machado, MG, Brazil	<i>Beauveria bassiana</i> IBCB 66 200 + <i>Metarhizium anisopliae</i> IBCB 425 200 g/kg WP
BELLACOTESIA	BELLACOTESIA Controle Biológico (4926)	未分类 环境等级IV-低危险性 Tox. clas. - No classification Env. clas. IV - Slightly dangerous	Bellacotesia Controle Biológico LTDA. - Rua Jamil Adas, 170, Jardim Oriente, Tupi Paulista, SP, Brazil	<i>Cotesia flavipes</i> 750 头/胶囊 wasps/capsule
SYNGENTA	BOUNDARY (5026)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Metribuzin Técnico UPL) UPL Ltd. - 3- 11GIDC, Vapi, Gujarat, India; (Metribuzin Técnico Syn) Rallis india Ltd. - Dahej SEZ Part II, Lakhigam, Taluka, Vagra, Bharuch, Gujarat, India; (Metribuzim Tradecorp Técnico) Jiangsu Flag Chem. Ind. Co., Ltd. - Changfenghe Rd., Nanjing Chem. Ind. Park, Luhe, Nanjing, Jiangsu, China; (S- Metolacoloro Técnico Novartis) CABB AG - Dungenstrasse 81, Pratteln, Switzerland (S- Metolacoloro Técnico Adama) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang I, Shandong, China; (S- Metolacoloro Técnico Adama BR) Hangzhou Nutrichem Company Ltd. - 9777, Hong-Shiwu Rd., Linjiang Ind. Park, Xiaoshan, Hangzhou, Zhejiang, China; (S- Metolacoloro Técnico Adama Brasil) Shandong Zhongnong Minchang Chem. Ind. Co., - Ltd. - 516, Yongxin Rd., Binbei, Binzhou I, Shandong, China	精异丙甲草胺 628.13 + 噻草酮 149.36 g/L EC S-metolachlor 628.13 + metribuzim 149.36 g/L EC
SYNGENTA	VICTRATO FLEX (5126)	未分类 环境III级-危险产品 Tox. clas. - No classification Env. clas. III - Dangerous	(Tymirium Técnico) Syngenta Crop Protection Monthey SA - Route de l'Île au Bois, Monthey, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Münchwilen, Switzerland	环丁氟菌胺 Cyclobutrifluram 450 g/L SC
BAYER	FOX XPRO CLONE B (5226)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Bixafen Técnico) Bayer AG - Chempark, Dormagen, Germany; (Proline Técnico) Bayer AG - Chempark, Dormagen, Germany; Bayer CropScience LP - 8400 Hawthorn Rd., Kansas, Missouri, USA; Saltigo GmbH - Chempark Leverkusen, Germany; (Prothioconazole Técnico Hailir) Shandong Hailir Chemical Co., Ltd. - Lingang Ind. Zone - Coastal Econ. Develop. Zone, Shandong, China; (Trifloxystrobin Técnico) Bayer CropScience Schweiz AG - Rothausstrasse 61, Muttentz, Switzerland	联苯吡菌胺 125 + 丙硫菌唑 175 + 肟菌酯 150 g/L SC Bixafen 125 + prothioconazole + trifloxystrobin 150 g/L SC
ALTA	PROTHIOCONAZOL + TRIFLOXISTROBINA ALTA 325 SC (5326)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Jiangsu Jiannong ABA Agrochem. Co., Ltd. - Park, Binhai, Jiangsu, China Prothioconazole Técnico NT) ABA Chem. Nantong Ltd. - 26, 4th Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu China	丙硫菌唑 175 + 肟菌酯 150 g/L SC Prothioconazole 175 + trifloxystrobin 150 g/L SC

OXON	NKF 144 (5426)	类别4 - 轻微毒性 环境Ⅱ级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Terbuthylazine Técnico) Sipcam Oxon S.P.A. - Strada Provinciale per Torre Beretti, Km 2, 6, Mezzana Bigli (PV) - Provincia di Pavia, 27030, Italy; Hebei Shanli Chemical Co., Ltd. - Eighteenth Team, Zhongije Farm, Cangzhou, Hebei, China; (Mesotrione Técnico Oxon) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China; (Mesotrione Técnico Oxon II) Anhui Zhongshan Chem. Ind. Co., Ltd. - Xiangyu Chem. Ind. Park, Dongzhi Anhui, China; Hebei Shanli Chemical Co., Ltd. - Eighteenth Team, Cangzhou, Hebei, China	硝磺草酮 70 + 特丁津 400 g/L SC Mesotrione 70 + terbuthylazine 400 g/L SC
BIORISK	ATRAZINA 900 WG EAGROW (5526)	毒性类别 5 – 产品不太可能造成急性危害 环境Ⅱ级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	Shandong Dehao Chemical Co., Ltd. - Lingang Chem. Park Binhai Econ., Weifang, China	莠去津 Atrazine 900 g/kg WG
NOOA	DUETTUS (5626)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	NOOA Ciência e Tecnologia Agrícola LTDA. - Rod. BR 365, Zona Rural, Patos de Minas, MG, Brazil	<i>Beauveria bassiana</i> IBCB 66 2 + <i>Metarhizium anisopliae</i> IBCB 425 4 g/kg WP
BC ECOCARE	CRISOCARE (5726)	未分类 环境等级IV-低危险性 Tox. clas. - No classification Env. clas. IV - Slightly dangerous	BC Ecocare Biotecnologia Ltda. - Rua Natal, 806, Uberlândia, MG, Brazil	<i>Chrysoperla externa</i> 1500
NAVE	AGTRICH (5826)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Nave Bio Science Ltda. - Ave. Papa Pio XII, 847, Jardim Chapadão, Campinas, SP, Brazil	<i>Trichoderma harzianum</i> IB 19/17 100 g/kg WP
SOLOESTE	TIDIL (5926)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	Max Rudong Chemical Co., Ltd. - Yangkou Chem. Ind. Park Rudong, Jiangsu, China	噻苯隆 Thidiazuron 480 g/L SC
ADAMA	LIMUKILL EW (6026)	类别4 - 轻微毒性 环境Ⅱ级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Bifentrina Técnico Milenia) Adama Makhteshim Ltd. - Neot- Hovav Eco-Ind. Park, Beer- Sheeva, Israel; Aimco Pesticides Ltd. - B1/1 MIDC Ind. Area, Lote Parshuram PB 9, Awshi Ratnagiri Maharashtra India; Meghmani Organics Ltd. - Ankleshwar, Bharuch, Gujarat, India; (Bifentrina Técnico Adama Brasil) Meghmani Organics Ltd. - GIDC. Ind. Estate, Ankleshwar, Baruch, Gujarat, India; (Bifentrina Técnico Mil) Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone Jiangsu, China; (Bifentrina Técnico Adama BR) Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone Jiangsu, China; (Espiroidiclofeno Técnico Adama BR) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd. Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China; (Espiroidiclofeno Técnico Ada) Shandong Kangqiao Bio-Tech. Co., Ltd. - Lvyi Ind. Park, Boxing, Shandong, Binzhou, China; (Espiroidiclofeno Técnico Adama) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian Shijiazhuang Hebei, China	螺螨酯 206 + 联苯菊酯 104 g/L EW Spirodiclofen 206 + bifenthrin 104 g/L EW
NORTOX	CLETODIM H NORTOX (6126)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Cletodim Pré - Mistura Nortox) Nortox S/A.- Rod. BR 369, Km 197, Aricanduva, Arapongas, PR, Brazil; (Cletodim Técnico Nortox) Shandong Cynda Chemical Co., Ltd. - Econ. Develop. Area, Boxing, Shandong, China; (Cletodim Técnico Nortox II) Jiangsu Sevencontinent Green Chemical Co., Ltd. - North of Dongsha Chem - Zone, Zhangjiagang, Jiangsu, China; (Cletodim Técnico Nortox III) Liaoning Cynda Chemical Co., Ltd. - 417, Hanjiang Rd., Comprehensive Ind. Park, Econ. Develop. Zone Hiudao, Liaoning, China; (Cletodim Técnico Nortox V) Weifang Cynda Chemical Co., Ltd. - 2 of East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China; (Haloxifop Técnico Nortox) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	烯草酮 240 + 氟吡甲禾灵 123.6 g/L EC Clethodim 240 + haloxyfop-methyl 123.6 g/L EC



Laboratory profile 实验室简介

Jiangsu Authority Testing Co., Ltd (Authority Testing) is a third-party Laboratory . Authority Testing established in 2015, located in Changzhou Science & Education Town, a national high education and science park. The existing area is 1400 square meters, with a standard dioxin laboratory, instrument analysis room, physical and chemical analysis room, sample room, etc.

Authority Testing obtained the CMA qualification in November 2016 (Certificate number: 161012050690) and the CNAS qualification(ISO/IEC17025) in March 2018 (Certificate number: CNAS L10880). Authority Testing main business is dioxin testing and pesticides testing. The laboratory is equipped with first-class international and domestic brands of professional testing equipment, such as intelligent dioxin exhaust gas sampler (Laoying 3030B), intelligent air dioxin sampler (Laoying 2040C), liquid chromatography-mass spectrometry instrument (Agilent), gas chromatogram-mass spectrometry (Shimadzu), etc.

Authority Testing adheres to the "high quality, high specification, high efficiency" service principle , to provide customers with more convenient and effective service.

江苏全威检测有限公司是(以下简称“全威检测”)是一家第三方实验室。全威检测2015年成立, 位于国家级高教和科技园区常州科教城, 现有实验室面积1400 m², 建有标准的二噁英实验室、仪器分析室、理化分析室、样品室等。

全威检测于2016年11月取得CMA资质 (证书编号: 161012050690) , 于2018年03月取得CNAS (ISO/IEC17025) 资质 (证书编号: CNAS L10880) 。

全威检测主营业务为二噁英检测和农药检测。全威检测配备有国外一流品牌的专业检测设备, 如智能二噁英废气采样仪 (崂应3030B)、智能空气二噁英采样仪 (崂应2040C)、液相色谱-质谱联用仪 (Agilent) 等。

全威检测秉承“高质量、高规格、高效率”的服务宗旨, 为客户提供更加便捷有效的服务!

NORTOX	SULFENTRAZONE NORTOX (6226)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Sulfentrazone Técnico Nortox) Jiangsu Repont Pesticide Factory Co., Ltd. - 18, Haibin 2 Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; (SNT Técnico) Oriental (Luzhou) Agrochem. Co., Ltd. - B. Xinle, Naxi, Luzhou, Sichuan, China	甲磺草胺 Sulfentrazone 500 g/L SC
OURO FINO	ROAD FOUR AMINE 806 SL (6326)	类别4 - 轻微毒性 环境等级 III - 危险 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Técnico Agrisor) CAC Nantong Chemical Co., Ltd.; (4th Huanghai Rd.) Yangkou Chem. Ind. Park, Rudong, Nantong, Jiangsu, China; Jiangxi Tianyu Chemical Co., Ltd. - Yanhua Rd., Xingan Salt Chem. Ind. Park, Xingan, Jiangxi, China; (2,4-D Técnico OF) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; Jiangsu Lionchem Co., Ltd. - 16, 2nd Haibin Rd., Chem. Ind. Park, Yangkou Coastal Econ. Develop. Zone, Rudong, China	2,4-D二甲胺盐 2,4-D dimethylamine salt 806 g/L SL
CCAB	GLUFOSINATO 200 SL CCAB (6426)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato de Amônio Técnico CCAB) Jiangsu Good Harvest-Weien Agrochem. Co., Ltd. - Laogang, Qidong, Jiangsu, China; Yongnong Biosciences Co., Ltd. - 3 Weiqi Rd., Hangzhou Gulf Econ. & Tech. Develop. Zone, Shangyu, Zhejiang, China; Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China; Inner Mongolia Join Dream Fine Chemical Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, 016000, Wuhai, Inner Mongolia, China; Lier Chemical Co., Ltd. - Econ. and Technical Develop. Zone, Mianyang, Sichuan, China; Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo Ningxia, China; Changshu Pesticide Factory Co., Ltd. - South Mocheng Management, Yushan, Changshu, Jiangsu, China	草铵膦 Glufosinate- ammonium 200 g/L SL
SYNCROM	APSM (6526)	类别4 - 轻微毒性 环境 I 级 - 高度危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Pyriproxyfen Técnico NGC) Rudong Zhongyi Chemical Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone Rudong, Jiangsu, China; (Acetamiprido Técnico Sulphur Mills) Hebei Yetian Agrochem. Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China	啶虫脒 400 + 吡丙醚 160 g/kg WG Acetamiprid 400 + pyriproxyfen 160 g/kg WG
PROREGISTROS	AZOXYSTROBIN + DIFENOCONAZOLE SC LIMIN (6626)	毒性类别 5 – 产品不太可能造成 急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Azoxistrobina Técnico Adama Brasil) Hebei Veyong Bio - Chemical Co., Ltd., 6, Middle Huangong Rd., Circulation Chem. Ind. Park, Shijiazhuang, Hebei, China; (Difenoconazole Técnico Limin) Limin Chemical Co., Ltda. - Econ. Develop. Zone- Xinyi, Jiangsu, China	啞菌酯 200 + 苯醚甲环唑 125 g/L SC Azoxystrobin 200 + difenoconazole 125 g/L SC
TECNOMYL	FAVORITO 600 FS (6726)	类别4 - 轻微毒性 环境等级 III - 危险 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Imidacloprid Técnico Hailir) Hailir Pesticides and Chem. Group Co., Ltd. - East Ind. Zone Chengyang, Qingdao, Shandong, China	吡虫啉 Imidacloprid 600 g/L FS
SOMAX	GLUFIM (6826)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato Técnico Wynca) Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningcia, China	草铵膦 Glufosinate- ammonium 200 g/L SL
FMC	TECORLA (6926)	未分类 环境II级 - 非常危险 Tox. clas. - No classification Env. clas. II - Very dangerous	(Chlorantraniliprole Técnico) Du Pont Asturias S.L. - Tamón, Avilés, Asturias, Spain; E.I. Du Pont de Nemours & Co. Mobile Manufacturing Plant, Highway 43, Axis, Alabama, USA; Du Pont Agricultural Chem. Ltd. - Fábrica de Jinshan- 39, Shungong Rd., Shanghai Chem. Ind. Park, Shanghai, China	氯虫苯甲酰胺 Chlorantraniliprole 600 g/L SC

AGRIBIOL	BOVEBIOL (7026)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Allbion Biotecnologia Ltda. - Rod. Abrão Assed, SP, Brazil 333, Km 4, Zona Rural- Cajuru, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 200 g/kg WP
PROREGISTROS	SHLEM 480 SC (7126)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Golero Técnico) Agria S.A. - Asenovgradsko shose, Plovdiv, Bulgaria	除虫脲 Diflubenzurom 480 g/L SC
OXON	ARLEQUIN (7226)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Methoxyfenoziada Técnico Oxon) Jiangsu Huifeng Agrochem. Co., Ltd. - Weier Rd., South of Ocean Econ. Develop. Zone, Dafeng, Jiangsu, China	甲氧虫酰肼 Methoxyfenoziade 240 g/L SC
AGRIBIOL	ACCURATE PLUS (7326)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Agribiol - Biológicos Agrícolas Ltda- Rod. Abrão Assed, SP, Brazil 333, Km 4, Zona Rural, - Cajuru, SP, Brazil	<i>Bacillus thuringiensis</i> var. kurstaki HD- 1 S1450 700 ml/L SC
BIO	CERA TRAP (7426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Bioiberica S.A.U. - Antic Camí de Tordera, 109-119, Palafrolls, Barcelona, Spain	水解猪肠黏膜蛋白 Hydrolyzed porcine intestinal mucosa protein 55 g/kg SL
MEGHMANI	MEGAMORE (7526)	类别4 - 轻微毒性 环境 I 级 - 高度危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Acetamol Técnico) Shandong United Pesticide Ind. Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue, Taian, Shandong, China; (Bifentrin Técnico Mega) Meghmani Organics Ltd. - GIDC. Ind. Estate, Ankleshwar, Baruch, Gujarat, India	啮虫脒 125 + 联苯菊酯 125 + Acetamiprid 125 + bifenthrin 125 g/L SL
TOPBIO	NOBIC (7626)	未分类 环境等级IV-低危险性 Tox. clas. - No classification Env. clas. IV - Slightly dangerous	Topbio Insumos Biológicos, Indústria e Comércio Ltda. - Faz Famosa Sitio Gravier - SALA E- Zona Rural- TIBAU/RN -	<i>Chrysoperla externa</i> 80 DO
NORTOX	TRIFLOXISTROBINA NORTOX (7726)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobin Técnico Nortox) Yancheng Huihuang Chemical Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone, Coastal Ind. Park, Jiangsu, China; (Trifloxistrobin Técnico Nortox II) Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China; (Trifloxistrobin Técnico Nortox III) Yongnong Biosciences Co., Ltd. - 3 Weiqi Rd. Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China; (Trifloxistrobin Técnico Nortox IV) Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China; Ningbo Sunjoy Agrosience Co., Ltd. - Beihai Rd. 1165, Ningbo Chem. Ind. Zone, Xiepu, Zhenhai, Zhejiang, China	脲菌酯 Trifloxystrobin 500 g/kg WG

FMC	ZIRCON (7826)	类别4 - 轻微毒性 环境II级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Chlorantraniliprole Técnico) Du Pont Asturias S.L. - Tamón, Avilés, Asturias, Spain; E.I. Du Pont de Nemours & Co. Mobile Manufacturing Plant, Highway 43, Axis, Alabama, USA; Du Pont Agricultural Chem. Ltd. - Jinshan, 39, Shungong Rd., Shanghai Chem. Ind. Park, Shanghai, China; (Bifenthrin Técnico FMC) Zhejiang Lianhe Chem. Tech. Co., Ltd. - Sanjiang RD, Huangyan, Zhejiang, China; Jiangsu Lianhe Chem. Tech. Co., Ltd. - Weisan RD, Chenjiagang, Xiangshui, Jiangsu, China; Pyosa S.A. de C.V. Manuel Barragan 701 Nte. San Nicolas de los Garza, México; Jiangsu Huifeng Agrochem. Co., Ltd. - Weier Rd., South of Ocean Econ. Develop. Zone Dafeng, Jiangsu, China; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Talstar Técnico FMC) FMC Corporation - 1701, East Patapsco Ave., Baltimore, Maryland, USA	联苯菊酯 195 + 氯虫苯甲酰胺 60 Bifenthrin 195 + chlorantraniliprole 60 g/L SC
CHDS	HOMERO (7926)	毒性类别 5 - 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Clothianidin Técnico Hailir) Shandong Hailir Chemical Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone Weifang, Shandong, China	噻虫胺 Clothianidin 600 g/L FS
BAYER	FOX XPRO CLONE A (8026)	毒性类别 5 - 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Bixafen Técnico) Bayer CropScience AG - Alte Heestrasse, Building A 603, Dormagen, Germany; (Proline Técnico) Bayer CropScience AG - Alte Heestrasse, Building A 603, Dormagen, Germany; Bayer CropScience LP - 8400 Hawthorn Rd., Kansas, MO, USA; Saltigo GmbH - Chempark Leverkusen, Germany; (Prothioconazol Técnico Hailir) Shandong Hailir Chemical Co., Ltd. - Lingang Ind. Zone - Coastal Econ. Develop. Zone - Weifang, Shandong, China; (Trifloxystrobin Técnico) Bayer CropScience Schweiz AG - Produktion Muttens, Rothausstrasse 61, Muttens, Switzerland	氯氟联苯吡菌胺 125 + 丙硫菌唑 175 + 腈菌酯 150 g/L SC Bixafen 125 + prothioconazole 175 + trifloxystrobin 150 g/L SC
KIMITEC	REDXODUS (TU- F1) (8126)	毒性类别 5 - 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Agroindustrial Kimitec S.L. - Paraje Cerro de los Lobos, Vócar, Almería, Spain; Esencias Martinez Lozano S.A. - Crta, De Lorca Km 7 - Paraje Venta Cavilla, Caravaca de La Cruz, Murcia, Spain; Chengdu Newsun Crop Science Co., LTD. - 35 Gongye Five Rd., Heshan, Pujiang, Chengdu, Sichuan, China	香叶醇 150 + 蓝桉 <i>Eucalyptus globulus</i> 150 g/L ME Geraniol 150 + <i>Eucalyptus globulus</i> essential oil 150 g/L ME



Fruto
Agrointeligência

**EXPERTISE AND
INNOVATION**

Explore Agribusiness with Intelligence


**Confidence and a deep understanding of the market
you want to enter can significantly impact your success**

FRUTO Agrointelligence is your ally to access markets with precision. We map the entire agribusiness chain, bringing the best information, ideal partners, and customers who need your product.

We provide a 360° view of the agribusiness landscape and accelerate your entry with specific and strategic information about the market niche you want to operate in.

Transform challenges into opportunities. With FRUTO, you have the right vision and data to make assertive decisions.

Our personalized approach ensures that your product stands out in the market. We operate under strict non-disclosure agreements and follow the best practices in conduct and data protection.



**STAND OUT FROM
COMPETITORS**



SHANDONG LUBA CHEMICAL CO., LTD

OUR STRONG PRODUCTS

L-GLUFOSINATE	-----	The first ICAMA(TC & TK) and commercial production of L-glufosinate ammounium by L-HOMOSERINE ROUTE
TOPRAMEZONE	-----	The first Chinese manufacturer to obtain ICAMA and commercial production
CHLORPYRIFOS	-----	The only manufacturer with tetrachloropyridine route
FLUROXYPYR	-----	The only manufacturer with whole industry chain
HALOXYFOP-P-METHYL	-----	The earliest and biggest manufacturer in China
MALATHION	-----	The earliest and biggest manufacturer in China
FLUOPICOLIDE	-----	The earliest and biggest manufacturer in China
DIQUAT	-----	Total capacity 80,000 MT p.a.
PYRIDINE BASE	-----	Total capacity 42,000 MT p.a.
CHLOROPYRIDINE	-----	Total capacity 43,000 MT p.a.



[Http://www.lubachem.com](http://www.lubachem.com)

**Six ICAMA approved production sites.
One of the top 30 agrochemical manufacturers in China.
Professional manufacturer of pyridine-based agrochemicals.**

2026年3月27日第16号法令 – 2026年3月31日发布 – 批准原药产品登记 Act No. 16 from 3/27/26 – Published on 3/31/26 – Approval of registrations of technical products				
登记持有人 Registrant	商品名(注册号) Brand Name (registration)	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
NORTOX	FLUROXIPIR- MEPTÍLICO TÉCNICO NORTOX (TC03226)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Gansu Xinyu Chemical Co., Ltd. - 25 Tongxin Rd., Dong Yumen, Jiuquan, Gansu Provience, China	氯氟吡氧乙酸异 辛酯 Fluroxypyr-meptyl
BIORISK	CHLORANTRANILIPROLE TÉCNICO INNER (TC03326)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Biok Biology Co., Ltd. - 1 Xihuan Rd., Low Carbon Ind. Park, High-Tech Ind. Develop. Zone Hainan District, Wuhai, Inner Mongolia, China	氯虫苯甲酰胺 Chlorantraniliprole
AVGUST	MESOTRIONE TÉCNICO AVGUST (TC03426)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Agrochem Laboratory Co., Ltd. - 1218 North Changjiang Rd., Hi-Tech Develop. Zone, Changzhou, Jiangsu, China	硝磺草酮 Mesotrione
RAINBOW	CLORANTRANILIPROLE TÉCNICO CROPCHEM VI (TC03526)	等效毒理学概况 Class. amb. II - Muito Perigoso	Inner Mongolia Yongtai Chemical Co., Ltd. - 1 Xihuan Rd., Low Carbon Ind. Park, High-Tech Ind. Develop. Zone Wuhai, Inner Mongolia, China	氯虫苯甲酰胺 Chlorantraniliprole
BIORISK	LUFENURON TÉCNICO JN (TC03626)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Jiannong ABA Agrochem. Co., Ltd. - Huanghai Rd., Yanhai Ind. Park 224351 - Binhai, Jiangsu, China	虱螨脲 Lufenuron
BRILLIANCE	PICOXISTROBINA TÉCNICO BRILLIANCE (TC03726)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Eco Chem. Ind. Park, Xiangshui Yancheng, Jiangsu, China	啉菌酯 Picoxystrobin
ALLIERBRASIL	CLORANTRANILIPROLE TÉCNICO AGROW ALLIED (TC03826)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Agrow Allied Ventures Pvt. Ltd. - SP- 3- 7- B, RIICO Ind. Area, Keshwana, Kotpulti, Jaipur, Rajasthan, India	氯虫苯甲酰胺 Chlorantraniliprole
CROPCHEM	BOSCALIDA TÉCNICO CROPCHEM (TC03926)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Inner Mongolia Join Dream Fine Chemical Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China / Zhejiang Udragon Bioscience Co., Ltd. - Fangjადai Rd., Haiyan Econ. Develop., Haiyan, Zhejiang, China	啉酰菌胺 Boscalid
GHARDA	TRICLOPIR- BUTOTÍLICO TÉCNICO GHARDA (TC04026)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Gharda Chem. Ltd. - MIDC, Lote Parshuram, Taluka Khed 415722 - Ratnagiri, Maharashtra, India	三氯吡氧乙酸丁氧 基乙酯 Triclopyr-butotyl
SYNCROM	FOSETYL- AL TÉCNICO NGC (TC04126)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Dacheng Bio-Chemical Co., Ltd. - 222 Changguo East Rd., Zhangdian District, Zibo, Shandong, China	三乙膦酸铝 Fosetyl-aluminium
BIORISK	PICOXYSTROBIN TÉCNICO JD (TC04226)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Join Dream Fine Chemical Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China	啉菌酯 Picoxystrobin
CHDS	PYMETROZINE TÉCNICO CHDS (TC04326)	等效毒理学概况 Class. amb. IV - Pouco perigoso	Hebei Veyong Bio-Chemical Co., Ltd. - 6, Middle Huangong Rd., Circulation Chem. Ind. Park, Shijiazhuang, Hebei, China	吡蚜酮 Pymetrozine
CHDS	TIABENDAZOL TÉCNICO CHDS (TC04426)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Noon Crop Science Co., Ltd. - North of Xujia Fast-track Xuzhou Ind. Park Xuzhou, Jiangsu, China	噻菌灵 Thiabendazole
SYNCROM	CAPTAN TÉCNICO NGC (TC04526)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Golden Season Chem., Co, Ltd. - 3rd Puwei Rd. & 6th Pujing Rd., Tengri Econ. Develop. Zone Alashan League, Inner Mongolia Autonomous Region, China	克菌丹 Captan
SYNCROM	LUFENURON TECNICO NGC (TC04626)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Jiannong ABA Agrochem. Co., Ltd. - Huanghai Rd., Yanhai Ind. Park, Binhai, Jiangsu China	虱螨脲 Lufenuron
PROREGISTROS	NICOSULFURON TÉCNICO WYNCA (TC04726)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Gansu XinyuChemical Co., Ltd. - 9, Xingfu Rd., Building Materials Chem. Ind. Zone, Yumen, Jiuquan, Gansu, China	烟嘧磺隆 Nicosulfuron

SOLAGRO	HEXAZINONA TÉCNICO AGX II (TC04826)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Anhui Guangxin Agrochem. Co., Ltd. - Pengcun, Xinhang, Guangde 242235 Xuancheng, Anhui, China	环嗪酮 Hexazinone
ZHONGSHAN	ACEFATO TÉCNICO ZS (TC04926)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Lanfeng Biochemical Co., Ltd. - Sushua Rd., Xinyi Econ. & Tech. Develop. Zone Jiangsu, China	乙酰甲胺磷 Acephate
SYNGENTA	HEXAZINONE TECNICO SYNGENTA (TC05026)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Anhui Guangxin Agrochem. Co., Ltd. - Pengcun, Xinhang, Guangde 242235 Xuancheng, Anhui, China / Jiangsu Corechem Co., Ltd. - 18, Shilian Ave. Huaian, Jiangsu, China	环嗪酮 Hexazinone
BIORISK	CLORANTRANILIPROLE TÉCNICO SAU (TC05126)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong United Pesticide Industry Co., Ltd. - Building 1, Middle Shengli Rd., Daxin, Fan, Daiyue Distric Taian, Shandong, China	氯虫苯甲酰胺 Chlorantraniliprole
BIORISK	ACETAMIPRID TÉCNICO YANGNONG (TC05226)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Ningxia Ruitai Tech. Co., Ltd. - Fine Chem. Park, Zhongwei Industry Complex Ningxia, China	啉虫脒 Acetamiprid
BIORISK	GLUFOSINATE - AMMONIUM TÉCNICO BINNONG (TC05326)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	草铵膦 Glufosinate-ammonium
BIORISK	NICOSULFURON TÉCNICO YN (TC05426)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Anhui JiuYi Agriculture Co., Ltd. - Hefei Circulate Econ. Zone, Hefei, Anhui, China	烟嘧磺隆 Nicosulfuron
BIORISK	TERBUTILAZINA TÉCNICO BINNONG (TC05526)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhanhua Goalsun Fine Chemical Co., Ltd. - Binhai Ind. Park, Zhanhua Binzhou, Shandong, China	特丁津 Terbutylazine
CHDS	GLUFOSINATO TÉCNICO CHDS II (TC05626)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Inner Mongolia Miraculous Crop Science Co., Ltd. - Bayin Aobao Ind. Park, Alxa Econ. Develop. Zone Alxa League, Inner Mongolia, China	草铵膦 Glufosinate-ammonium
RAINBOW	FOLPETE TÉCNICO RAINBOW (TC05726)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Ningxia Rainbow Chemical Co., Ltd. - Taisha Ind. Park, Pingluo Ningxia, China	灭菌丹 folpete
NORTOX	PICOXISTROBIN TÉCNICO NORTOX VI (TC05826)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Avilive Chemical Co., Ltd. - 335 Jiangnan Rd., Hengdian Dongyang, Zhejiang, China	啉氧菌酯 Picoxystrobin
NORTOX	TIDIAZURON TÉCNICO NORTOX (TC05926)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Repons Agrochem.. Co., Ltd. - 18, Haiyou, Rd., Yangkou Rudong, Jiangsu, China	噻苯隆 Thidiazuron
NORTOX	PROTHIOCONAZOLE TÉCNICO NORTOX VII (TC06026)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Nortox S/A - Rod. BR 369, Km 197, Aricanduva, Arapongas, PR, Brazil	丙硫菌唑 Prothioconazole
NORTOX	FLUDIOXONIL TÉCNICO NORTOX II (TC06126)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Vision Fluorochem (Nanjing) Ltd. - 150 Pu Qiao Rd., Nanjing Chem. Ind. Park, Nanjing, China	咯菌腈 Fludioxonil
NORTOX	FOSETIL TÉCNICO NORTOX (TC06226)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Dacheng Bio- Chemical Co., Ltd. - 222 Changguo East Rd., Zhangdian Zibo, Shandong, China	三乙膦酸铝 Fosetyl-aluminium
NORTOX	CAPTANA TÉCNICO NORTOX (TC06326)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Golden Season Chem., Co., Ltd. - 3rd Puwei Rd. & 6th Pujing Rd., Tengri Econ. Develop. Zone Alash League, Inner Mongolia Automonus Region, China	克菌丹 Captan
RAINBOW	IMAZAMOX TÉCNICO RAINBOW (TC06426)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Zone Weifang, Shandong,China	甲氧咪草烟 Imazamox

RAINBOW	DICLOSULAM TÉCNICO RAINBOW (TC06526)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Development Area, Weifang, Shandong, China	双氯磺草胺 Diclosulam
ZHONGSHAN	FLONICAMIDA TÉCNICO ZS (TC06626)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangxi Huihe Chemical Co., Ltd. - Spark Ind. Park, Yunshan Econ. Develop. Zone Yongxiu, Jiangxi, China	氟啶虫酰胺 Flonicamid
TECNOMYL	PICOXISTROBINA TÉCNICO TECNOMYL III (TC06726)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Avilive Chemical Co., Ltd. - 335 Jiangnan Rd. Hengdian Dongyang, Zhejiang, China	啉氧菌酯 Picoxystrobin
SOLAGRO	FLUXAPYROXAD TÉCNICO NF (TC06826)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Anhui Neotec Co., Ltd. - 8, HuaYin Rd., Anhui Huaibei New Coal Chem. Ind. and Synthetic Materials Base Huaibei, Anhui, China	氟苯吡菌胺 Fluxapyroxad
BRILLIANCE	FLONICAMID TÉCNICO BRILLIANCE (TC06926)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangxi Huihe Chemical Co., Ltd. - Spark Ind. Park, Yunshan Econ. Develop. Zone Yongxiu, Jiangxi, China	氟啶虫酰胺 Flonicamid
BIORISK	CHLORANTRANILIPROLE TÉCNICO KINGTAI (TC07026)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hebi Bread Chemical Co., Ltd. - West end of Baoyuan Rd., Baoshan Circular Econ. Ind. Park Hebi, Henan, China	氯虫苯甲酰胺 Chlorantraniliprole
COROMANDEL	BOSCALIDA TÉCNICO COROMANDEL (TC07126)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Coromandel International Ltd. - 3204, GIDC, Ind. Estate, Ankleshwar - Dist Bharuch, Gujarat, India	啉酰菌胺 Boscalid
TECNOMYL	CLORANTRANILIPROLE TÉCNICO TECNOMYL (TC07226)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Avilive Chemical Co., Ltd. - 335, Jiangnan Rd., Hengdian, Dongyang, Zhejiang, China	氯虫苯甲酰胺 Chlorantraniliprole
SOLAGRO	LAMBDA- CYHALOTHRIN TÉCNICO LIWEI (TC07326)	等效毒理学概况 Class. amb. I - Altamente perigoso	Guangdong Liwei Chem. Ind. Co., Ltd. - Jintang, Maonan Maoming, Guangdong, China	高效氯氟氰菊酯 Lambda-cyhalothrin
OURO FINO	BENZOATO DE EMAMECTINA TÉCNICO OURO FINO (TC07426)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Daqing Jefene Bio- Chemical Co., Ltd. - Hongwei Park of Daqing New & High- Tech Industry Develop. Zone - Daqing, Heilongjiang, China	甲氨基阿维菌素苯甲酸盐 Emamectin benzoate
PERTERRA	CLORANTRANILIPROLE FC TÉCNICO PERTERRA (TC07526)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Huaian Glory Chemical Co., Ltd. - 2, Guoqiao Rd. - salt Chem. Ind. Park, Hongze, Huaian, China	氯虫苯甲酰胺 Chlorantraniliprole
RAINBOW	FLUOPICOLIDA TÉCNICO RAINBOW (TC07626)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Qingdao Rainbow Chemical Co., Ltd. - Xinhe Eco-Chem. Science and Tech. Industry Base Qingdao, Shandong, China	氟吡菌胺 Fluopicolide
BIORISK	LUFENURON TÉCNICO DEZHOU LUBA (TC07726)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Dezhou Luba Fine Chemical Co., Ltd. - 288, Hengdong Rd. Tianqu Ind. Park, Dezhou, China	虱螨脲 Lufenuron
WYNCA	CAPTANA TÉCNICO WYNCA (TC07826)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Golden Season Chem., Co., Ltd. - 3rd Puwei Rd. & 6th Pujing Rd., Tengri Econ. Develop. Zone Alash League, Inner Mongolia Autonomus Region, China	克菌丹 Captan
MEGHMANI	MEGAPYRI TÉCNICO (TC07926)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Meghmani Organics Ltd. - CH- 1 & CH- 2/A, GIDC., Ind. Estate, Dahej, Vagra, Bharuch, Gujarat, India	吡丙醚 Pyriproxyfen



THE Global Networking AgSearch Website



搜索 | Search



收录了来自巴西、印度和中国的 15 万家农业企业

即将上线：巴拉圭、玻利维亚、阿根廷

免费发布您的企业，搜索并寻找新合作伙伴

升级您的套餐，即可创建专属定制页面

150k agribusiness companies from
Brazil, India and China

Coming soon, Paraguay, Bolivia, Argentina

List your company, search and find new partners for free

Upgrade your plan and create a customized page



www.look2agro.com

networking@look2agro.com.br

WhatsApp +55 (11) 99330-4717

AllierBrasil

2026年4月1日第20号法令 – 2026年4月7日发布 – 批准制剂产品登记
Act No. 20 from 4/1/26 – Published on 4/7/26 – Approval of registrations of formulated products

登记持有人 Registrant	商品名(注册号) Brand Name (registration)	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
VIVA	TRICHOCOMBAT SC (8226)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Viva Soluções Biológicas Ltda. - Rua dos Cravos 300, Armazém 2, Distrito Ind., Machado, MG, Brazil	<i>Trichoderma harzianum</i> IB 19/17 300 g/L SC
VALEOURO	DERMAOURO (8326)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Bem da Terra Biológicos S.A. - Ave. Marabá, 4600, Bela Vista, Patos de Minas, MG, Brazil	<i>Trichoderma harzianum</i> IB 19/17 150 g/kg WP
GAIA	GAIA CONTROL NEEM (8426)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Kriya Biosys Private Ltd. - 114, Orchid Block, Keerthi Flora, Brookefields, Bangalore, Karnataka, India	印楝素 3 + 印楝油 700 g/L EC Azadirachtin 3 + Neem oil 700 g/L EC
INDOFIL	AVARAAN INDOFIL (8526)	毒性类别 5 – 产品不太可能造成 急性危害 环境II级 – 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Mancozeb Técnico Indofil) Infofil Industries Ltd. - Azad Nagar, Sandoz Baug, Off Ghodbunder Rd., Ncar Chitalsar, Manpada, Thane, India; Infofil Industries Ltd. - Sez Dahej Ltd., Sez Dahej, Taluka Vagra, Bharuch, Gujarat, India; (Mancozeb Técnico) Dow Agroscience Ind. Ltda. - Av. Pres. Castelo Branco, Jacareí, SP, Brazil; (Mancozeb Técnico Nortox) Limin Chemical Co., Ltd. - 31 Xintan Rd., Ind. Develop. Zone of Xinyi, Jiangsu, China; (Mancozeb Técnico Nortox II) Hebei Shuangji Chemical Co., Ltd., East Suburb, Xinji, Hebei, China; (Difenoconazole Técnico Udragon) Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China; (Score Técnico) Deccan Fine Chem India Private Ltd. - 80-83, Kesavaram, Venkatanagaram Post, Visakhapatnam Payakaraopeta, Mandal, Andhra Pradesh, India; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China	苯醚甲环唑 30 + 代 森锰锌 495 g/L SC Difenoconazole 30 + mancozeb 495 g/L SC
INDOFIL	NIVARAAN INDOFIL (8626)	毒性类别 5 – 产品不太可能造成 急性危害 环境II级 – 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Mancozeb Técnico Indofil) Infofil Industries Ltd. - Azad Nagar, Sandoz Baug, Off Ghodbunder Rd., Near Chitalsar, Manpada, Thane, India; Infofil Industries Ltd. - Sez Dahej Ltd., Sez Dahej, Taluka Vagra, Bharuch, Gujarat, India; (Mancozeb Técnico Nortox) Limin Chemical Co., Ltd. - 31 Xintan Rd., Ind. Develop. Zone of Xinyi, Xinyi, Jiangsu, China; (Mancozeb Técnico) Dow Agroscience Ind. Ltda. - Av. Pres. Castelo Branco, Jacareí, SP, Brazil; (Mancozeb Técnico Nortox II) Hebei Shuangji Chemical Co., Ltd., East Suburb, Xinji, Hebei, China; (Difenoconazole Técnico Udragon) Zhejiang Udragon Bioscience Co., Ltd. - 1 Fangjiadai Rd., Haiyan Econ. Develop. Zone, Haiyan, Zhejiang, China; (Score Técnico) Syngenta S.A. - Usine de Monthey, Route de l'Il au Bois, Monthey, Switzerland; Deccan Fine Chem India Private Limite - 80-83, Kesavaram, Venkatanagaram Post. Visakhapatnam, Payakaraopeta Mandal, Andhra Pradesh, India; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Prothioconazole Técnico Indofil) Anhui Jiuyi Agriculture Co., Ltd. - Hefei Circulate Econ. Zone Hefei, Anhui, China; Indofil Industries Ltd. - Plot Z- 12/1 Sez Dahej, Tal. Vagra, Bharuch, Gujarat, India	丙硫菌唑 29 + 苯醚 甲环唑 25 + 代森锰锌 421 g/L SC Prothioconazole 29 + difenoconazole 25 + mancozeb 421 g/L SC
SYNGENTA	ONVIVIS PRO (8726)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Tymirium Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'île-au- Bois- CH- 1870- Monthey, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Munchwilen, Switzerland; Syngenta Ltd. - Grangemouth Manufacturing Centre, Earls Rd. FK3 8XG, Grangemouth, UK	环丁氟菌胺 Cyclobutrifluram 500 g/L FS
SYNGENTA	PERZAVO PRO (8826)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Tymirium Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'île-au-Bois- Monthey, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Munchwilen, Switzerland; Syngenta Ltd. - Grangemouth Manufacturing Centre, Earls Rd. FK3 8XG, Grangemouth, UK	环丁氟菌胺 Cyclobutrifluram 500 g/L FS
SYNGENTA	PERZAVO (8926)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Tymirium Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'île-au-Bois - Monthey, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Munchwilen, Switzerland; Syngenta Ltd. - Grangemouth Manufacturing Centre, Earls Rd. FK3 8XG, Grangemouth, UK	环丁氟菌胺 Cyclobutrifluram 500 g/L FS



The market access company

AgriConnection is a agricompany specialized in building relationship and direct sales. We connect Brazilian agriculture to the world's input industries.

Activate now the fastest-growing agricultural market access network in Brazil.

We are the market access company that connects customers to global industries, offering a large portfolio of crop protection, nutrition, fertilizers and biologicals products. **Connect now and activate the new way of making business in Brazil.**



Connect to the new



agricconnection



agricconnection.com.br/en

INDOFIL	MANCOZEB INDOFIL 445 SC (9026)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mancozeb Técnico Indofil) Indofil Industries Ltd. - Azad Nagar, Sandoz Baug, Off Ghodbunder Rd., Near Chitalsar, Manpada, Thane, India; Indofil Industries Ltd. - Sez Dahej Ltd., Sez Dahej, Taluka Vagra, Dist-Bharuch, Gujarat, India; (Mancozeb Técnico Nortox) Limin Chemical Co., Ltd. - 31 Xintan Rd., Ind. Develop. Zone of Xinyi, Xinyi, Jiangsu, China; (Mancozeb Técnico Nortox II) Hebei Shuangji Chemical Co., Ltd., East Suburb, Xinji, Hebei, China; (Mancozeb Técnico Dow Agrosciences) Dow Agrosciences Ind. Ltda. - Av. Pres. Castelo Branco, Jacareí, SP, Brazil	代森锰锌 Mancozebe 445 g/L SC
PROVENTIS	ACETAMIPRID 200 SP PROVENTIS (9126)	类别4 - 轻微毒性 环境Ⅱ级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acetamiprido Técnico Proventis) Jiangsu Fengshan Group Co., Ltd. - Wanggang - Dafeng, Jiangsu, China; Jiangsu Yangnong Chem. Group Co., Ltd. - 39, Wenfeng Rd., Yangzhou, Jiangsu, China	啉虫脒 Acetamiprid 200 g/kg SP
SYNGENTA	ONVIVIS (9226)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Tymirium Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'Île-au-Bois - Monthey, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Münchwilen, Switzerland; Syngenta Ltd. - Grangemouth Manufacturing Centre, Earls Rd. FK3 8XG, Grangemouth, UK	环丁氟菌胺 Cyclobutrifluram 500 g/L FS
INDOFIL	GRUMA 07 INDOFIL SC (9326)	毒性类别 5 – 产品不太可能造成 急性危害 环境Ⅱ级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Mancozebe Técnico Indofil) Indofil Industries Ltd. - Azad Nagar, Sandoz Baug, Off Ghodbunder Rd., Near Chitalsar, Manpada, Thane, India; Indofil Industries Ltd. - Sez Dahej Ltd., Sez Dahej, Taluka Vagra, Dist-Bharuch, Gujarat, India; (Mancozebe Técnico) Dow Agrosciences Ind. Ltda. - Av. Pres. Castelo Branco, Jacareí, SP, Brazil; (Mancozebe Técnico Nortox) Limin Chemical Co., Ltd. - 31 Xintan Rd., Ind. Develop. Zone of Xinyi, Xinyi, Jiangsu, China; (Mancozebe Técnico Nortox II) Hebei Shuangji Chemical Co., Ltd., East Suburb, Xinji, Hebei, China; (Picoxitrobin Técnico Coromandel) Coromandel International Ltd. - 3204, GIDC, Ind. Estate, Gujarat Ankleshwar - Dist Bharuch India; (Picoxytobin Técnico Proventis) Jiangxi Heyi Chemical Co., Ltd. - Longcheng, Pengze, Jiujiang, Jiangxi, China; (Prothioconazole Técnico Indofil) Anhui Jiuyi Agriculture Co., Ltd. - Hefei Circulate Econ. Zone Hefei, Anhui, China; Indofil Industries Ltd. - Plot Z- 12/1 SEZ Dahej, Tal. Vagra, Bharuch, Gujarat, India; (Proline Técnico) Bayer Cropscience AG - Alte Heerstrasse, Building A 603, Dormagen, Germany; Bayer Cropscience LP - 8400 Hawthorn Rd., Kansas, MO, USA; Saltigo GmbH - Chempark Leverkusen, Germany	啉氧菌酯 33 + 丙硫 菌唑 29 + 代森锰锌 413 g/L SC Picoxystrobin 33 + prothioconazole 29 + mancozeb 413 g/L SC
TECNOMYL	ATRIVO (9426)	毒性等级 3 - 中等毒 环境等级 III - 危险 Tox. clas. 3 - Moderately toxic Env. clas. III - Dangerous	(Diquat Técnico Tecnomyl) Dezhou Luba Fine Chemical Co., Ltd. - 288 Hengdong Rd., Tianqu Ind. Park Dezhou, Shandong, China; (Diquat Técnico YN) Zhejiang Funong Biotech Co., Ltd. - Lantian Yongqiang Wenzhou, Zhejiang, China; Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulg Econ. e Tech. Develop. Zone, Shangyu, Zhejiang, China; Ningxia Yongnong Biosciences Co., Ltd. - South of Guangfu Rd. and the North of Taizhongyin Railway, Ningdong Base Chem. New Material Zone, Yinchuan, Ningxia Hui Autonomous Region, China	敌草快 Diquat dibromide 374 g/L SL
B PLANT	ISFU (9526)	未分类 环境等级IV-低危险性 Tox. clas. - No classification Env. clas. IV - Slightly dangerous	B Plant Ltda. - Estrada Municipal do Pinheirinho, Pinheirinho, Itú, SP, Brazil	<i>Cordyceps javanica</i> , CBMAI 2831 14 g/L SL
TECNOMYL	MAGMA (9626)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Flumioxazina Técnico Tecnomyl) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	丙炔氟草胺 Flumioxazin 500 g/L SC
RAINBOW	CATEROLE PLUS (9726)	毒性类别 5 – 产品不太可能造成 急性危害 环境Ⅱ级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Indoxacarbe Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Metoxifenoziada Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	茚虫威 170 + 甲氧虫酰肼 330 g/L SC Indoxacarb 170 + methoxyfenozide 330 g/L SC
RAINBOW	SAFENCIL (9826)	毒性类别 5 – 产品不太可能造成 急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Saflufenacil Técnico Rainbow) Ningxia Rainbow Chemical Co., Ltd. - Taisha Ind. Park - Pingluo, Ningxia, China	苯噻磺草胺 Saflufenacil 700 g/kg WG
RAINBOW	DOTHIURON (9926)	类别4 - 轻微毒性 环境Ⅱ级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Diafentiurom Técnico Rainbow) Qingdao Rainbow Chemical Co., Ltd. - Xinhe Eco-Chem. Science and Tech. Ind. Base Qingdao, Shandong, China	丁醚脲 Diafenthiuron 500 g/L SC

RAINBOW	MASIPRO (10026)	毒性类别 5 – 产品不太可能造成急性危害 环境Ⅱ级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Clorantiranilprole Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	氯虫苯甲酰胺 Chlorantranilprole 350 g/kg WG
RAINBOW	ESFORÇO XTRA (10126)	毒性类别 5 – 产品不太可能造成急性危害 环境Ⅱ级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Ciprodinil Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Fludioxonil Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	Ciprodinil 375 + fludioxonil 250 g/kg WG Ciprodinil 375 + fludioxonil 250 g/kg WG
RAINBOW	AGILICA (10226)	类别4 - 轻微毒性 二级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Carfentrazona-etílica Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	唑草酮 Carfentrazone-ethyl 400 g/L EC
RAINBOW	QUICKER (10326)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Etefom Técnico Rainbow) Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China	乙烯利 Ethephon 480 g/L SL
RAINBOW	IMARADO (10426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Imazapic Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Imazapir Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	甲咪唑烟酸 525 + 咪唑烟酸 175 g/kg WG Imazapic 525 + imazapir 175 g/kg WG
RAINBOW	ESIFON (10526)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Etefom Técnico Rainbow) Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., 223000 Huaian, Jiangsu, China	乙烯利 Ethephon 480 g/L SL
RAINBOW	LASTROLE (10626)	毒性类别 5 – 产品不太可能造成急性危害 环境Ⅱ级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Clorantiranilprole Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Lambda-cialotrina Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	氯虫苯甲酰胺 100 + 高效氯氟氰菊酯 50 g/L SC Chlorantranilprole 100 + lambda-cyhalothrin 50 g/L SC
SOMAX	TACÓN (10726)	毒性类别 5 – 产品不太可能造成急性危害 环境Ⅱ级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(S- Metolachlor Técnico Sino- Agri) Shandong Zhongnong Minchang Chem. Ind. Co., Ltd. - 516, Yongxin Rd., Binbei, Binzhou, Shandong, China	精异丙甲草胺 S-metolachlor 960 g/L EC
SOMAX	FLOWZIN (10826)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Flumioxazin Técnico Lier) Lier Chemical Co., Ltd. - Econ. and Technical Develop. Zone, Mianyang, Sichuan, China	丙炔氟草胺 Flumioxazin 500 g/L SC
NORTOX	ETEFOM C NORTOX (10926)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Etefom Técnico Nortox) Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China; (Etefon Técnico Nortox II) Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., Huaian, Jiangsu, China Ciclanilida Técnica Nortox- Hunan Bide Biochemical Tech. Co., Ltd. - Ruxi Chem. Ind. Zone, Linxiang 414300 - Hunan, Yueyang, China	环丙酰胺酸 60 + 乙烯利 480 g/L SC Cyclanilide 60 + ethephon 480 g/L SC
SOMAX	DECCAPTOR (11026)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinate- Ammonium Técnico Lier) Lier Chemical Co., Ltd. - Econ. and Technical Develop. Zone, Mianyang, Sichuan, China	草铵膦 Glufosinate-ammonium 200 g/L SL
ALTA	ACCIPITER (11126)	类别4 - 轻微毒性 环境Ⅱ级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Bifentrin Técnico Mega) Meghmani Organics Ltd. - GIDC. Ind. Estate, Ankleshwar, Baruch, Gujarat, India	联苯菊酯 Bifentrina 100 g/L EC
PROREGISTROS	FLUROXYPPYR 200 EC LIER (11226)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Fluroxypyr-meptyl Técnico Lier) Lier Chemical Co., Ltd. - Econ. and Technical Develop. Zone, Mianyang, Sichuan, China	氯氟吡氧乙酸异辛酯 Fluroxipir-meptílico 288 g/L EC

BIORISK	MANCOZEB 75% WG LIMIN (11326)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mancozeb Técnico Limin) Limin Chemical Co., Ltd. - Econ. Develop. Zone, Xinyi, Jiangsu, China	代森锰锌 Mancozebe 750 g/kg WG
RAINBOW	ROFEN FULL (11426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Lufenuron Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., LTD. - Binhai Econ. Develop. Area,- Weifang, Shandong, China	虱螨脲 Lufenuron 100 g/L EC
BIORISK	ANTÜ 50 EC (11526)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Lufenuron Técnico Biorisk) Lianyungang Hetian Chemical Co., Ltd. - Guannan Duigougang Lianyungang, Jiangsu, China	虱螨脲 Lufenuron 100 g/L EC
ASCENZA	RIKOLTO PRO (11626)	类别4 - 轻微毒性 环境 I 级 - 高度危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Acetamiprido Técnico Macroseeds) Ningbo Sunjoy Agrosience Co., Ltd. - 1165, Benhai Rd., Chem. Ind. Zone of Ningbo-, Ningbo, Zhejiang, China; (Pyriproxyfen Técnico CHD'S) Rudong Zhongyi Chemical Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone Rudong, Jiangsu, China	啉虫脒 200 + 吡丙醚 100 g/L OD Acetamiprid 200 + pyriproxyfen 100 g/L OD
SYNGENTA	INVENCIS (11726)	类别3-中等毒性 环境危害等级II级 - 非常危险 Tox. clas. 3 - Moderately toxic Env. clas. II - Very dangerous	(Isocycloseram Técnico) Syngenta Ltd. - Huddersfield Manufacturing Centre - A38, Leeds Rd., Huddersfield, West Yorkshire HD2 1FF - UK; Syngenta Crop Protection Monthey S.A. - Rue de l'Île au Bois, Monthey, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Münchwilen, Switzerland; Deccan Fine Chem India Private Ltd. - SEZ unit. Kesavaram & Rajavaram, Venkatanagaram Post, Payakaraopeta, Mandal, Visakhapatnam, Andhra Pradesh, India; (Chlorfenapyr Técnico) Jiangsu Baozong & Baoda Pharmaceutical Co., Ltd. - 10 Yuejiang Rd., Changjiang, Rugao, Jiangsu, China; Deccan Fine Chem India Private Ltd. - SEZ unit. Kesavaram & Rajavaram, Venkatanagaram Post, Payakaraopeta, Mandal, Visakhapatnam, Andhra Pradesh, India; Viakem S.A. de C.V. - Ave. Manuel L. Barragán 701 Interior T, Col. Tabachines, San Nicolás de los Garza Nueva León, México; Basf Corporation - Hannibal Plant- 3150 Highway, JJ Palmyra, Missouri, MO, USA; (Clorfenapir Técnico Cropchem) Shandong Weifang Shuangxing Pesticide Co., Ltd. - Weifang Binhai Develop. Zone, Yansi 403, Building 403, Weifang, Shandong, China; Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd. Hangzhou Gulf, Econ. & Tech. Develop. Zone, Shangyu, Zhejiang, China	异环虫酰胺 80 + 虫螨腈 400 g/L SC Isocycloseram 80 + chlorfenapyr 400 g/L SC
ZHONGSHAN	GLUFO ZS (11826)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato de Amônio Técnico Sino- Agri) Hebei Veyong Bio - Chemical Co., Ltd. - 6, Middle Huagong Rd. - Circulation Chem. Ind. Park Shijiazhuang Hebei, China; Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park Shijiazhuang, Hebei, China; (Glufosinato de Amônio Técnico CX) Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Eco Chem. Ind. Park, Xiangshui, Yancheng, Jiangsu, China	草铵膦 Glufosinate-ammonium 200 g/L SL
SYNGENTA	ORIAM (11926)	未分类 环境等级 III - 危险 Tox. clas. - No classification Env. clas. III - Dangerous	(Tymirium Técnico) Syngenta Crop Protec Monthey S.A. - Rue de l'Île-au-Bois - Monthey, Switzerland; Syngenta Crop Protecon AG - Breitenloh 5, Münchwilen, Switzerland; Syngenta Ltd. - Grangemouth Manufacturing Centre, Earls Rd. FK3 8XG, Grangemouth, UK	环丁氟菌胺 Cyclobutrifluram 450 g/L SC
ADAMA	MIL FH 0329/05 (12026)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Clomazone Técnico Milenia) Adama Agan Ltd. - Northern Ind. Zone Haashlag St. 262, Ashdod, 7710201, Israel; (Clomazone Técnico Adama) Jiangsu Chagqing Agrochem. Co., Ltd. - 8 Sanjiang Rd., Jiangsu Econ. Develop. Zone, 225215, Yangzhou, Jiangsu, China; (Clomazone Técnico Mil) Weifang Cynda Chemical Co., Ltd. - 2 of East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁草酮 Clomazone 360 g/L CS
ADAMA	ATREUS (12126)	毒性类别 5 – 产品不太可能造成急性危害 环境 I 级 - 高度危险	(Etiprole Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Rimon Agricur Técnico) Makhateshim Chem. Works Ltd. - 60, Beer Sheva, Israel	乙虫腈 400 + 氟啶脲 20 g/L SC Etiprole 400 + novaluron 20 g/L SC
SYNCROM	GLUFOSINATE-AMMONIUM 200 G/L EA SL (12226)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato Técnico CHD'S) Yongnong Biosciences Co., Ltd. - 03, Weiqi Rd. Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China; Jiangsu Good Harvest-Weien Agrochem. Co., Ltd. - Laogang, Qidong 226221 Jiangsu, China; Hebei Veyong Bio - Chemical Co., Ltd. - 6, Middle Huagong Rd. - Circulation Chem. Ind. Park, Shijiazhuang, Hebei, China	草铵膦 Glufosinate-ammonium 200 g/L SL

TECNOMYL	ELIPSE (12326)	类别4-轻微毒性 环境危害等级 I 级 - 高度危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Acetamipride Técnico Tecnomyl) Hebei Yetian Agrochem. Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China; Ningbo Sunjoy Agrosience Co., Ltd. - 1165 Benhai Rd., Chem. Ind. Zone of Ningbo, Zhenhai, Ningbo, Zhejiang, China; Jiangsu Fengshan Group Co., Ltd. - Wanggang Dafeng, Jiangsu, China; Hebei Veyong Bio - Chemical Co., Ltd. - 393, East Heping Rd., Shijiazhuang, Hebei, China; Jiangsu Yangnong Chem. Group Co., Ltd. - 39, Wenfeng Rd., Yangzhou, China; (Acetamiprid Técnico Tecnomyl II) Shandong Hailir Chemical Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone Weifang, Shandong, China; (Bifentrina Técnico Tecnomyl) Meghmani Organics Ltd. - GIDC. Ind. Estate, Ankleshwar, Baruch, Gujarat, India; (Bifenthrin Técnico Bharat) Bharat Rasayan Ltd. - 2 Km Stone, Madina-Mokhra Rd., Mokhra, Rohtak, Haryana, India	啉虫脒 250 + 联苯菊酯 250 g/kg WG Acetamiprid 250 + bifenthrin 250 g/kg WG
BIORISK	ESTEEM 320 SC (12426)	类别4 - 轻微毒性 环境II级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Azoxistrobin Técnico GSP) GSP Crop Science Private Ltd. - 1, GIDC., Nandesari Ind. Estate, Vadodara, Gujarat, India; (Tebuconazole Técnico GSP) GSP Crop Science Private Ltd.; (Nandesari) - Plot 1.2, 15&16 GIDC., Nandesari, Baroda, Gujarat, India	啉菌酯 120 + 戊唑醇 200 g/L SC Azoxystrobin 120 + tebuconazole 200 g/L SC
MEGHMANI	MEGAZOMBIE (12526)	类别3-中等毒性 环境危害等级 I 级 - 高度危险 Tox. clas. 3 - Moderately toxic Env. clas. I - Highly dangerous	(Profenofós Ascenza Técnico) Excel Crop Care Ltd. - 6/2, Ruvapari Rd., Bhavnagar, Gujarat, India; (Lambda-Cialotrina Técnico Mega) Meghmani Organics Ltd. - Bharuch, Ankleshwar, Gujarat, India	高效氯氟氰菊酯 52 + 丙溴磷 505 g/L EC Lambda-cyhalothrin 52 + profenofos 505 g/L EC
GSP	TRIPOLE (12626)	毒性类别 5 - 产品不太可能造成 急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobina Técnico CAC) CAC Nantong Chemical Co., Ltd. - 4th Huanghai Rd., Yangkou Chem. Ind. Park, Nantong, Jiangsu, China; Jiangxi Tianyu Chemical Co., Ltd. - Yanhua Rd., Xingan Salt Chem. Ind. Park Xingan, Jiangxi, China; (Prothioconazole Technical II CAC) Jiangxi Tianyu Chemical Co., Ltd. - Yanhua Rd., Xingan Salt Chem. Ind. Park Xingan, Jiangxi, China	丙硫菌唑 175 + 肟菌酯150 g/L SC Prothioconazole 175 + trifloxystrobin 150 g/L SC



MAZZA E MANENTE DE ALMEIDA
ADVOGADOS

**Mazza e Manente de Almeida Law Firm provides legal
consultancy and litigation services in
Public and Corporate Law**

**HQ in São Paulo, with correspondents
in other large urban centers**

Lawyer & Partner

Luciana Fabri Mazza - mazza@mzma.com.br

Al. Cauaxi, 293, Cond. Alpha Green, Alphaville, Barueri, SP, Brasil, 06454-020

WhatsApp (11) 98633-3748 mazza@mzma.com.br

2026年4月30日第25号法令 – 2026年5月4日发布 – 批准制剂产品登记 Act No. 25 from 4/30/26 – Published on 5/4/26 – Approval of registrations of formulated products				
登记持有人 Registrant	商品名(注册号) Brand Name (registration)	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
SUMITOMO	PLANITY EVO (12726)	毒性类别 5 – 产品不太可能造成急性危害 环境Ⅱ级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Impyrfluxam Técnico) Sumitomo Chemical Co., Ltd. - Oita works 2200, Tsurusaki Oita-shi, Oita, Japão; Bayer AG - Alte Heerstrasse, Dormagen, Germany; Bayer AG - Industriestraße, Chemiepark Knapsack, Hürth, Germany; (Difenoconazole Técnico Avgust) Changzhou August Agrochem Company Ltd. - 301 Changjiang Rd., Binjiang Chem. Ind. Zone, Hi-Tech Develop. Area, Changzhou, Jiangsu, China; Lion Agrevo Jiangsu Co., Ltd. - 16, 2nd Haibin Rd., Chem. Ind. Park, Yangkou Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; (Difenoconazole Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Picoxistrobina Técnico Milenia) Adama Brasil S.A. - Av. Júlio de Castilhos, 2085, Coqueiros, Taquari, RS, Brazil, (Picoxistrobina Técnico Adama) Adama Brasil S.A. - Rua Pedro Antônio De Souza, 400, Parque Rui Barbosa, Londrina, PR, Brazil; (Picoxistrobina Técnica) Corteva Agriscience Spain S.L. - Valle de Tamon, Nubledo, Tamon, Carreño, Asturias, Spain; Corteva Agriscience France S.A.S. - Usina de Cernay, 82 Rue de Witteshein Cedex, Cernay Cedex, France; Deccan Fine Chem. (India) Pvt Ltd. - Santa Monica Works, Corlim, Goa, India	啉氧菌酯 120 + 苯醚甲环唑 120 + 茚吡菌胺 60 g/L SC Picoxystrobin 120 + difenoconazole 120 + inpyrfluxam 60 g/L SC
CHDS	KINGSUN (12826)	毒性类别 5 – 产品不太可能造成急性危害 环境Ⅱ级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Mancozeb Técnico Sabero) Coromandel International Ltd. - Plot 2102, GIDC - Sarigam, Valsat, Gujarat, India; (Ciproconazol Técnico CHDS) Ningbo Synjoy Agrosience Co., Ltd. - 1165, Beihai Rd.- Ningbo Chem. Ind. Zone, Zhenhai, Zhejiang, China; (Ciproconazol Tradecorp Técnico II) Jiangxi Synica Enterprise Co., Ltd. - GoldHill- Hengfenng- Yongxiu- Jiangxi, China; Tecnomyl S.A., Parque Ind. Avay Villeta- Paraguai; (Cyproconazole Técnico FB) Rudong Zhongyi Chemical Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; (Cyproconazole Técnico FB II) Jiangsu Sevencontinent Green Chemical Co., Ltd. - North of Dongsha Chem- Zone, Zhangjiagang, Jiangsu, China; (Picoxystrobin Técnico ABT) Jiangsu Fopia Chemical Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China; Zhejiang Avilive Chemical Co., Ltd. - 335 Jiangnan Rd., Hengdian, Dongyang, Zhejiang China	啉氧菌酯 37 + 环丙唑醇 15 + 代森锰锌 500 g/L OD Picoxystrobin 37 + cyproconazole 15 + mancozeb 500 g/L OD
FMC	BENEVIA BR (12926)	未分类 环境等级 III - 危险 Tox. clas. - No classification Env. clas. III - Dangerous	(Cyantraniliprole Técnico) Weylchem US - 2114 Larry Jeffers Rd., Elgin, South Carolina, USA; FMC Corporation - U.S. Highway 43 North, Axis, Alabama, USA; FMC Shanghai Agricultural Sciences Co., Ltd. - 39 Shungong Rd., Shanghai Chem. Ind. Park, Shanghai, China	溴氰虫酰胺 Cyantraniliprole 100 g/L OD
CHDS	METRIBUZIN CHD'S (13026)	毒性类别 5 – 产品不太可能造成急性危害 环境Ⅱ级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Metribuzin Técnico CHD'S) Meghmani Industries Ltd. - Z- 6, Dahej SEZ Area, Dahej, Taluka, Vagra Bharuch, Gujarat, India	噻草酮 Metribuzin 480 g/L SC
AGROBEATS	TEBUFORCE 430 SC (13126)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Tebuconazol Técnico FG) Jiangsu Fengdeng Crop Science Co., Ltd. - Dengguan, Jintan, Changzhou, Jiangsu, China	戊唑醇 Tebuconazole 430 g/L SC
AGROBEATS	PYKILL (13226)	类别4 - 轻微毒性 环境Ⅱ级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Picoxystrobin Técnico ABT) Jiangsu Fopia Chemical Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China; Zhejiang Avilive Chemical Co., Ltd. - 335 Jiangnan Rd., Hengdian, Dongyang, Zhejiang, China; (Tebuconazol Técnico FG) Jiangsu Fengdeng Crop Science Co., Ltd. - Dengguan, Jintan, Changzhou, Jiangsu, China	啉氧菌酯 120 + 戊唑醇 200 g/L EC Picoxystrobin 120 + tebuconazole 200 g/L EC
SM AGRO CARE	BITAXAM (13326)	类别4 - 轻微毒性 环境Ⅱ级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Bifenthrin Técnico NGC) Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Bifenthrin Técnico Sulphur Mills) Aimco Pesticides Ltd. - B1 /1, M. .D. C. Ind. Area, Lote Parshuram, Awashi, Ratnagiri, Maharashtra India; (Imidacloprid Técnico Sulphur Mills II) Hebei Yetian Agrochem. Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China	联苯菊酯 100 + 吡虫啉 500 g/kg WG Bifenthrin 100 + imidacloprid 500 g/kg WG

17th BRASIL AGROCHEMSHOW

主办:



机构支持:



合作媒体:



Renowned Agrochemical Brand Show Since 2005

第十七届巴西农用化学品展览会

2026 年 8 月 3-4 日 巴西 圣保罗

Centro de Eventos São Luis

2500+

展示空间

13

国家和地区

1000+

业内人士

70+

参展商


15

会议

6

嘉宾对话

农药相关管理机构、行业协会、科研院所和业内人士积极参与支持，一站式了解巴西最新登记政策，集中会见巴西及南美地区采购商经销商，交流市场动态，推进贸易技术合作，拓展深耕巴西及南美市场。



参展种类更多元化

农药 | 中间体 | 包装 | 物流 | 肥料 | 实验室 | 登记咨询公司



中国国际贸易促进委员会化工行业分会

liyuan@ccpitchem.org.cn



Allierbrasil Consulting Ltda

Allierbrasil@allierbrasil.com.br

ASCENZA	TUNDRA (13426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	(Flumioxazim Ascenza Técnico) Shandong Binnong Tech. Co., Ltd. - 518, Yongxin Rd., Binbei Binzhou, Shandong, China	丙炔氟草胺 Flumioxazin 480 g/L SC
SYNGENTA	SEGURIS (13526)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Isoprazam Técnico) Syngenta Nantong Crop Protection Co., Ltd. - 1 Zhongyang Rd., Nantong Econ. & Tech. Develop. Area, Nantong, Jiangsu, China; Deccan Fine Chem India Pvt Ltd. - 3501 to 3515, 6301 to 6313 & 16 Meter Rd. / B1 & 6008 to 6010, GIDC, Ind. Estate, Bharuch, Ankleshwar, Gujarat, India; Syngenta Crop Protection Monthey S.A. - Route de l'Île-au Bois, 1870 Monthey, Switzerland; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Prothioconazol Técnico Hailir) Shandong Hailir Chemical Co., Ltd. - Lingang Ind. Zone - Coastal Econ. Develop. Zone - Weifang, Shandong, China; (Prothioconazol Técnico Adama Brasil) Adama Makhteshim Ltd. - Neot Hovav, Eco-Ind. Park Beer Sheba, Israel (Prothioconazol Técnico Adama BR) Adama Brasil S/A - Av. Júlio de Castilhos, 2085, Taquari, RS, Brazil; (Prothioconazol Técnico BR) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Prothioconazol Técnico JZ) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Prothioconazol Técnico JY JBL) Anhui Jiuyi Agriculture Co., Ltd. - Hefei Circulate Econ. Zone Hefei, Anhui, China	丙硫菌唑 150 + 吡唑萘菌胺 125 g/L SC Prothioconazole 150 + isoprazam 125 g/L SC
SYNGENTA	TERXAVO (13626)	毒性分类 - 未分类 环境分类 III级 - 危险 Tox. clas. - No classification Env. clas. III - Dangerous	(Tymirium Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'Île-au-Bois, Monthey, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Münchwilen, Switzerland; Syngenta Ltd. - Grangemouth Manufacturing Centre, Earls Rd. FK3 8XG, Grangemouth, UK	环丁氟菌胺 Cyclobutrifluram 450 g/L SC
SYNGENTA	VALNIVIO (13726)	毒性分类 - 未分类 环境分类 III级 - 危险 Tox. clas. - No classification Env. clas. III - Dangerous	(Tymirium Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'Île-au-Bois, Monthey, Switzerland; Syngenta Crop Protection AG - Breitenloh 5, Münchwilen, Switzerland; Syngenta Ltd. - Grangemouth Manufacturing Centre, Earls Rd. FK3 8XG, Grangemouth, UK	环丁氟菌胺 Cyclobutrifluram 450 g/L SC
ADAMA	BALTIC BR (13826)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Magnetico Técnico) Iharabras S.A. Indústrias Químicas - Ave. Liberdade, 1701, Cajuru do Sul, Sorocaba, SP; Jiangsu Flag Chem. Ind. Co., Ltd. - 309 Changfenghe Rd., Nanjing Chem. Ind. Park, Nanjing, Jiangsu, China; Jiangsu Agrochem Laboratory Co., Ltd. - 1218 North Changjiang Rd., Hi-Tech Develop. Zone, Changshou, Jiangsu, China; PI Industries Ltd. - Sterling SEZ, AT&PO, Sarod, Jambusar, Bharuch, Gujarat, India; (Amicarbazona Técnico Adama) Jiangsu Flag Chem. Ind. Co., Ltd. - 309 Changfenghe Rd., Nanjing Chem. Ind. Park Nanjing, Jiangsu, China; Max Rudong Chemical Co., Ltd. - Yangkou Chem. Ind. Park, Rudong, Jiangsu, China; (Amicarbazona Técnico Adama BR) Jiangxi Heyi Chemical Co., Ltd. - Longcheng, Pengze, Jiujiang, Jiangxi, China; (Isoxaflutol Técnico Milênia) Hebei Wanquan Lihua Chemical Co., Ltd. - Kongjiazhuang, Wanquan, Hebei, China; (Isoxaflutole Técnico Adama) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Isoxaflutole Técnico Adama Brasil) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. & Tech. Develop. Area, Zhejiang, China; (Isoxaflutol Técnico Ada Brasil) Oriental (Luzhou) Agrochem. Co., Ltd. - Xinle, Naxi, Luzhou, Sichuan, China	氨唑草酮 700 + 异噁唑草酮 75 g/kg WG Amicarbazone 700 + isoxaflutol 75 g/kg WG

ADAMA	TRIVOR BR (13926)	毒性等级 3 - 中等毒 环境 I 级 - 高度危险 Tox. clas. 3 – Moderately toxic Env. clas. I – Highly dangerous	(Acetamidrid Técnico Milenia) Makhteshin Chem. Works Ltd. - Ramat Hovav, Beer Sheva, Israel; Jiangsu Yangnong Chemical Co., Ltd. - 39 Wengeng Rd., Yangzhou, Jiangsu, China; Shandong Hailir Chemical Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; Jiangsu Fengshan Group Co., Ltd. - Caomiao, Dafeng, Jiangsu, China; (Mospilan Técnico) Nippon Soda Co., Ltd. - 2-2-1, Ohtemachi, Chiyoda- KU, Tóquio, Japão; Iharabras S.A. Indústrias Químicas - Av. Liberdade, 1701, Bloco B, Cajuru do Sul- Sorocaba, SP, Brazil; Tiajin Rotam Chem. Ind. Co., Ltd. - Tie Dong Rd., Beichen Tianhin, China; Liling Fine Chemical Co., Ltd. - Xing Gang Rd., Riverside Ind. Park, Changshu Econ. Develop. Zone, 215537, Jiangsu, China; Jiangsu Chemspec - Weier Chemical Co., Ltd. - Weiliu Rd., Chenjiangang Chem. Park, Xiangshui, Yancheng, Jiangsu, China; Deccan Fine Chem India Private Ltd. - 74A, Rd. 9, Jubilee Hills, Hyderabad, Telangana, India; Ningxia Ruitai Tech. Co., Ltd. - Fine Chem. Park, Zhongwei Ind. Complex, Ningxia, China; Lanzhou Chemspec Weier Chemical Co., Ltd. - Wei 57 Rd., Qinchuan Park, Lanzhou New Area Fine Chem. Ind. Park, Lanzhou, Gansu, China; Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal Econ. Zone, Rudong, Nantong, Jiangsu, China; Rudong Huasheng Chemical Co., Ltd. - Yangkou Chem. Ind. Park, Rudong Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; Shandong Hailir Chemical Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; (Acetamidrid Técnico Adama BR) Hebei Yetian Agrochem. Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China; Ningxia Ruitai Tech. Co., Ltd. - Fine Chem. Park, Zhongwei Ind. Complex, Ningxia, China; (Piriproxifen Técnico Adama) Rudong Zhongyi Chemical Co., Ltd. - 2nd Haibin Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; Crimsun Organics Private Ltd. - C- 9, 10 & 11, Sipcot, Ind. Complex SIPCO, Tamil Nadu Cuddlore, China	啮虫脒 186 + 吡丙醚 124 g/L DC Acetamidrid 186 + pyriproxyfen 124 g/L DC
ADAMA	MIL FO 0738/14 (14026)	类别4 - 轻微毒性 环境等级IV-低危险性 Tox. clas. 4 – Slightly toxic Env. clas. IV – Slightly dangerous	(Etefom Técnico Adama Brasil) Jiangsu Corechem Co., Ltd. - 18, Shilian Ave., 223000 Huaian, Jiangsu, China	乙烯利 Ethephon 720 g/L SL
SUMITOMO	TOPGRAIN (14126)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Sichuan Lomon Bio Tech. Co., Ltd. - Mei Shan Econ. Develop. Zone East, Mei Shan, Sichuan, China	诱抗素 Absciscic acid 86 g/kg SG
CROPCHEM	DURDEM 300 SC (14226)	毒性分类 - 未分类 环境分类 III级 - 危险 Tox. clas. - No classification Env. clas. III - Dangerous	(Teflubenzuron Técnico Cropchem II) Jiangsu Subin Agrochem. Co., Ltd. - Yanhai Ind. Park Econ. Develop. Zone Binhai, Jiangsu, China	氟苯脲 Teflubenzuron 300 g/L SC
NITRO	GLÁDIOS (14326)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Companhia Nitro Química Brasileira - Av. Marginal João Olézio Marques, 3563- Chácara Recreio Planalto- Sertãozinho, SP, Brazil	<i>Paecilomyces lilacinus</i> CCT 8068 200 g/kg WP
MS BIO	CICLO COMBAT (14426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	MS Bio Biotecnologia e Soluções Agrícolas Ltda. - Estrada Barro Preto KM01, - Fazenda Moreira Salles- Moreira Salles, PR, Brazil	<i>Beauveria bassiana</i> IBCB 66 50 ml/L + <i>Metarhizium anisopliae</i> IBCB 425 50 ml/L SC
AGCONTROL	AGMACRO (14526)	未分类 环境等级IV-低危险性 Tox. clas. - No classification Env. clas. IV - Slightly dangerous	Agcontrol Indústria e Comércio de Agentes Biológicos Ltda. - Ave. Avelino Talini, 171, prédio 12, sala 14- Bairro Universitário, Lajeado, RS, Brazil	<i>Phytoseiulus macropilis</i> 10000只螨/筒 mites/cylinder

VALENTTO	TETRA- MAX (14626)	未分类 环境等级IV-低危险性 Tox. clas. - No classification Env. clas. IV - Slightly dangerous	Valentto Biodefensivos Ltda. - Ave. Afonso Queiroz - Jardim Panorâmico, Patos de Minas, MG, Brazil	<i>Tetrastichus howardi</i> 375 头寄生蜂 insects/mL
TOTAL	BTP 170- 21A (14726)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Total Biotecnologia Indústria e Comércio S.A. - Rua Emilio Romani, 1190, CIC- Curitiba, PR, Brazil; Total Biotecnologia Indústria e Comércio S.A. - Rua Rodolpho Hatschbach, 1309, Bairro CIC, Curitiba, PR, Brazil	<i>Melaleuca alternifolia</i> 309.62 g/L EW
VITAL	BIOTHREE (14826)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Vital Brasil Chem. Indústria e Comércio de Produtos Químicos Ltda. - Av. Padre César Luzio, 751- Distrito Ind. II - Barretos, SP, Brazil	<i>Bacillus subtilis</i> , Cepa CCT 0480 230 + <i>Bacillus amyloliquefaciens</i> CCT 7690 230 + <i>Bacillus licheniformis</i> CCT 0535 230 g/L SC
CAC	FLOXCON SC (14926)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobina Técnico CAC) CAC Nantong Chemical Co., Ltd. - 4th Huanghai Rd., Yangkou Chem. Ind. Park, Nantong, Jiangsu, China; Jiangxi Tianyu Chemical Co., Ltd. - Yanhua Rd., Xingan Salt Chem. Ind. Park, Xingan, Jiangxi, China; (Tebuconazole Técnico HH) Yancheng Huihuang Chemical Co., Ltd. - Zhongshan Rd., Binhai Econ. Develop. Zone Coastal Ind. Park, Jiangsu, China	戊唑醇 200 + 肟菌酯 100 g/L SC Tebuconazole 200 + trifloxystrobin 100 g/L SC
TOPBIO	SUPRESS- H (15026)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Topbio Insumos Biológicos Indústria e Comércio Ltda. - Fazenda Famosa, Sítio Gravier, Sala E, Zona Rural, Tibau, RN, Brazil	<i>Trichoderma harzianum</i> IB 19/17 150 g/kg WP
UPL	NEO TACKLER (15126)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	UPL do Brasil Indústria e Comércio de Insumos Agropecuários S.A. - Rod. Sorocaba - Pilar do Sul, Km 122, Salto de Pirapora, SP, Brazil; Toyobo do Brasil Produtos Biológicos Ltda. - Rua Padre Bento, 858 - Distrito Ind., Salto, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 12.52 g/L EC
BC EOCARE	TRICHOCARE P (15226)	未分类 环境等级IV-低危险性 Tox. clas. - No classification Env. clas. IV - Slightly dangerous	BC Ecocare Biotecnologia Ltda. - Rua Natal, 806, Uberlândia, MG, Brazil	<i>Trichogramma pretiosum</i> 25000 卵粒/毫升 eggs/ml
VSF	BARKCONTROL (15326)	未分类 环境等级IV-低危险性 Tox. clas. - No classification Env. clas. IV - Slightly dangerous	VSF Agricultura Sustentável e Comércio Ltda. - Faz Lote 644/645, Núcleo II, sala 01, Projeto Senador Nilo Coelho, Zona Rural, Petrolina, PE, Brazil	<i>Neoseiulus barkeri</i> 10000 头/瓶 mites/pot
BIORISK	MALATHION LUBA 1000 EC (15426)	类别4 - 轻微毒性 环境II级 - 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Malathion Técnico Dezhou Luba) Dezhou Luba Fine Chemical Co., Ltd. - 288, Hengdong Rd., Tianqu Ind. Park, Dezhou, Shandong, China	马拉硫磷 Malathion 1000 g/L EC
INFLORA	IN- 24- 29 (15526)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Inflora Biociência Ltda. - Via Major Hilario Tavares Pinheiro, 2843, Sorocabano, Jaboticabal, SP, Brazil	<i>Bacillus thuringiensis</i> subsp. kurstaki CCT1306 970 g/L SC
VSF	ARRIÉGUA (15626)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	VSF Agricultura Sustentável e Comércio Ltda. - Faz. Lote 644/645, sala 01, Projeto Senador Nilo Coelho, Zona Rural, Petrolina, PE, Brazil	<i>Trichoderma harzianum</i> IBLF1278 150 + <i>Trichoderma harzianum</i> IBLF1282 25 + <i>Trichoderma viride</i> IBLF1275 200 + <i>Trichoderma viride</i> IBLF1276 50 g/kg WP

Forum AllierBrasil



AllierBrasil 国际论坛

这是由 AllierBrasil 举办的国际性活动，旨在展示和探讨农化产品、生物投入品及肥料领域的最新发展动态（涵盖市场、法规及行业趋势）。
活动举办地包括：圣保罗、杭州、海得拉巴、大阪。

Forum AllierBrasil promotes international events aimed at presenting and discussing the latest developments in agrochemicals, bioinputs and fertilizers (market, regulations, trends)

**São Paulo, Hangzhou,
Nanjing, Hyderabad, Osaka**



+55 (11) 99330-4717



flavio.hirata@uol.com.br



www.allierbrasil.com.br



SOLUBIO	TEC WHITE OF (15726)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Solubio Tecnologias Agrícolas S.A. - Rod. GO-184, Km, Zona Rural, Jataí, GO, Brazil	<i>Beauveria bassiana</i> IBCB 66 100 ml/L SC
BIOPAR	BPR TRICHO; TRICHO H; HARZI - ONE (15826)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Biopar Produtos Biológicos do Paraná Ltda. - Área Rural de Toledo, Estr. J. AD. Bombard- Linha Caça e Pesca, Toledo, PR, Brazil	<i>Trichoderma harzianum</i> IB 19/17 15 g/L SC
CHDS	METOMIL 900 SP CHD'S (15926)	毒性等级 2 - 剧毒 环境II级 - 非常危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Metomil Técnico YC) Saerfu (Henan) Agrochem. Co., Ltd. - High and New Tech. Ind. Area, Mengzhou, Henan, China; Haili Guixi Chem. Pesticide Co., Ltd. - Baili Ind. Area, Guixi, Jiangxi, China; (Metomil Técnico Sinon) Sinon Corporation - 101, Nanrong Rd., Ta- tu, Taichung, Taiwan; Sinon Chem (China) Co., Ltd. - 28, Beicun Rd., Zhelin, Fengxian, Shanghai, China	灭多威 Methomyl 900 g/kg SP
CHDS	KADOSH (16026)	毒性等级 2 - 剧毒 环境II级 - 非常危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Lambda- Cialotrina Técnico CHDS) Meghmani Organics Ltd. - Bharuch, Ankleshwar, Gujarat, India	高效氯氟氰菊酯 Lambda-cyhalothrin 250 g/L CS
J.A MOURA	AVAST PLUS (16126)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	J. A. Moura Gonçalves Fertilizantes EIRELI - Rua Tejupa, 117, Parque São Jorge, Avaré, SP, Brazil	<i>Beauveria bassiana</i> IBCB 66 30 + <i>Cordyceps fumosorosea</i> , CCT 8119 30 + <i>Metarhizium anisopliae</i> IBCB 425 30 g/L SC
ZHONGSHAN	METOMIL ZS (16226)	毒性等级 2 - 剧毒 环境II级 - 非常危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Methomyl Técnico ZS) Nantong (Lianyungang) Chemical Co., Ltd. - Chem. Ind. Park, Duigougang, Guannan, Lianyungang, Jiangsu, China; (Metomil Técnico Sinon) Sinon Corporation - 101, Nanrong Rd., Ta- tu, Taichung, Taiwan; Sinon Chem China Co., Ltd. - 28, Beicun Rd., Zhelin, Fengxian, Shanghai, China	灭多威 Methomyl 310 g/L SL
ADAMA	DT- CE- MPP- 460- 23T- BR (16326)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Mancozebe Técnico Indofil) Indofil Industries Ltd. - Azad Nagar, Sandoz Baug, Off Ghodbunder Rd., Near Chitalsar, Manpada, Thane, India; Indofil Industries Ltd. - Sez Dahej Ltd., Sez Dahej, Taluka Vagra, Bharuch, Gujarat, India; (Mancozeb Técnico Sabero) Coromandel International Ltd. - 2102, GIDC, Valsad, Sarigam, Gujarat, India; (Mancozeb Técnico) Dow Agrosiences Ind. Ltda. - Av. Pres. Castelo Branco, 3200, Parte Rio Abaixo, Jacareí, SP, Brazil; (Picoxistrobina Técnico Milenia) Adama Brasil S.A. - Av. Júlio de Castilhos, 2085, Coqueiros, Taquari, RS, Brazil, (Picoxistrobina Técnico Adama) Adama Brasil S.A. - Rua Pedro Antônio De Souza, 400, Parque Rui Barbosa, Londrina - PR; (Prothioconazol Técnico Adama BR) Adama Brasil S.A. - Av. Júlio de Castilhos, 2085, Coqueiros, Taquari, RS, Brazil, (Prothioconazol Técnico Adama Brasil) Adama Makhteshim Ltd. - Neot Hovav, Eco-Ind. Park Beer Sheba, Israel	啮氧菌酯 29 + 丙硫菌唑 38 + 代森锰锌 400 g/L SE Picoxystrobin 29 + prothioconazole 38 + mancozeb 400 g/L SE
LALLEMAND	LALSTOP K61 WS (16426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级IV-低危险性 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Lallemand Soluções Biológicas Ltda. - Estrada Professor Messias José Baptista, 2007, Itaperú, Piracicaba, SP, Brazil; Lallemand Soluções Biológicas Ltda. - Av. Júlia Fernandes Caixeta, 555, Cidade Nova, Patos de Minas, MG, Brazil; Lallemand Soluções Biológicas Ltda. - Rua Negrinho de Freitas, 166- Cidade Nova, Patos de Minas, MG, Brazil; Salutaguse Parmitehas as Lallemand Bio - Ingredients- Kohila Parish Rapla, Salutaguse, Estonia; Lallemand Biologicals - GmbH Lukaswiese 4, Wismar, Germany	<i>Streptomyces griseoviridis</i> IBSBF 3418 300 g/kg WS
RAINBOW	TSTAR (16526)	毒性类别 5 – 产品不太可能造成急性危害 环境II级 - 非常危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trioxistrobina Técnico Rainbow) Shandong Weifang Rainbow Chemical Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	肟菌酯 Trifloxystrobin 500 g/kg WG

2026年5月7日第29号法令 – 2026年5月11日发布 – 批准原药产品登记 Act No. 29 from 5/7/26 – Published on 5/11/26 – Approval of registrations of technical products				
登记持有人 Registrant	商品名(注册号) Brand Name (registration)	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
BIORISK	VALIFENALATE TÉCNICO ISAGRO (TC08026)	等效毒理学概况 环境危害等级IV - 低危险 Tox. clas. - Equivalent Env. clas. IV - Slightly dangerous	Isagro (Asia) Agrochem. Pvt. Ltd. - 2640, GIDC. Panoli, Bharuch, Gujarat, India	霜霉灭 Valifenalate
SOLAGRO	FLUMIOXAZIN TÉCNICO JINGBO (TC08126)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Jingbo Agrochem. Tech. Co., Ltd. - Econ. Develop. Zone, Boxing, Shandong, China	丙炔氟草胺 Flumioxazin
SOLAGRO	PICOXYSTROBIN TÉCNICO AVILIVE (TC08226)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Avilive Chemical Co., Ltd. - 335 Jiangnan Rd. Hengdian Dongyang Zhejiang, China	啉菌酯 Picoxystrobin
PROREGISTROS	PROTIOCONAZOLE TÉCNICO GREENCHEM (TC08326)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Inner Mongolia Join Dream Fine Chemical Co., Ltd. - Zhongcheng Rd. East, Wuda Econ. Develop. Zone, Wuhai, Inner Mongolia, China	丙硫菌唑 Prothioconazole
PROREGISTROS	CAPTAN TÉCNICO KND (TC08426)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Golden Season Chem., Co., Ltd. - 3rd Puwei Rd. & 6th Pujing Rd., Tengri Econ. Develop. Zone Alash League, Inner Mongolia Autonomous Region, China	克菌丹 Captan
NORTOX	TRICLOPIR BUTOTÍLICO TÉCNICO NORTOX III (TC08526)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Aimco Pesticides Ltd. - MIDC Ind. Area, Lote Parshuram, 9, Awashi, Ratnagiri, Maharashtra, India	三氯吡氧乙酸丁氧基乙酯 Triclopir-butotilico
PROREGISTROS	FORWARD S-METOLACHLOR TÉCNICO (TC08626)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Hebei Shanli Chemical Co., Ltd. - Eighteenth Team, Zhongjie Farm, Cangzhou, Hebei, China	精异丙甲草胺 S-metolachlor
TECNOMYL	DIFENOCONAZOL TÉCNICO TECNOMYL II (TC08726)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Chengyang Crop Science Co., Ltd. - 83 Guan Qu Nan Lu, Nanjing Chem. Ind. Park,- Nanjing, Jiangsu, China	苯醚甲环唑 Difenoconazole
SOLAGRO	AZOXYSTROBIN TÉCNICO SCH II (TC08826)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Guangdong Liwei Chem. Ind. Co., Ltd. - Jintang, Maonan Maoming, Guangdong, China	啉菌酯 Azoxystrobin
SOLAGRO	CHLORANTRANILIPROLE TÉCNICO KK (TC08926)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Huaian Glory Chemical Co., Ltd. - 2 Yunnan Ave. Huai'an Ind. Park Huai'an, China	氯虫苯甲酰胺 Chlorantraniliprole
PROVENTIS	IPRODIONE TÉCNICO PROVENTIS (TC09026)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangxi Heyi Chemical Co., Ltd. - Longcheng, Pengze Jiangxi, China	异菌脲 Iprodione
ADAMA	CLORANTRANILIPROLE TÉCNICO ADAMA (TC09126)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Max Rudong Chemical Co., Ltd. - Yangkou Chem. Ind. Park, Rudong Jiangsu, China	氯虫苯甲酰胺 Chlorantraniliprole
ADAMA	CLORANTRANILIPROLE TÉCNICO ADAMA 4 (TC09226)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Zhejiang Avilive Chemical Co., Ltd. - 335, Jiangnan Rd., Hengdian, Dongyang, Zhejiang, China	氯虫苯甲酰胺 Chlorantraniliprole
ADAMA	CLOMAZONE TÉCNICO MIL 2 (TC09326)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Liaoning Cynda Chemical Co., Ltd. - Econ. Develop. Zone Huludao, Liaoning, China	异噁草酮 Clomazone
ADAMA	IPRODIONE TÉCNICO ADA (TC09426)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangxi Heyi Chemical Co., Ltd. - Jishan Eco Industrial Park- Pengze, Jiujiang, Jiangxi, China	异菌脲 Iprodione

ADAMA	S-METOLACLORO TÉCNICO ADA (TC09526)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal Econ. Zone Jiangsu, China	精异丙甲草胺 S-metolachlor
UPL	ETIPROLE TÉCNICO UPL (TC09626)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Ningxia Yifan Biotech. Co., Ltd. - 6, Guangfu Rd., New Chem. Material Park, Ningdong Energy Chem. Ind. Base 50411, Ningxia, China / Superform Chemistries Ltd. - Unit 12, GIDC, III, Dahej, Bharuch, Gujarat, India	乙虫腈 Ethiprole
ADAMA	PICOXISTROBINA TÉCNICO ADAMA 3 (TC09726)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Adama Brasil S/A.- Rua Pedro Antônio de Sousa, 400, Parque Rui Barbosa, Londrina, PR, Brazil	啉氧菌酯 Picoxystrobin
BIORISK	DIFENOCONAZOLE TÉCNICO GSP (TC09826)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	GSP Crop Science Private Ltd. - 1, GIDC. Estate, Nandesari, Baroda, Gujarat, India	苯醚甲环唑 Difenoconazole
CHDS	ZETA- CIPERMETRINA TÉCNICO CHDS (TC09926)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Bharat Rasayan Ltd. - 42/4, Amod Rd., GIDC, Dahej, Bharuch Bharuch, India	六氯氰菊酯 Zeta-cypermethrin
BIORISK	CAPTAN TÉCNICO GSD (TC10026)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Inner Mongolia Golden Season Chem., Co., Ltd. - 3rd Puwei Rd. & 6th Pujing Rd., Tengri Econ. Develop. Zone Alash League, Inner Mongolia Autonomous Region, China	克菌丹 Captan
AGROLEAD	FENPROPIMORPH TÉCNICO AGROLEAD (TC10126)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Henan Jinpeng Chemicals Co., Ltd. - West Side of Jingwu Rd., Chem. Ind. Park, Kaifeng, Henan, China	丁苯吗啉 Fenpropimorph
BIORISK	FLUDIOXONIL TÉCNICO VFC (TC10226)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Vision Fluorochem (Nanjing) Ltd. - 150 Pu Qiao Rd., Nanjing Chem. Ind. Park, Nanjing, China	咯菌腈 Fludioxonil
SOLAGRO	BOSCALID TÉCNICO SJ (TC10326)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Jingbo Agrochem. Tech. Co., Ltd. - Econ. Develop. Zone, Boxing, Shandong, China	啉酰菌胺 Boscalid
LEMMA	ISOXAFLUTOLE TÉCNICO WYNCA (TC10426)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingle, Ningxia, China	异噁唑草酮 Isoxaflutole
WILLOWOOD	CLOMAZONE TÉCNICO WW (TC10526)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Weifang Cynda Chemical Co., Ltd. - 2 of East Partial Lingang Chem. Zone, Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁草酮 Clomazone
ADAMA	PIMETROZINA TÉCNICO ADAMA (TC10626)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Adama Anpon Jiangsu Ltd. - 30 Huagong Rd. Huaian, Jiangsu, China	吡蚜酮 Pymetrozine
IHARABRAS	TRICLOPIR TÉCNICO IHARA II (TC10726)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Gharda Chem. Ltd. - MIDC, Lote Parshuram, Taluka Khed, Ratnagiri, Maharashtra, India	三氯吡氧乙酸丁氧 基乙酯 Triclopyr-butotyl
CCAB	BOSCALID TÉCNICO CCAB I (TC10826)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Jingbo Agrochem. Tech. Co., Ltd. - Econ. Develop. Zone, Boxing, Shandong, China	啉酰菌胺 Boscalid
PILARQUIM	DIAFENTHIURON TÉCNICO PILARQUIM (TC10926)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Changqing Agrochem. Nantong Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal Econ. Zone, Rudong, Nantong, Jiangsu, China	丁醚脲 Difenthiuron

TRADECORP	CLORFENAPIR ASCENZA TÉCNICO (TC11026)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Qingdao Hengning Biotech. Co., Ltd. - 12, Haipu North Rd., Xinhe ECo. Chem. Tech. Ind. Base, Pingdu Qingdao, Shandong, China; Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd. Hangzhou Gulf Econ. & Tech. Develop. Zone Shangyu, Zhejiang, China	虫螨腈 Chlorfenapyr
TIDE	S-METOLACOLORO TÉCNICO TIDE (TC11126)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Shandong Binnong Tech. Co., LTD.- 518, Yongxin Rd., Binbei Binzhou, Shandong, China	精异丙甲草胺 S-metolachlor
CCAB	FLUXAPIROXADE TÉCNICO CCAB (TC11226)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Anhui Neotec Co., Ltd. - 8. Hua Yin Rd., Anhui Huaibei New Coal Chem. Industry and Synthetic Materials Base, Huaibei, Anhui, China	氟苯吡菌胺 Fluxapyroxad
PERTERRA	ACETAMIPRID CQ TÉCNICO PERTERRA (TC11326)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Changging Group Co., Ltd. - 3, Haibin Rd., Chem. Ind. Zone, Open Coastal Econ. Zone, Rudong, Nantong, Jiangsu, China	啉虫脒 Acetamiprid
PERTERRA	CLOROTALONIL WU TÉCNICO PERTERRA (TC11426)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Weunite Fine Chemical Co., Ltd. - Jinger Rd., Chem. Ind. Park, Xinyi, Jiangsu, China	百菌清 Chlorothalonil
PERTERRA	DIFENOCONAZOL TÉCNICO PERTERRA (TC11526)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Heben Biochemical Co., Ltd. - 20, 2nd Haibin Rd., Yangkou Chem. Area, Rudong, Jiangsu, China	苯醚甲环唑 Difenoconazole
PERTERRA	FLUROXIPIR TÉCNICO PERTERRA (TC11626)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Gansu Xinyu Chemical Co., Ltd. - 9, Xingfu Rd., Building Materials Chem. Ind. Zone Yumen, Jiuquan, Gansu, China	氯氟吡氧乙酸 Fluroxypyr
PERTERRA	ISOXAFLUTOLE TÉCNICO PERTERRA (TC11726)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Ningxia Wynca Tech. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	异噁唑草酮 Isoxaflutole
PERTERRA	PROPICONAZOL TÉCNICO PERTERRA (TC11826)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangsu Heben Biochemical Co., Ltd. - 20, 2nd Haibin Rd., Yangkou Chem. Area, Rudong, Jiangsu, China	丙环唑 Propiconazole
VOAGRI	DIFENOCONAZOLE TÉCNICO JXT (TC11926)	等效毒理学概况 环境等级II-非常危险 Tox. clas. - Equivalent Env. clas. II - Very dangerous	Jiangxi Xinzen Tech. Co., Ltd. - Salt Chem. Ind., Xingan, Ji'an Jiangxi, China	苯醚甲环唑 Difenoconazole
PROREGISTROS	IMAZETAPIR TÉCNICO GREENCHEM (TC12026)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shanxi Luhai Pesticide Technologies Co., Ltd. - 1, Luhai Rd., High-Tech Ind. Park Linyi, Shanxi, China	咪唑乙烟酸 Imazethapyr
CCAB	FLUMIOXAZIN TÉCNICO CCAB (TC12126)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Shandong Jingbo Agrochem. Tech. Co., Ltd. - Econ. Develop. Zone, Boxing, Shandong, China	丙炔氟草胺 Flumioxazin
RAINBOW	TIABENDAZOL TÉCNICO RAINBOW (TC12226)	等效毒理学概况 环境川级-危险产品 Tox. clas. - Equivalent Env. clas. III - Dangerous	Jiangsu Noon Crop Science Co., Ltd. - North of Xujia Fast-track Xuzhou Ind. Park, Xuzhou, Jiangsu, China	噻菌灵 Thiabendazole
CHDS	LAMBDA- CIALOTRINA TÉCNICO CHD'S II (TC12326)	毒性分类 - 等效毒理学概况 环境分类 I级 - 高度危险 Tox. clas. - Equivalent Env. clas. I - Highly dangerous	Hemani Industries Ltd. - Unit III, Plot - CH- 5, GIDC. Ind. Estate Dahej, Vagra, Bharuch, Gujarat, India	高效氯氟氰菊酯 Lambda-cyhalothrin

2026年5月29日第34号法令 – 2026年6月15日发布 – 批准制剂产品登记 Act No. 34 from 5/29/26 – Published on 6/15/26 – Approval of registrations of formulated products				
登记持有人 Registrant	商品名(注册号) Brand Name (registration)	笔记 Note	原药生产商 Manufacturer of Technical Product	产品 Product
SOMAX	CAPPO (16626)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mesotrione Técnico Binnong) Shandong Binnong Technology Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	硝磺草酮 Mesotrione 480 g/L SC
PILARQUIM	PILARCAMBA (16726)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Dicamba Técnico Wynca) Ningxia Wynca Technology Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	麦草畏 Dicamba 578 g/L SL
ISK	IPPATSU (16826)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Cyclaniliprole Técnico ISK) Ishihara Sangyo Kaisha Ltd. - 1, Ishihara-Cho, Yokkaichi, Mie, Japan; LG Life Sciences, Ltd. - Ulsan, Onsan Plant 580, Whasan-ri, Onsan-eup, Ulju-gun, South Korea; (Atabron Técnico ISK) Ishihara Sangyo Kaisha Ltd. - 3-15, Edobori 1-Chome, Nishi-ku, Osaka, Japan; Ishihara Sangyo Kaisha Ltd. - 1, Ishihara-Cho, Yokkaichi, Mie, Japan; UPL Limited - 225, Gopipura, Via Baska Taluka, Halol, Panchmahal, Gujarat, India	环丙氟虫胺 12.5 + 氟啶脲 50 g/L EC Cyclaniliprole 12.5 + chlorfluzuron 50 g/L EC
SYNCROM	NEO GLIFO (16926)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glyphosate Técnico Fuhua) Sichuan Leshan Fuhua Tongda Agro-Chem. Tech. Co., Ltd. - Qiaogou Wutongqiao, Leshan, Sichuan, China	草甘膦 Glyphosate 720 g/kg SP
NORTOX	FLUMIOXAZINA C NORTOX (17026)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Chlorimuron Etil Técnico Nortox) Nortox S.A. - 99, Rod. Melo Peixoto, BR 369, Km 197, Aricanduva, Arapongas, PR, Brazil; (Clorimuron Técnico Nortox) Jiangsu Repont Pesticide Factory Co., Ltd. - 18 Haibin 2 Rd., Coastal Econ. Develop. Zone, Rudong, Jiangsu, China; (Flumioxazin Técnico Nortox) Shandong Binnong Technology Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	氯嘧磺隆 103 + 丙炔氟草胺 300 g/kg WG Chlorimuron-ethyl 103 + flumioxazin 300 g/kg WG
ALLIERBRASIL	ASAFAT SG 8 (17126)	毒性等级 4 - 低毒 环境等级 II – 非常危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Acefato Técnico RL) Rallis India Limited - 26 MIDC, Lote Parshuram, Taluka-Khed, Ratnagiri, Maharashtra, India	乙酰甲胺磷 Acephate 970 g/kg SG
ALBAUGH	TANDEM (17226)	毒性等级 3 - 中等毒 环境等级 II - 高危险 Tox. clas. 3- Moderately toxic Env. clas. II - Very dangerous	(Chlorothalonil Técnico Rotam) Shandong Dacheng Agrochem Co., Ltd. - 25 Honggou Rd., Zhangdian, Zibo, Shandong, China; (Chlorothalonil Técnico RTM) Jiangsu Weunite Fine Chem. Co., Ltd. - Jinger Rd., Chem. Ind. Park, Xinyi, Jiangsu, China; (Chlorothalonil Técnico Sulonil) Suli (Ningxia) Chemicals Co., Ltd. - Dunhou Rd., International Chemical Park Ningdong Energy and Chem. Base, Ningdong, Ningxia, China; (Dimethomorph Técnico Rotam) Shandong Cynda Chem. Co., Ltd. - Econ. Develop. Area, Boxing, Shandong, China	百菌清 500 + 烯酰吗啉 100 g/L SC Chlorothalonil 500 + dimethomorph 100 g/L SC
RAINBOW	ANOLINEX (17326)	毒性等级 4 - 低毒 环境等级 III - 危险 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(Aminopiralde Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (2,4-D Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	2,4-滴 596.9 + 氯氨吡啶酸 76.9 2,4-D 596.9 + aminopyralid 76.9 g/L SL
RAINBOW	BASTNATE FULL (17426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato de Amônio Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	草铵膦 Glufosinate-ammonium 400 g/L SL
BIORISK	MESOTRIONE 480 SC BINNONG (17526)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Mesotrione Técnico Binnong) Shandong Binnong Technology Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	硝磺草酮 Mesotrione 480 g/L SC

RAINBOW	TITULO PLUS (17626)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(S-Metolacolor Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Sulfentrazone Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; Ningxia Rainbow Chem. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	精异丙甲草胺 600 + 甲磺草胺 100 g/L EC S-metolachlor 600 + sulfentrazone 100 g/L EC
SOMAX	FULLTIME (17726)	毒性等级 2 - 高毒. 环境等级 III - 危险 Tox. clas. 2 - Highly toxic Env. clas. III - Dangerous	(Diquat Técnico NGC) Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun, Nanjing, China	敌草快 Diquat 200 g/L SL
LEMMA	GLYPHOSATE SINO-AGRI 720 WG (17826)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico Fersol 950) Fersol Indústria e Comércio S.A. - 46, Rod. Castelo Branco, Km 68, Olhos d'água, Mairinque, SP, Brazil; Jingma Chemicals Co., Ltd. - 50 Baota Rd., Longyou, Zhejiang, Longyou, Zhejiang, China	草甘膦 Glyphosate 792.5 g/kg WG
PILARQUIM	SAMURAI TOP (17926)	毒性等级 4 - 低毒 环境等级 II - 高危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Lambda-Cialotrina Técnico Pilarquim) Adama Huifeng Jiangsu Ltd. - Weier Rd., South of Ocean Econ. Develop. Zone, Dafeng, Jiangsu, China; (Lufenurom Técnico Pilarquim) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China; (Lufenurom Técnico SC) Ningbo Sunjoy Agrosience Co., Ltd. - Beihai Rd., 1165, Ningbo Chem. Industry Zone, Xiepu, Zhenhai, Ningbo, Zhejiang, China	高效氯氟氰菊酯 80 + 虱螨脲 80 g/L CS Lambda-cyhalothrin 80 + lufenuron 80 g/L CS
RAINBOW	BOTAIM XTRA (18026)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Imazapic Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Imazapir Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	甲咪唑烟酸 525 + 咪唑烟酸 175 g/kg WG Imazapic 525 + imazapyr 175 g/kg WG
OURO FINO	HAXXIS (18126)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Haloxifope-P-Metílico Técnico Ouro Fino) Nanjing Huazhou Pharmaceutical Co., Ltd. - 9 Dongfeng Rd., Yaxi, Gaochun, Nanjing, Jiangsu, China; Shandong Binnong Technology Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	高效氟吡甲禾灵 Haloxifop-P-methyl 124.7 g/L EC
IMP	SARGAS EVO (18226)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 IV - 轻度危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Imp Bioinsumos Ltda. - Rod. GO 118, Km 2,5, Chácara, Loteamento Santa Maria, Planaltina, GO, Brazil	<i>Bacillus thuringiensis</i> var. kurstaki HD-1 S1450 41.58 g/L SC
SYNGENTA	REFLECT TOP SC (18326)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Isoprazam Técnico) Syngenta Nantong Crop Protection Co., Ltd. - 1 Zhongyang Rd., Nantong Econ. and Technological Develop. Area- Nantong, Jiangsu, China; Deccan Fine Chemicals India Pvt Ltd. - GIDC, Ind. Estate, Bharuch, Ankleshwar, Gujarat, India; Syngenta Crop Protection Monthey S.A. - Route de l'Ile-au Bois, 1870 Monthey, Switzerland; Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Score Técnico) Syngenta Crop Protection Monthey S.A.- Route de l'Ile-au-Bois, Monthey, Switzerland; Deccan Fine Chemicals India Private Limited - 80-83, Kesavaram, Venkatanagaram Post, Payakaraopeta Mandal- Visakhapatnam- Andhra Pradesh, India; Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Difenoconazol Técnico Adama) Tagros Chemicals India Limited- A4/ 1 & 2, SIPCOT Ind. Complex Pachayankuppam- Cuddalore, Tamilnadu, India; (Difenoconazol Técnico Adama BR) Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem-Zone, Zhangjiagang, Jiangsu, China; (Difenoconazole JS Técnico Helm) Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem-Zone, Zhangjiagang, Jiangsu, China; Jiangsu Chengyong CropScience Co., Ltd. - 83, Guan Qu Nan Lu, Nanjing Chem. Industry Park, Nanjing, Jiangsu, China	苯醚甲环唑 125 + 吡唑萘菌胺 125 g/L SC Difenoconazole 125 + isoprazam 125 g/L SC

HELM	HDB 340 (18426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Glufosinato Y Técnico Helm) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd. Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China; (Quizalofop-P-Ethyl Técnico Helm) Jiangsu Fengshan Group Co., Ltd.- Wanggang, Dafeng, Jiangsu, China	草铵膦 300 + 精喹禾灵 60 g/L SC Glufosinate-ammonium 300 + quizalofop-P-ethyl 60 g/L SC
RAINBOW	BOSPEL PLUS (18526)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Boscalid Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Ciprodinil Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	啉酰菌胺 220 + 啉菌环胺 65 g/L SC Boscalid 220 + cyprodinil 65 g/L SC
RAINBOW	BESTROLE PLUS (18626)	毒性等级 4 - 低毒 环境等级 II - 高危险 Tox. clas. 4 - Slightly toxic Env. clas. II - Very dangerous	(Clorfenapir Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Clorrantraniliprole Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	氯虫苯甲酰胺 60 + 虫螨腈 400 g/L SC Chlorantraniliprole 60 + chlorfenapyr 400 g/L SC
AGROBEATS	HALOLAND XTRA (18726)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Clethodim Técnico Brilliance II) Liaoning Cynda Chem. Co., Ltd. - 417, Hanjiang Rd., Comprehensive Ind. Park, Econ. Develop. Zone, Huludao, Liaoning, China; (Haloxyp-P-Methyl ABT) Chizhou Bioagriland Multichem Co., Ltd. - Xiangyu Chem. Industry Park, Dongzhi, Chizhou, Anhui, China	烯草酮 240 + 高效氟吡甲禾灵 123.6 g/L EC Clethodim 240 + haloxyp-P-methyl 123.6 g/L EC
RAINBOW	DITAILB, DROALF, DISOLF, MESOLOM (18826)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Diuron Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; (Sulfentrazone Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China; Ningxia Rainbow Chem. Co., Ltd. - Taisha Ind. Park, Pingluo, Ningxia, China	敌草隆 350 + 甲磺草胺 175 g/L SC Diuron 350 + sulfentrazone 175 g/L SC
PERTERRA	TRIFLOXISTROBIN YN 500 WG PERTERRA (18926)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Trifloxistrobin Técnico YNG) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd. Hangzhou Gulf Economy and Technology Develop. Zone, Shangyu, Zhejiang, China	肟菌酯 Trifloxystrobin 500 g/kg WG
BIORISK	AMETRINA 500 SC BINNONG (19026)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Ametrina Técnico Binnong) Shandong Binnong Technology Co., Ltd. - 518, Yongxin Rd., Binbei, Binzhou, Shandong, China	莠灭净 Ametryn 500 g/L SC
NOVA	BIONOVA SANUS BOVE SC (19126)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 IV - 轻度危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	NOVA S.A.U. - Ruta Nac., 9 Km 373,9 Cañada de Gómez, Santa Fe, Argentina	<i>Beauveria bassiana</i> IBCB 66* 55 g/L SC
CHDS	FLASHER MAX (19226)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Etiprole Técnico CHD'S) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd. Hangzhou Gulf Economy and Tech. Develop. Zone, Shangyu, Zhejiang, China; Aimco Pesticides Limited - B1/1, MIDC Ind. Area, Lote Parshuram, 9, Awashi, Ratnagiri, Maharashtra, India	乙虫腈 Etiprole 800 g/kg WG
TECNOMYL	ISOXAFLUTOLE 750 WG TECNOMYL (19326)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Isoxaflutole Técnico Tecnomyl) Xiangshui Zhongshan Bioscience Co., Ltd. - Dahe Rd., Xiangshui Eco Chem. Industry Park, Xiangshui, Yancheng, Jiangsu, China	异噁唑草酮 Isoxaflutole 750 g/kg WG

TECNOMYL	CETRIX (19426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Ethiprole Técnico Tecnomyl) Jiangsu Tuoqiu Agrochemicals Co., Ltd. - Kaital Rd., Coastal Ind. Park, Binhai Econ. Develop. Zone, Jiangsu, China	乙虫腓 Ethiprole 200 g/L SC
SOLUS	IMAZETAPIR 700 WG CROP (19526)	毒性分类 - 未分类 环境分类 - III级 - 危险 Tox. clas. - No classification Env. clas. III - Dangerous	(Imazethapyr Técnico Solus) Shandong Cynda Chem. Co., Ltd. - Econ. Develop. Area, Boxing, Shandong, China; (Imazetapir Sapec Técnico) Jiangsu Flag Chem. Industry Co., Ltd. - 309 Changfenghe Rd., Nanjing Chem. Ind. Park, Nanjing, China	咪唑乙烟酸 Imazethapyr 700 g/kg WG
SYNGENTA	CYPRESS BOLD (19626)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Score Técnico) Syngenta Crop Protection Monthey S.A. - Rue de l'Ile-au-Bois-Monthey, Switzerland; Deccan Fine Chem. India Private Ltd. - Kesavaram, Venkatanagaram Post, Payakaraopeta Mandal- Visakhapatnam, Andhra Pradesh, India; Youjia Crop Protection Co., Ltd. - 5th Tonghai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Tebuconazole Técnico Proventis) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. and Technological Develop. Area, Zhejiang, China; (Tebuconazol Técnico Adama Brasil) Jiangsu Sevencontinent Green Chem. Co., Ltd. - North of Dongsha Chem-Zone, Zhangjiagang, Jiangsu, China; (Tebuconazol Técnico Adama 3) Jiangsu Fengdeng Crop Science Co., Ltd. - Dengguan, Jiangsu, Changzhou, China	苯醚甲环唑 150 + 戊唑醇 200 g/L EC Difenoconazole 150 + tebuconazole 200 g/L EC
ALLIERBRASIL	TOFORDEE (19726)	毒性等级 4 - 低毒 环境等级 III - 危险 Tox. clas. 4 - Slightly toxic Env. clas. III - Dangerous	(2,4-D Acid Técnico) Jiangsu Good Harvest Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China; Swati Chem. Industries - GDIC Baroda, Nandesari, Gujarat, India	2,4-滴 2,4-D 866 g/L SL
CHDS	TRELLUS (19826)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Fenpropimorfe Técnico CHDS) Jiangsu Fopia Chemicals Co., Ltd. - 1 Zhongshan Rd., Coastal Ind. Park- Binhai Econ. Develop. Zone, Yancheng, Jiangsu, China; (Fenpropimorph Técnico EA) Lion Agrevo Nantong Co., Ltd. - Forth Yangkou Rd., Chem. Ind. Park, Yangkou Coastal Econ. Develop. Zone, Rudong, Nantong, Jiangsu, China	丁苯吗啉 Fenpropimorph 750 g/L EC
ALBAUGH	ISOXAFLUTOL WG ALBAUGH 02 (19926)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Isoxaflutole Técnico Albaugh) Shangyu Nutrichem Co., Ltd. - 9, Weijiu Rd., Hangzhou Bay Shangyu Econ. and Technological Develop. Area, Zhejiang, China; (Isoxaflutole Técnico Rainbow) Shandong Weifang Rainbow Chem. Co., Ltd. - Binhai Econ. Develop. Area, Weifang, Shandong, China	异噁唑草酮 Isoxaflutole 750 g/kg WG
SYNCROM	CLETOWEED 240 EC (20026)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Cletodim Técnico NGC) Hebei Lansheng Biotech Co., Ltd. - Mayu, Jinzhou, Shijiazhuang, Hebei, China	烯草酮 Clethodim 240 g/L EC
PERTERRA	ESPIRODICLOFEN 240 SC PERTERRA (20126)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Spirodiclofen Técnico Sino-Agri) Shijiazhuang Richem Co., Ltd. - 1, Xingwang Rd., Biological Ind. Park Zhaoxian, Shijiazhuang, Hebei, China	螺螨酯 Spirodiclofen 240 g/L SC
PERTERRA	DIQUAT YN 200 SL PERTERRA (20226)	毒性等级 3 - 中等毒 环境等级 III - 危险 Tox. clas. 3 – Moderately toxic Env. clas. III – Dangerous	(Diquat Técnico YN) Zhejiang Funong Biotech Co., Ltd. - Latian Yongqiang, Wenzhou, Zhejiang, China; Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd. Hangzhou Gulf Economy and Technology Develop. Zone, Shangyu, Zhejiang, China; Ningxia Yongnong Biosciences Co., Ltd. - South of Guangfu Rd. and the North of Taizhongyin Railway, Ningdong Base Chem. New Material Zone, Yinchuan, Ningxia Hui Autonomous Region, China	敌草快二溴盐 Diquat dibromide 374 g/L SL

SOLUS	SURRATEIRO BR (20326)	毒性等级 2 - 高毒 环境等级 II - 高危险 Tox. clas. 2 - Highly toxic Env. clas. II - Very dangerous	(Lambda-Cialotrina Técnico Mega) Meghmani Organics Limited, Bharuch, Ankleshwar, Gujarat, India	高效氯氟氰菊酯 Lambda-cyhalothrin 250 g/L CS
NAVE	QUALYBIO META CONTROL (20426)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 IV - 轻度危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Nave Bio Science Ltda. - Av Papa Pio XII, 847, sala 8, Jardim Chapadão, Campinas, SP, Brazil	<i>Metarhizium anisopliae</i> IBCB 425* 300 g/L SC
PROREGISTROS	CLODINAFOP-PROPARGYL 240 EC LIER (20526)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Clodinafop-Propargyl Técnico Lier) Lier Chem. Co., Ltd. - Econ. and Technical Develop. Zone, Mianyang, Sichuan, China	炔草酯 Clodinafop-propargyl 240 g/L EC
BIORISK	DIFLUBENZURON 480 SC GHARDA (20626)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 II - 高危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. II - Very dangerous	(Diflubenzuron Técnico Gharda) Gharda Chemicals Limited - MIDC, Lote Parshuram, Taluka Khed, Ratnagiri, Maharashtra, India	除虫脲 Diflubenzuron 480 g/L SC
ALLIERBRASIL	SENHA 648 SL (20726)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glifosato Técnico GH) Jiangsu Good Harvest-Weien Agrochemical Co., Ltd. - Laogang, Qidong, Jiangsu, China	草甘膦异丙胺盐 Glyphosate - isopropylammonium 648 g/L SL
AGROBEATS	SUPERQUAT 200 SL (20826)	毒性等级 3 - 中等毒 环境等级 II - 高危险 Tox. class 3 – Moderately toxic Env. clas. II - Very dangerous	(Diquat Dibromide Técnico ABT) Lier Chem. Co., Ltd. - Econ. and Technical Develop. Zone- Mianyang, Sichuan, China	敌草快二溴盐 Diquat dibromide 374 g/L SL
PERTERRA	AZOXISTROBINA 250 SC PERTERRA (20926)	毒性类别 5 – 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Azoxystrobin Técnico Sino-Agri) Hebei Veyong Bio - Chem. Co., Ltd. - Middle Huangong Rd., Circulation Chem. Industry Park, Shijiazhuang, Hebei, China	啞菌酯 Azoxystrobin 250 g/L SC
ALBAUGH	ACETAMIPRIDO + BIFENTRINA SC ALBAUGH 02 (21026)	毒性等级 4 - 低毒 环境等级 I - 极高危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Acetamiprido Técnico Agristar) Jiangsu Fengshan Group Co., Ltd. - Wanggang, Dafeng, Jiangsu, China; (Acetamiprido Técnico Consagro) Jiangsu Changlong Chem. Co., Ltd. - Taixing Econ. Develop. - Taixing, Jiangsu, China; Hebei Yetian Agrochemicals Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China; Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone Weifang, Shandong, China; (Bifenthrin Técnico Bharat) Bharat Rasayan Limited - 2 Km Stone, Madina-Mokhra Rd., Mokhra, Rohtak, Haryana, India	啞虫脒 250 + 联苯菊酯 250 g/L SC Acetamiprid 250 + bifenthrin 250 g/L SC

ADAMA	FANTASTIC SUPRA BR (21126)	毒性等级 4 - 低毒 环境等级 I - 极高危险 Tox. clas. 4 - Slightly toxic Env. clas. I - Highly dangerous	(Bifenthrin Técnico Bharat) Bharat Rasayan Ltd. - 2 Km Stone, Madina-Mokhra Rd., Rohtak, Haryana, India; (Bifentrina Técnico Adama BR) Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Bifentrina Técnico Adama Brasil) Meghmani Organics Limited - GIDC Ind. State, Bharuch, Ankleshwar, Gujarat, India; (Bifentrina Técnico Milenia) Adama Makhteshim Ltd. - Neot Hovav Eco-Industrial Park, Beer Sheva, Israel; Aimco Pesticides Limited - MIDC Ind. Area, Lote Parshuram, Awashi, Ratnagiri, Maharashtra, India; Meghmani Organics Limited - GIDC Ind. State, Bharuch, Ankleshwar, Gujarat, India; (Bifentrina Técnico Mil) Youjia Crop Protection Co., Ltd. - 5th TongHai Rd., Rudong Coastal Econ. Develop. Zone, Nantong, Jiangsu, China; (Sulfoxaflor Técnico) Corteva Agriscience LLC - 701 Washington Street, Midland, Michigan, USA; Deccan Fine Chemicals India Pvt Limited - Kesavaram, Venkatanagaram Post, Payakaraopeta Mandal- Visakhapatnam, Andhra Pradesh, India	联苯菊酯 300 + 氟啶虫胺胍 250 g/L SC Bifenthrin 300 + sulfoxaflor 250 g/L SC
HELM	KRIEGER (21226)	毒性分类 3 - 中等毒性 环境分类 I级 - 高度危险 Tox. clas. 3 - Moderately toxic Env. clas. I - Highly dangerous	(Imidacloprid H Técnico Helm) Shandong Hailir Chem. Co., Ltd. - Lingang Ind. Zone, Coastal Econ. Develop. Zone, Weifang, Shandong, China; (Imidacloprid HY Técnico Helm) Hebei Yetian Agrochemicals Co., Ltd. - Ind. Zone, South of Yuanshi, Shijiazhuang, Hebei, China; (Imidacloprido Técnico JC) Jiangsu Changqing Biotechnology Co., Ltd. - 1 Jiangling Rd., Putou, Jiangdu, Yangzhou, Jiangsu, China; (Imidacloprid 97 Técnico Helm) Jiangsu Changlong Chemicals Co., Ltd. - Longhutang, New District of Changzhou, Jiangsu, China; (Lambda-Cyhalothrin Técnico Oxon) Youth Chem. Co., Ltd. - 3 Dalian Rd., Yangzhou Chem. Industry Zone, Yizheng, Jiangsu, China; Bharat Rasayan Limited - 2 Km Stone, Madina-Mokhra Rd., Mokhra, Tehsil Meham, Rohtak, Haryana, India; (Lambda-Cialotrina Tradecorp Técnico) Jiangsu Chunjiang Runtian Agrochemical Co., Ltd. - 6, Huaihong Rd., The Salt Chem. Industry Develop. Zone, Hongze, Jiangsu, China; Hemani Industries Ltd. - Unit III, GIDC, Ind. Estate, Dahej, Vagra, Bharuch, Gujarat, India; (Lambda-Cyhalothrin 97 Técnico Helm) Jiangsu Changlong Chemicals Co., Ltd. - Longhutang, New District of Changzhou, Jiangsu, China; (Lambda-Cyhalothrin Técnico Bharat) Bharat Rasayan Limited - 2 Km Stone, Madina-Mokhra Rd., Mokhra, Tehsil Meham, Rohtak, Haryana, India	吡虫啉 320 + 高效氯氟氰菊酯 80 g/L SC Imidacloprid 320 + lambda-cyhalothrin 80 g/L SC
GHENVET	CINERAGRO METARHIZIUM (21326)	毒性类别 5 - 产品不太可能造成急性危害 环境等级 IV - 轻度危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. IV - Slightly dangerous	Ghenvet Biotecnologia Ltda. - Rua Joaquim Aricó, 499, Betel, Paulínia, SP, Brazil	<i>Metarhizium anisopliae</i> IBCB 425* 100 g/kg WP
ALBAUGH	PREFER MAX (21426)	毒性类别 5 - 产品不太可能造成急性危害 环境等级 III - 危险 Tox. clas. 5 - Unlikely to cause acute damage Env. clas. III - Dangerous	(Glufosinato Técnico Albaugh) Shijiazhuang Richem Co., Ltd. - 1 Xingwang Rd., Biological Ind. Park, Zhaoxian, Shijiazhuang, Hebei, China; (Glufosinate-Ammonium Técnico GT) Yongnong Biosciences Co., Ltd. - 3, Weiqi Rd., Hangzhou Gulf Fine Chem. Zone, Shangyu, Zhejiang, China; (Glufosinate-Ammonium Técnico Lier) Lier Chem. Co., Ltd. - Econ. and Technical Develop. Zone, Mianyang, Sichuan, China	草铵膦 Glufosinate-ammonium 500 g/L SL
SUMITOMO	OPTERAEVO (21526)	毒性分类 - 未分类 环境等级 II - 高危险 Tox. clas. - No classification Env. clas. II - Very dangerous	(Cloranttraniiliprole Técnico Sumitomo) Guangan Lier Chem. Co., Ltd. - Xinqiao Ind. Park, Econ. and Technical Develop. Zone, Guangan, Sichuan, China	氯虫苯甲酰胺 Chlorantraniliprole 200 g/L SC



GCF: FAST-GROWING BRAZILIAN AGRIBUSINESS GROUP

GCF is a fast-growing Brazilian agribusiness group, operating in biological inputs, specialty products, crop protection and logistics across South America.

We operate with a nationwide sales network of more than 70 representatives, ensuring strong market presence and consistent demand generation across Brazil.

Our international business is led by SOLUS, responsible for global sourcing, strategic partnerships and international trade.

In 2025, SOLUS handled approximately 1,000 containers from China and over 300 containers from India, reinforcing our strong presence and long-term commitment in Asia.

We connect reliable global manufacturers with one of the most competitive agricultural markets in the world.



grupocropfield.com.br/cropfield    [cropfield_do_brasil](https://www.instagram.com/cropfield_do_brasil)

grupocropfield.com.br/solus    [solusdobrasil](https://www.instagram.com/solusdobrasil)

anderson.faustino@solusdobrasil.com.br

Address: Apucarana Br 376, km 1441,
Bairro Cropfert, Apucarana City, State of Paraná, Brazil



THE Global Networking AgSearch Website



搜索 | Search



收录了来自巴西、印度和中国的 15 万家农业企业
即将上线：巴拉圭、玻利维亚、阿根廷
免费发布您的企业，搜索并寻找新合作伙伴
升级您的套餐，即可创建专属定制页面

150k agribusiness companies from
Brazil, India and China

Coming soon, Paraguay, Bolivia, Argentina

List your company, search and find new partners for free

Upgrade your plan and create a customized page



www.look2agro.com

networking@look2agro.com.br

WhatsApp +55 (11) 99330-4717

AllierBrasil